



GUNUO TIANJIN INDUSTRIAL CO., LTD.
WE HAVE BEEN WORKING HARD!

www.gnspufoamsealant.com



Acetic Silicone Sealant

The GNS® Acetic Silicone Sealant G11 is a general purpose silicone sealant is based on silicone. Acetic Silicone Sealant A11 has good weather ability, waterproof and good adhesion to most construction materials. With more than 18 years development, GNS products have been sold to 78 countries and areas all around the world which cover Asia, South America, Middle East, Europe and Africa.



You are welcomed to come to our factory to buy the latest selling GNS® Acetic Silicone Sealant. And we will offer you the best after-sale service and timely delivery. We look forward to cooperating with you, if you want to know more, you can consult us now, we will reply to you in time!

1.PRODUCT FEATURE OF GNS® ACETIC SILICONE SEALANT G11

- Acetoxy room temperature cure, easy to apply.
- Outstanding weatherproofing ability, resisting to ultraviolet ray, ozone, snow, or temperature extremes.
- Excellent adhesion to most building materials.
- Cost effective



GUNUO TIANJIN INDUSTRIAL CO., LTD.
WE HAVE BEEN WORKING HARD!

www.gnspufoamsealant.com

ACETIC SEALANT

EASY TO USE AND REDUCE WASTE



Tel:+86-20-84267539

Email:enquiry@gnsealant.com



GUNUO TIANJIN INDUSTRIAL CO., LTD.
WE HAVE BEEN WORKING HARD!

www.gnspufoamsealant.com



SILICONE SEALANT QUALITY

- Good Adhesion
- No Bubbles
- Multiple Colors

BETTER APPLICATION FACTOR

- Good Elasticity
- Not East To Break
- Good Recovery





GUNUO TIANJIN INDUSTRIAL CO., LTD.
WE HAVE BEEN WORKING HARD!

www.gnspufoamsealant.com



ACETIC SEALANT

- Acetoxy cure silicone sealant
- Excellent adhesion
- Easy application

2.PERFORMANCE DATA OF GNS® ACETIC SILICONE SEALANT G11

Test Parameter	Unit	Result
As Supplied Tested at 23°C and 50% RH		
Specific Gravity	g/ml	0.93±0.02
Flow (sag or slump)	mm	0
Tack-free Time	hour	≤1.0
Skin Time	minute	5~10
Curing time (5mm)	hour	≤18
As Cured-after 21 days at 23°C and 50% RH		
Durometer Hardness, Shore A	Points	14
Movement Capability	%	±20
Ultimate Tensile Strength	Mpa	0.18
Ultimate Elongation at Break	%	260


3.APPLICATION OF GNS® ACETIC SILICONE SEALANT G11



GUNUO TIANJIN INDUSTRIAL CO., LTD.
WE HAVE BEEN WORKING HARD!

www.gnspufoamsealant.com

PRODUCT APPLICATION RANGE





GUNUO TIANJIN INDUSTRIAL CO., LTD.
WE HAVE BEEN WORKING HARD!

www.gnspufoamsealant.com

HOW TO USE?




1.Loading the Glue Gun



2.Cut the Bottle Top




3.Install the Nozzle Into the Bottle Top



4.Cut Nozzle To Desired Based Size



5.Remove Dirt, Grease, Moisture and Old Caulk



6.Mask Both Sides of Joint With Masking Tape.



7.Evenly Gluing



8.Scrape off Any Excess Glue



9.Remove Masking Tape Immediately

Tel:+86-20-84267539

Email:enquiry@gnsealant.com

4.STORAGE AND SHELF LIFE OF ACETIC SILICONE SEALANT G11

9 months from manufacture date when store in cool dry locations below 25°C, keep away from heat source and direct sunlight during storage.

5.PACKING, SHIPPING AND SERVING OF ACETIC SILICONE SEALANT G11

Packing: 220ml to 300ml of cartridge, 590ml 600ml of sausage, 190L of drum. 24 ctgs/ctn of cartridge, 20 pcs/ctn of sausage. (For special specifications, please contact us.)

Shipping: Sea, air or land transportation

Serving: We provide free design service, and you'll get excellent after-sales service, we committed to solving any problems that may occur when you use our products.



GUNUO TIANJIN INDUSTRIAL CO., LTD.
WE HAVE BEEN WORKING HARD!

www.gnspufoamsealant.com



COMPANY PROFILE

- The biggest PU foam manufacturer in Asia
- 17 years export experience
- Sold to 72 countries and areas
- Equipped with 32 advanced full-automatic production line
- 50% market share in China
- Accredited to all kinds certificates

Tel:+86-20-84267539

Email:enquiry@gnsealant.com



GUNUO TIANJIN INDUSTRIAL CO., LTD.
WE HAVE BEEN WORKING HARD!

www.gnspufoamsealant.com

OUR ADVANTAGES



QUALITY

Provide stable and good quality assurance



PACKING

750ml 500ml 300ml, 12 cans/carton.
(For special specifications, please contact us.)



TRANSPORT

Sea or land transportation



TECHNOLOGY

Establish a joint laboratory with WANHUA & DuPont to create products that meet customer needs



COOPERATION

Customer-centric, looking forward to cooperating with all potential customers



SERVICE

We provide free design service, and you'll get excellent after-sales service

6.FAQ

Q: What is the advantages of GNS?

Tel:+86-20-84267539

Email:enquiry@gnsealant.com

- A: 1. GNS has 18 years production experience for silicone sealant product, annual production capacity is 40,000 tons.
2. Good stable quality with competitive price, timely delivery and provide free and professional OEM design.
3. Participate in many foreign exhibitions every year, such as Dubai, Brazil, Ukraine, Russia and so on, so we know well for these markets.

Q: What's the difference between Neutral silicone sealant and Acetic silicone sealant?

A. Neutral silicone sealant can be used both indoor or outdoor, but acetic silicone sealant just can be used indoor.

