





#### B1 Fire Rated PU Expandable Foam Gun Type

As a professional high quality GUNUO® B1 Fire Rated PU Expandable Foam Gun Type manufacture, you can rest assured to buy B1 Fire Rated PU Expandable Foam Gun Type from our factory and we will offer you the best after-sale service and timely delivery.

B1 Fire Rated PU Expandable Foam Gun Type is an one-component, high quality B1 fire retardant polyurethane foam. The foam will expand and cure by moisture in the air. It is fitted with a plastic adapted head for use with a foam application gun. B1 Fire Rated PU Expandable Foam has an excellent performance for installation of doors and windows. High grade fire resistance and heat insulation, also B1 Fire Rated PU Expandable Foam can be met fire safety requirements.Mainly used for installation, fixing and insulation of door and window frames; filling and sealing of gaps, joints, openings and cavities.

GNS is B1 Fire Rated PU Expandable Foam Gun Type manufacturers and suppliers in China. We can provide professional service and better price for you. If you interested in B1 Fire Rated PU Expandable Foam Gun Type products, please contact with us. We follow the quality of rest assured that the price of conscience, dedicated service.

### **1.PRODUCT FEATURE OF B1 FIRE RATED PU EXPANDABLE FOAM GUN TYPE**


•Excellent adhesion to a wide variety of surfaces such as UPVC, masonry, brick, block work, glass, steel, aluminum, timber and other substrates (except PP, PE and Teflon);

- •Self-extinguish when the fire leave;
- •High thermal and acoustical insulation;
- Strong surface after curing;
- •Conform to fire class B1 (DIN 4102)
- •Application temperature between  $+5^{\circ}$ C to  $+35^{\circ}$ C;
- •Optimal application temperature between  $+18^{\circ}$  to  $+30^{\circ}$ ;
- •Environmentally friendly. It contains CFC-free propellants which are harmless to the ozone layer.









GNS B1 FIRE RETARDANT PU FOAM

near the lamp

turned black when contact

tsurface carbonization , fire Self-extinguish



## FLAME RETARDANT MATERIAL

- Good flame retardancy
- with self-extinguishingeffect after flaming
- High safety factor






# STABLE FOAM QUALITY

- Pre-expansion
- Good adhesion
- Smooth cell density
- No shrinkage

## BETTER INSULATION FACTOR

- Cold insulation
- Sound insulation





### Gun Type







Straw Type



### 2.PERFORMANCE DATA OF B1 FIRE RATED PU EXPANDABLE FOAM GUN TYPE

Base Consistency Curing System Tack-Free Time (min) Drying Time Cutting Time (min) Yield (L) Shrink Cellular Structure Specific Gravity (kg/m³) Polyurethane Stable Foam Moisture-curing 7~8 Dust-free after 12-14 min. 50~60 28 None >84% close cells 20

Tel:+86-20-84267539



Temperature Resistance	<b>-50°C∼+80°</b> C
Application Temperature Range +18 $^\circ$ C ~+30 $^\circ$ C	
Colour	White
Fire Class (DIN 4102 )	B1
Insulation Factor (Mw/m.k)	0.041
Compressive Strength (kPa)	130
Tensile Strength (kPa)	170
Adhesive Strength(kPa)	135
Water Absorption (ML)	0.3~8(no epidermis) <0.1(with epidermis)

### 3. APPLICATIONS AREAS OF B1 FIRE RATED PU EXPANDABLE FOAM GUN TYPE


- •Installing, fixing and insulating of door and window frames;
- •Filling and sealing of gaps, joint and openings;
- •Connecting of insulation materials and roof construction;
- •Bonding and mounting;
- •Insulating the electrical outlets and water pipes;
- •Heat preservation, cold and sound insulation;
- •Packaging purpose, wrap the precious & fragile commodity, shake-proof and anti-pressure.



# **PRODUCT APPLICATION RANGE**



Installation of door and window frames



Fill the gap

Door and window fixing





4.APPLICATION INSTRUCTIONS OF B1 FIRE RATED PU EXPANDABLE FOAM GUN TYPE

#### 5.STORAGE AND SHELF LIFE OF B1 FIRE RATED PU EXPANDABLE FOAM GUN TYPE

12 months in unopened packing store in temperature between  $+5^{\circ}$ C to  $+25^{\circ}$ C, Keep in cool, shade and well ventilated area. Always keep the can with the valve pointed upwards.

#### 6.PACKING, SHIPPING AND SERVING OF B1 FIRE RATED PU EXPANDABLE FOAM GUN TYPE

Packing: 750ml 500ml 300ml, 12 cans/carton. (For special specifications, please contact us.) Shipping: Sea or land transportation

Serving: We provide free design service, and you'll get excellent after-sales service, we committed to solving any problems that may occur when you use our products.

www.gnspufoamsealant.com











# COMPANY PROFILE

- The biggest PU foam manufacturer in Asia
- 19 years export experience
- Sold to 77 countries and areas
- Equipped with 32 advanced full-automatic production line
- 55% market share in China
- Accredited to all kinds certificates





### 7.FAQ

- Q: Why does the PU foam turn yellow after a long time?
- A: Normally it will turn yellow when the cured foam exposed to ultraviolet rays for a long time.



Q: If the PU foam shrinks after curing, what effect will it bring?

A: It will damage doors and windows and the performance of PU foam will be reduced.

