

GNS



Multi Purpose PU Foam Gun Type

The GNS® Multi Purpose PU Foam Gun Type A11 is an one-component, high quality multi-purpose polyurethane foam. It is fitted with a plastic adapted head for use with a foam application gun. The foam will expand and cure by moisture in the air. Multi Purpose PU Foam A11 is designed for sealing, imperfections sealing, installation of construction components, high sound and thermal insulation,and various other repair and construction tasks.

www.gnspufoamsealant.com

GNS is a professional leader China GNS® Multi Purpose PU Foam Gun Type manufacturer with high quality and reasonable price. And we will offer you the best after-sale service and timely delivery. Welcome to contact us.

1.PRODUCT FEATURE OF GNS® MULTI PURPOSE PU FOAM GUN TYPE A11

•Good adhesion to a wide variety of surfaces such as UPVC, masonry, brick, block work, glass, steel, aluminum, timber and other substrates (except PP, PE and Teflon);

•Strong adhesion for wide of construction material except for plastics, polyethylene and polypropylene;

- •Application temperature is between + 5 $^{\circ}$ C to +35 $^{\circ}$ C;
- ●Optimal application temperature is between +18°C to +30°C;

•It contains CFC-free propellants which are harmless to the ozone layer.









STABLE FOAM QUALITY

- Pre-expansion
- Good adhesion
- Smooth cell density
- No shrinkage

BETTER INSULATION FACTOR

- Cold insulation
- Sound insulation
- Heat preservation







MULTI-USE PU FOAM

- High yield-up to 45L
- German quality
- superior hardness



Gun Type



Straw Type



2.PERFORMANCE DATA OF MULTI PURPOSE PU FOAM GUN TYPE A11

Base Consistency Curing System Tack-Free Time (min) Drying Time Cutting Time (min) Yield (L) Shrink Polyurethane Stable Foam Moisture-cure 8~9 Dust-free after 13-15 min. 60~70(+25°C) 43 None

Tel:+86-20-84267539

Email:enquiry@gnsealant.com



Cellular Structure >84% close cells Specific Gravity (kg/m³) 19 **Temperature Resistance** -50°C~+80°C Application Temperature Range +18℃~+30℃ Colour white Fire Class (DIN 4102) **B**3 Insulation Factor (Mw/m.k) 0.039 Compressive Strength (kPa) 140 Tensile Strength (kPa) 200 (10%) Adhesive Strength(kPa) 130 2~3(no epidermis) Water Absorption (ML) <0.5(with epidermis)

3. APPLICATIONS AREAS OF MULTI PURPOSE PU FOAM GUN TYPE A11

- •Installing, fixing and insulating of door and window frames;
- •Filling and sealing of gaps, joint and openings;
- •Connecting of insulation materials and roof construction;
- •Bonding and mounting;
- •Insulating the electrical outlets and water pipes;
- •Heat preservation, cold and sound insulation;
- •Packaging purpose, wrap the precious & fragile commodity, shake-proof and anti-pressure.


www.gnspufoamsealant.com



PRODUCT APPLICATION RANGE



Installation of door and window frames



Fill the gap

Door and window fixing





4.APPLICATION INSTRUCTIONS OF MULTI PURPOSE PU FOAM GUN TYPE A11





5.STORAGE AND SHELF LIFE OF MULTI PURPOSE PU FOAM GUN TYPE A11

12 months in unopened packing store in temperature between $+5^{\circ}$ C to $+25^{\circ}$ C, Keep in cool, shade and well ventilated area. Always keep the can with the valve pointed upwards.

6.PACKING, SHIPPING AND SERVING OF MULTI PURPOSE PU FOAM GUN TYPE A11

Packing: 750ml 500ml 300ml, 12 cans/carton. (For special specifications, please contact us.) Shipping: Sea or land transportation

Serving: We provide free design service, and you'll get excellent after-sales service, we committed to solving any problems that may occur when you use our products.













COMPANY PROFILE

- The biggest PU foam manufacturer in Asia
- 19 years export experience
- Sold to 77 countries and areas
- Equipped with 32 advanced full-automatic production line
- 55% market share in China
- Accredited to all kinds certificates





7.FAQ

Q: What is the different of the pre-expansion and post expansion? Which one is better?

A: Pre-expansion is better. Post expansion will not only damage the doors and windows after curing, but also it will leads the cost of construction higher because more foam must be cut.

Tel:+86-20-84267539



Q:What's the impact for the PU foam with a big bubble or uneven cell?

A: Small bubble or smooth cell is a common performance for good quality PU foam. Big bubble foam will cause thermal and sound insulation ability reduce and it may even be water leakage.

