





Multi Purpose PU Foam Manual Type

As the professional manufacture, we would like to provide you GNS® Multi Purpose PU Foam Manual Type. And we will offer you the best after-sale service and timely delivery.

| Type | Typ

Multi Purpose PU Foam Manual Type A11 is an one-component, high quality multi-purpose polyurethane foam. It is fitted with a plastic adapted head for use with a foam application straw. The foam will expand and cure by moisture in the air. This Multi Purpose PU Foam A11 is designed for sealing and sealing imperfections, installation of construction components, high sound and thermal insulation, and various other repair and construction tasks.

As a professional high quality GNS® Multi Purpose PU Foam Manual Type manufacture, you can rest assured to buy Multi Purpose PU Foam Manual Type from our factory called GNS and we will offer you the best after-sale service and timely delivery. We always feel that all success of our company is directly related to the quality of the products we offer.

1.PRODUCT FEATURE OF GNS® MULTI PURPOSE PU FOAM MANUAL TYPE A11

- •Good adhesion to a wide variety of surfaces such as UPVC, masonry, brick, block work, glass, steel, aluminum, timber and other substrates (except PP, PE and Teflon);
- •The foam will expand and cure by moisture in the air, strong surface after curing;
- •Strong adhesion for wide of construction material except for plastics, polyethylene and polypropylene;
- •Application temperature is between + 5° C to +35°C;
- Optimal application temperature is between +18°C to +30°C;
- •It contains CFC-free propellants which are harmless to the ozone layer.









STABLE FOAM QUALITY

- Pre-expansion
- Good adhesion
- Smooth cell density
- No shrinkage

BETTER INSULATION FACTOR

- Cold insulation
- Sound insulation
- Heat preservation







MULTI-USE PU FOAM

- High yield-up to 45L
- German quality
- superior hardness



Gun Type



Straw Type



2.PERFORMANCE DATA OF GNS® MULTI PURPOSE PU FOAM MANUAL TYPE A11

Base Polyurethane
Consistency Stable Foam
Curing System Moisture-cure

Tack-Free Time (min) 8~9

Drying Time Dust-free after 13-15 min.

Cutting Time (min) $60\sim70(+25^{\circ}\text{C})$

Yield (L) 43 Shrink None

Cellular Structure >84% close cells

Specific Gravity (kg/m³) 19

Temperature Resistance $-50^{\circ}\text{C} \sim +80^{\circ}\text{C}$ Application Temperature Range $+18^{\circ}\text{C} \sim +30^{\circ}\text{C}$

Colour white
Fire Class (DIN 4102) B3
Insulation Factor (Mw/m.k) 0.039
Compressive Strength (kPa) 140

Tensile Strength (kPa) 200 (10%)

Adhesive Strength(kPa) 130

Water Absorption (ML) 2~3(no epidermis)

<0.5(with epidermis)


3. APPLICATIONS AREAS OF GNS® MULTI PURPOSE PU FOAM MANUAL TYPE A11

- •Installing, fixing and insulating of door and window frames;
- Filling and sealing of gaps, joint and openings;
- Connecting of insulation materials and roof construction;
- Bonding and mounting;
- •Insulating the electrical outlets and water pipes;
- Heat preservation, cold and sound insulation;
- •Packaging purpose, wrap the precious & fragile commodity, shake-proof and anti-pressure.



PRODUCT APPLICATION RANGE












4.APPLICATION INSTRUCTIONS OF MULTI PURPOSE PU FOAM MANUAL TYPE A11









5.STORAGE AND SHELF LIFE OF GNS® MULTI PURPOSE PU FOAM MANUAL TYPE A11

12 months in unopened packing store in temperature between +5°C to +25°C, Keep in cool, shade and well ventilated area. Always keep the can with the valve pointed upwards.

6.PACKING, SHIPPING AND SERVING OF MULTI PURPOSE PU FOAM MANUAL TYPE A11

Packing: 750ml 500ml 300ml, 12 cans/carton. (For special specifications, please contact us.)

Shipping: Sea or land transportation

Serving: We provide free design service, and you'll get excellent after-sales service, we committed to solving any problems that may occur when you use our products.

OUR FACTORY





















COMPANY PROFILE

- O The biggest PU foam manufacturer in Asia
- 19 years export experience
- Sold to 77 countries and areas
- Equipped with 32 advanced full-automatic production line
- 55% market share in China
- Accredited to all kinds certificates





OUR ADVANTAGES














7.FAQ

Q: How to choose gun type PU foam or manual type PU foam?

A: For construction tasks, gun type is more recommended to use because it is more professional and the running mater is longer than manual type, thus it will save more costs. For home use or DIY,



manual type is more recommended because it is more convenient to use, but it also about the market demand.

Q: What's the advantage of pre-expansion?

A: Pre-expansion will not damage doors or windows after the foam curing, and it can prevent waste and save cost.





















