

# SouKen

## Kitchen Garbage Disposal

Instructions:

1. Unplug the water plug and open the cold water tap. The water flow is moderate.
2. Turn on the power switch and start the motor.
3. After pouring the food residue, the residue is completely pulverized and drained, and the residue is treated to allow the water to continue to be washed for a few seconds.
4. Turn off the power switch.
5. Turn off the faucet and cover with a water plug.
6. leading maintenance technology.

Maintenance technology:

1. The Kitchen of Gardage Garbage Disposal has been permanently lubricated, so no additional lubricant is required. The company's products have excellent self-cleaning ability, and can wash and clean internal parts by themselves during each use.
2. To extend the life of the Kitchen Garbage Disposal, you can clean the waste disposal machine with a neutral detergent every three months. (The cleaning cycle can be shortened appropriately in summer)
3. Please do not use alkaline acid or other chemicals in the household food waste disposer when using it, as this will cause corrosion and damage to the machine parts. If you do this, the damage caused can be easily detected, and the consumer's guarantee of interest will no longer be valid.
4. The minerals in the water will form a rust-like mixture on the stainless steel grinding disc. This is normal. Do not panic or worry. The stainless steel disc will not be corroded and affect the normal operation of the machine.
5. Kitchen Garbage Disposal can only smash leftovers, meat spurs, vegetable stalks, melon skin, husks, eggshells, tea leaves, small corn cob cores, poultry and small bones and other organic waste; should not be glass, ceramic Metal bottle caps, plastic foam, leather rubber, hard shells, fibrous materials, etc. are placed in the treatment.

Product parameters:

Model	SS-8375BW
Application	Home Use
Input Power	375W
Horsepower	1/2 HP
Voltage	110V/220V
Current	2.25A
Frequency	50/60Hz
Rated Rotary Speed	2800/3200RPM
Motor	Permanent Magnetic DC motor
Grinding Capacity	850ML

Grinding System material	Stainless steel 304#
Safety protection	Overcurrent & overload protection
optional sink connector	140mm,160mm,180mm
Sound-proof system	Double hollow structure
ON/OFF	Air Swith
Number of users	3-5 People
Warranty	2 years
standard life	8-10 years
Weight	4.0KG
Size	380mm(H) x 180mm(W)

Prerequisites for installing Kitchen Garbage Disposal:


1. Leave a power outlet under the kitchen cabinet basin (waste processor needs electricity, 220V)
2. The diameter of the basin drain is 9CM international standard (other sizes need to be connected, the effect is poor and there is additional cost)
3. Reserve the garbage processor power control switch (if there is no reservation, the remote control switch can be used later, the pneumatic switch is solved, there is an additional charge)



The kitchen is ground to foam  
Refuse clogging of sewer



Locking hose  
Waterproof bed bug



Prevent bacterial growth  
Family health and worry

## EASY TO OPERATE JUST THREE STEPS



1. Open the tap



2. Start smart switch





3. Pour food waste

### Easier garbage disposal

Easily grind fruits, vegetables, eggshells, tea and all kinds of small bones and other leftovers, and experience a clean and fresh kitchen.



# INSTALLATION DIAGRAM



## A WIDE VARIETY OF ALL-ROUND GRINDING



PEEL



VEGETABLE



MELON




FRUIT CORE



BRITTLE BONE



LEFTOVERS



EGGSHELL



FISH BONE

### NINGBO SUNJOYSAFETY TECHNOLOGY CO.,LTD

Address:No.535 Kangqiao South Road, Ningbo, China

Zip code:315000

Tel:0574-87656294

Fax:0574-87526792

E-mail:sales10@nbshine.com

Website:www.food-waste-disposer.com