



Mixing Host

LUCHEN® Mixing host main engine is optimized by German and Italian technology for our company, planetary gear reducer, stable transmission, low noise, low energy consumption, high efficiency, compact structure, and has overload protection. As the professional manufacture, we would like to provide you Mixing Host. And we will offer you the best after-sale service and timely delivery.

Product Description

Mixing host main engine is optimized by German and Italian technology for our company from China, planetary gear reducer, stable transmission, low noise, low energy consumption, high efficiency, compact structure, and has overload protection. The agitator arm and blade Angle design is reasonable, the agitator effect is good, the speed is fast, the wear is low. The concrete mixing building equipped with the main engine can mix all kinds of concrete, especially suitable for mixing hard and hard concrete, This LUCHEN® mixing host suitable for construction projects of medium scale and above, water and electricity, highways, ports, wharves, Bridges and other engineering construction, large and medium-sized prefabricated parts factories and concrete production factories.



SHANDONG LUCHEN HEAVY MACHINERY CO., LTD.









LUCHEN® Mixing Host

Model	JS1000	JS1500	JS2000	JS3000	JS4000
Feed capacity (L)	1600	2400	3200	4800	6400
Dischargin g capacity (L)	1000	1500	2000	3000	4000
Maximum particle size of aggregate (mm)	80/60	80	80	100	120
Stirring motor (kW)	2x18.5	2x30	2x37	2x55	2x75
External dimension (length x width X height)(mm	3420x2040x145 0	3550x2040x160 0	3650x2470x147 5	4050x2470x147 5	4200x2856x168 0
Machine mass (kg)	5100	6320	10020	12400	14500



