



Zinc/Aluminum Hose Mender Coupling

We supply Golden-Leaf valve® Zinc/Aluminum Hose Mender Coupling with 1 years warranty. We devoted ourselves to aluminum irrigation connector many years, covering most of Europe and the Americas market. Operating principle: the supremacy of credibility, quality assurance, excellence and common development. We are expecting become your long term partner in china......

Product Description

Zinc/Aluminum Hose Mender coupling

Product Introduction of Golden-Leaf valve® Zinc/Aluminum Hose Mender Coupling

This Zinc/Aluminum Hose Mender Coupling is made of Heavy-duty Aluminum construction protects against corrosion. Unique exterior design allows for easy installment with minimal effort. Contact us for more details of Aluminum repair connector! We devoted our selves to aluminum garden connector many years, covering most of Europe and the Americas market. We are expecting become your long-term partner in china.

Product Parameter (Specification) of Golden-Leaf valve® Zinc/Aluminum Hose Mender Coupling

Model number	color	size	material
JY-A9603	As the photo show	5/8" X 3/4"	Aluminum.



Product Feature And Application of Golden-Leaf valve® Zinc/Aluminum Hose Mender Coupling



Simple installation, Easy to use, Garden hose connect and repair leakproof, rustproof, unbreakable, reusable

Application:Great for Repairing Damaged or Torn Water Hoses,Hose end, Replacement.







why choose us?













We have 2 sets vertical machining centers, 180sets CNC lathes, 4 sets CNC drilling machines, 2 sets hydraulic wheel machines, 8 sets hot forging machines, 9 sets cold stamping machines and 2 sets sand-blasting machine, and our factory not only owns the advanced production equipment, but also owns professional technical personnel and a large group of skilled workers, so we will strictly control the product quality.

Deliver, Shipping And Serving of Zinc/Aluminum Hose Mender Coupling

After-sale service	1-year warranty
sample	Sample lead time:15days
Delivery terms	FOB NINGBO
Terms of payment	T/T,L/C at sight etc.



SHIPING













