






Versatile Chafer



# **VERSATILE CHAFER - ROMA**





W20-1102T Rectangular 1/1 size 8.5L food pan







W20-2302T Square 2/3 size 5.5L food pan





W20-3602T Round 36cm 6.8L food pan





# **Advantages**

#### \* Advance Hydraulic Hinge

Smooth, slow and silent closing with 80000 times guarantee. The opening and closing time is adjustable from 20 - 40 seconds (+/- 5 seconds).

#### \* Optional Bases

Five optional bases available to suit with different needs from precise digital temperature control to traditional fuel warming.

#### \* Wide Glass Window

Extra large window design in stylish and exquisite craftsmanship. Made from tempered glass, allowing you to see the delicious food before opening the cover.

#### \* Quality Stainless Steel


Mirror-finished 304 stainless steel cover and food pan. Food safe, non-corrosive & non-rusting.



# **Optional Frames**





















W20-1102T Rectangular 1/1 size 8.5L food pan



W20-1102T + W07-1101B



W20-1102T + W07-1102B









W20-2302T Square 2/3 size 5.5L food pan








W20-2302T + W07-2301B



W20-2302T + W07-2302B













W20-3602T Round 36cm 6.8L food pan







W20-3602T+W07-3601B



W20-3602T+W07-3602B







W20-2802T Soup Station 10L bain marie





W20-2802T + W07-2801B













## **Hong Kong Office**

20/F., Sunbeam Plaza, 1155 Canton Road, Kowloon, Hong Kong. Tel: +852-2775-0204 Fax: +852-2772-7499 Website: www.sunnexproducts.com E-mail: sales@sunnexproducts.com

### China(Sha Tou Jiao) Office

2/F., Block A,Dong He Industrial Building, Yue He Street, Sha Shen Road, Sha Tou Jiao, Shenzhen, China. Tel: +86-775-25554136 Fax: +86-755-25357487 Website: www.sunnxe1929.com E-mail: sales@sunnex1929.com

All plctures, specifications and other content in this catalogue are the property of Sunnex and shall not be reproduced in any form of media without the expressed written permission from Sunnex.

All product images and specifications are subject to the actual technical data. Sunnex reserves the right to make any change and modification without prior notice.





