



Rubber Horse Grooming Curry

All the rubber horse grooming curry are made from quality soft rubber which will not hurt horse's skin. We provide custom molded rubber horse grooming curry come in a variety of shapes, hardness, sizes to suit for your preference.

1. Product Introduction of the Rubber Horse Grooming Curry.

Our rubber horse grooming curry effortlessly loosens dirt and helps removes mud and hair from your horse's coat, for face and full-body currying. Designed with a comfortable rubber grip for an enjoyable grooming experience for both you and your horse. With its patented ergonomic design, this curry horse grooming is easy to grip and fits comfortably in the groomer's hand. Keep your horse's coat healthy and clean with regular grooming and brushing. Liangju Rubber is a ISO certified manufacturer of rubber horse products. All the rubber horse grooming curry are made from quality soft rubber which will not hurt horse's skin. We provide custom molded rubber horse grooming curry come in a variety of shapes, hardness, sizes to suit for your preference.





Feature of Rubber Horse Grooming Curry:

Hand hold easily .

Soft rubber supply comfortable use.

Designed for long-lasting durability.

Ideal for brushing or bathing your furry buddy.

Engineered to perfectly contour to your horse's body.

Crafted to be lightweight and suitable for use either dry or wet.

2. Product Parameter (Specification)

Product Name:	Rubber Horse Grooming Curry
Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard
Color:	Any Color
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Horse
Warranty:	2years


3. our service.

1. Inquiry about our products can be replied within 12 hours.
2. Professional & experienced staff help you solve problems of silicone and rubber products.
3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.
4. Mode of production: Compression or injection or extrusion.
5. We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.



4. Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



Dimensional Inspection



Incoming QC



In-process QC



In-process QC



In-process QC



FQC

5. Packing, Payment and Shipping



Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no matter domestic or oversea shipping. Customized Packing/LOGO/Labeling are Available.



ISO 9001 : 2015



IATF 16949 : 2016



6. FAQ

1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.

2. If OEM is acceptable?

Yes, Samples are Free of charge

3. What Is EPDM Rubber ?

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com



EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.