



Rubber Sealing Rings

Liangju Rubber can manufacture any rubber sealing rings or parts design to your unique engineering specifications. Our factories have captive mold making and rubber mixing for complete control of our quality and delivery. We supply standard and non-standard dimensions, any parting line restrictions, manufactured to your specification.

1. Product Introduction of the Rubber Sealing Rings.

Tubber sealing Rings are mechanical gaskets with a round cross-section. They are made from elastomer materials and used in pumps, cylinders, and other fluid applications to form a leak-proof seal between two parts.

Advantage:

It seals the opposite surfaces well.

It avoids water leakage.

It is free from corrosion and weathering.

It remains unaffected by water damage.

prevents the loss of air or heat.



2. Product Parameter (Specification)

Product Name:	Rubber Sealing Rings
---------------	----------------------

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com




Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard
Color:	Any Color
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Automotive
Warranty:	2years

3. our service.

1. Inquiry about our products can be replied within 12 hours.
2. Professional & experienced staff help you solve problems of silicone and rubber products.
3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.
4. Mode of production: Compression or injection or extrusion.
5. We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.

4. Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



Dimensional Inspection



Incoming QC



In-process QC



In-process QC



In-process QC



FQC

5. Packing, Payment and Shipping



Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no matter domestic or oversea shipping. Customized Packing/LOGO/Labeling are Available.



ISO 9001 : 2015



IATF 16949 : 2016



6. FAQ

1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.

2. If OEM is acceptable?

Yes, Samples are Free of charge

3. What Is EPDM Rubber ?

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com



EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.