



Soft Rubber Bit Guards

As a professional Soft Rubber Bit Guards manufacture, you can rest assured to buy Soft Rubber Bit Guards from our factory and we will offer you the best after-sale service and timely delivery. Gentle Rubber Bit Guard are rubber disks that stop the bit from pinching the corner of the horse's mouth.

1. Product Introduction of the Soft Rubber Bit Guards

The Rubber Bit Guards are soft rubber disks that stop the bit from pinching the corners of your horses mouth. Great for young horses just learning to turn! Softer than most, easy to put on.





We are the manufacturer of rubber bit guard, supplying all kind of fashion color for choosing: Black, white, red, brown, pink, red, green, etc.

For the size, the normal size is DIA 65mm and 85mm. We can manufacture according to your drawings or samples.

Custom Logo available.

A pair of bit guards is placed on a bit by stretching them to pass over one bit ring. Then the bit is attached to a bridle. The bridle is then put on a horse so that the bit guards lie outside of the horse's mouth. Bit guards are used with loose ring snaffle bits, gag bits, and pelham bits. Bit guards are used more often in jumping events, such as eventing and show jumping, and in polo. They are not permitted in competitive dressage, and are not used in horse show hunt seat competition.



2. Product Parameter (Specification)

Product Name:	Soft Rubber Bit Guards
---------------	------------------------

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com




Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard
Color:	Any Color
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Horse
Warranty:	2years

3. our service.

1. Inquiry about our products can be replied within 12 hours.
2. Professional & experienced staff help you solve problems of silicone and rubber products.
3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.
4. Mode of production: Compression or injection or extrusion.
5. We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.

4. Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



Dimensional Inspection



Incoming QC



In-process QC



In-process QC



In-process QC



FQC

5. Packing, Payment and Shipping



Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no matter domestic or oversea shipping. Customized Packing/LOGO/Labeling are Available.



ISO 9001 : 2015



IATF 16949 : 2016



6. FAQ

1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.

2. If OEM is acceptable?

Yes, Samples are Free of charge

3. What Is EPDM Rubber ?

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com



EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.