

PD-IN2006-A Ceiling Mount Lamp Instruction



Product size

Packing list in	Quantity
Ceiling Mount Lamp	1X
 φ6 Plastic expansion	3X
 3x30 Screw	3X

Summary

This product is concise, easy, small size, longlife time ,etc), It is mainly used in home, bedroom, office buildings, classrooms, corridors and other space for the 4m story about places of lighting.



Use high quality White frosted glass chimney.Strngthen the flexible refraction of light.And its function of anti-ultraviolet makes the shade not easy to turn yellow and be broken.



Specifications

Power source: 100-130VAC
 220-240VAC
 Power frequency: 50/60Hz

Rated load: 60W Max./E27
 Weight: about 1.22kg
 Installation sit: ceiling mount

Installation




Warning!

1. Please keep it away from the children.
2. Please avoid fire/high temperature/damp places for installation.
3. Please confirm when shut off the power cord access.


Note:Please bring the following tools.




Pencil



Electric drill




Hammer




Screwdriver

- Step1 Rotating chimney down chimney(as follow: the product should be separated into two parts as A and B)

NOTE: Chimney is fragile, please don't take too much force.



A



B

Fig.1

- Step2 Put the base of the product on the ceiling to make the drilling mark (as Fig.2)





Fig.2

- Step3 Install the product on the place where you marked (as Fig.3)
- Step4 Knock the plastic expansion into the hole which you drill (as Fig.4)




Fig.3

Warning!

When you are drilling ,please make sure you wear glasses and dust masks to prevent the dust fly into the nose and throat causing unnecessary trouble





Fig.4

- Step5 Put the power line through the line hole to connect on the wiring (as Fig.5)

Warning! Please confirm when shut off the power cord access.





Fig.5

- Step6 Fix the base of the product on the selected place with the screws (as Fig.6)






Fig.6



Concrete ceiling

- Step7 Will rotate, cover chimney on base (as Fig.7)




Fig.7



Warning!

- Please confirm with professional installation.
- Please cut off power supply before installation and removal operations.
- Make sure that you have cut off the power for safety purposes.
- Improper operation caused losses, the manufacturer does not undertake any responsibility.

We are committed to promoting the product quality and reliability, however, all the electronic components have certain probabilities to become ineffective, which will cause some troubles. When designing, we have paid attention to redundant designs and adopted safety quota to avoid any troubles.

This instruction, without our permission, should not be copied for any other purposes.