




Automatic Wet And Dry Feeding Trough For Pigs

Qingdao Zeyu Kaisheng Machinery Manufacturing Co., Ltd. Is A Professional Manufacturer And Supplier Of CASON® Automatic Wet And Dry Feeding Trough For Pigs.

Product Description

CASON® Automatic wet and dry feeding trough for pigs is a new breeding equipment integrating automatic feeder and drinking water function, and it is also the latest patented technology product. CASON® Automatic wet and dry feeding trough for pigs with a well-designed valve pattern for uniform discharge, the feeding of powder and pellet feeds can be satisfied, and feed savings can be achieved. CASON® Automatic wet and dry feeding trough for pigs can meet the requirements of feeding water to feed ratio and feed intake of pigs in different stages. Increase feed conversion rate and increase growth rate. The main components of CASON® Automatic wet and dry feeding trough for pigs are barrel, pendulum and pipe. The bottom mouth of the barrel is connected with the plastic pendulum. There is a center straight rod inside the barrel, and the center straight rod is fixed together with the feed pipe. The amount of material can be adjusted by adjusting the device and controlling the height of the straight rod in the center.

① CASON® Automatic wet and dry feeding trough for pigs use of plastic pendulum outlet, 360 degrees flexible rotation, outlet more convenient, nursery and fattening pigs are suitable.



- ② A total of 17 gear, choose 8 gear cutting material.
- ③ Screw to adjust: No scale, no precision. Adjust the laborious.
- ④ Rotary adjusting handle: More scale, shifting trouble, compared to the rod adjustment more laborious.
- ⑤ Ergonomic design. The pull rod is more convenient.

Product Advantage

- ① Wet and dry design to improve pig feed intake
Surface after hot dip galvanized treatment, rust resistance can be comparable with stainless steel; The water supply pipe is made of stainless steel pipe and stainless steel drinking water device to ensure the clean water source;
- ② Plastic pendulum outlet, save feed
Discharge port adopts pendulum design, flexible discharge, compared with metal tube, high toughness.
- ③ Square barrel design, smooth feeding
The barrel is made of high-density polyethylene, anti-aging, anti-ultraviolet, good toughness; Barrel slope is small, no hanging material, more suitable for granular material.
- ④ Round stainless steel trough
The chassis is 304 stainless steel bottom, thick and strong, long service life. Round no dead Angle, no accumulation of material, easy to clean.
- ⑤ More levels
Pull rod type gear, ergonomic design, more convenient shift, 17 gears, feeding adjustment is more accurate.



Product Qualification

Item	Parameter
Name	Automatic wet and dry feeding trough for pigs
Size	65*58*150cm
Weight	23.5kg
Hopper volume	Pellet feed 65kg / Mash feed 70kg (Note: Pellet feed 650-680 kg/m ³ , Mash feed 700-730 kg/m ³)
Gears	17 gears
Feeding amount	35-40 fattening pigs or 45-50 nursery pigs
Materials	Frame: 6mm steel plate, galvanized
	Feed bin: HDPE; Hight: 800mm; Thickness: 3.54mm,
	Feeder: 304 Stainless Steel. Diameter 515mm. Thickness 0.75mm. Depth 80mm. Terrain clearance 110mm
	Outlet: HDPE. The hardness is about 30 ~ 45HRC



Structure

Output feed quantity:

Gears	4	6	10	12	14	16
Quantity/min	500g	800g	1800g	2000g	2500g	3000g

The daily intake of pigs:

	Nursery pigs (Five weeks)	Fattening pigs (Five months)
--	---------------------------	------------------------------

Weight of pig (in kg)	20	30	40	50	60	70	80	90	100	110	120
Daily intake	600g	750g	1050g	1350g	1650g	1725g	1800g	1875g	1950g	2025g	2100g

Deliver, Shipping And Serving

Time of delivery: Within 20 days after down payment received.

The shipping way: By sea

We welcome your inquiry.