



Plastic Films Crusher

AMG-K Series Plastic Film Recycling Crusher Machine is specially designed to crush plastic films, sheet and woven bags. This plastic films crusher equipped with 3 rows of fixed blades and 4 or 5 rows of rotating blades to increase cutting efficiency, and also equipped with big power suction blower and cyclone system to fasten the output efficiency of crushed material, so the output capacity of AMG-K plastic

film granulator is 2~3 times bigger than traditional normal crushers

Plastic Films Crusher

1. Plastic Films Crusher Introduction

AMG-K Series Plastic Film Recycling Crusher Machine is specially designed to crush plastic films, sheet and woven bags. This plastic film crusher equipped with 3 rows of fixed blades and 4 or 5 rows of rotating blades to increase cutting efficiency, and also equipped with big power suction blower and cyclone system to fasten the output efficiency of crushed material, so the output capacity of AMG-K plastic film granulator is 2~3 times bigger than traditional normal crushers.

2. Plastic Films Crusher Parameter (Specifications)

Model		AMG-400K	AMG-600K	AMG-800K
Power	kw	22	37	55
Rotor Diameter	mm	360	400	560
Rotor Speed	rpm	560	560	560
Rotating Blades	pcs	8	8	10
Fixed Blades	pcs	3	3	3
Screen Diameter	mm	Ø25	Ø25	Ø25
Hopper Size	mm	4000x500	500x790	650x960
Chamber Size	mm	410x430	460x600	620x820
Output	kg/h	150~300	600~800	1000~1300
Noise	dB(A)	80~95	80~95	80~95

Ningbo Aumax Plastic Machinery Co., Ltd

Address: No. 216, Lianhe Rd., Ningbo Economic & Tech Development Zone, Beilun, Ningbo, China Phone: +86-13819843291 Tel: +86-574-26850648 E-mail: sales@aumax-plast.com

Fax: +86-574-26855258




Blower Conveying & Cyclone System		5.5KW	5.5KW	5.5KW		
Weight	kg	1200	1800	2800		
Dimensions:						
L	mm	1020	1430	1670		
W	mm	1860	2230	2440		
Н	mm	1760	1980	2350		

Please excuse for not note if some specifications of products are changed.

Note:

- 1)The maximum crushing output depends on the screen diameter and feeding frequency.
- 2) The screen mesh diameter can be made according to customers' request.
- 3) The running noise depends on varied shredding material.
- 4) The standard power supply is 3Ø 380V 50Hz. Other power supply is available.

3. Plastic Films Crusher Features & Application



- 1)Optimized blades structure with high crushing efficiency and output capacity.
- 2) Enlarged feeding hopper size for big material feeding capacity.
- 3)Electric motor and screw lifting system to open the feeding hopper completely.
- 4)Powerful blower suction and cyclone system for big output capacity and fast packing of granulated plastic material.


Ningbo Aumax Plastic Machinery Co., Ltd

Address: No. 216, Lianhe Rd., Ningbo Economic & Tech Development Zone, Beilun, Ningbo, China Phone: +86-13819843291 Tel: +86-574-26850648 Fax: +86-574-26855258 E-mail: sales@aumax-plast.com



- 5)Safety switch to protect people overload device to protect motor of plastic film granulator crusher.
- 6) Fixed with shockproof pad to reduce vibration and noise.

4. Plastic Films Crusher Details



Aumax AMG-K Series plastic film recycling crusher machine adopt high efficiency good quality motor, powerful suction blower, global top brand electric parts, high quality tool alloy steel blades and advanced design.

5. Plastic Films Crusher Qualification

Aumax Plast has been focusing on R&D and manufacturing of plastic recycling machine and auxiliary equipment for injection molding machine, blowing molding machine and plastic extrusion line for more than 15years.

We have obtained various domestic and foreign certifications such as IS09001, ISO14001, CE, etc., which fully demonstrates that our products fully comply with international standards and the quality of products is guaranteed.

Ningbo Aumax Plastic Machinery Co., Ltd


Address: No. 216, Lianhe Rd., Ningbo Economic & Tech Development Zone, Beilun, Ningbo, China Phone: +86-13819843291 Tel: +86-574-26850648 Fax: +86-574-26855258 E-mail: sales@aumax-plast.com





6. Delivery, Shipping and Serving

Normally, the delivery time of our plastic machines is 10-20 days after order confirmed and advance payment. Most of our products are packed in plywood cases. For small machines like Vacuum Autoloaders are packed in corrugated case. Usually, we ship large machines by LCL or FCL ocean shipping. Sometimes, customers need machine urgently, we ship machine by air or express.













Shipping:













Sea Transportation

Air Transportation

Express

7. FAQ

1. Q: What is the MOQ?

A: The MOQ is 1 set for all products..

2. Q: Where is the loading port?

A: The nearest port to our factory is port of Ningbo, China, as well as we can send machine to Yiwu, Shanghai, Guangdong or any other cities in China.

3. Q: What are the payment terms?

A: The preferential payment term is T/T, while other payment terms are negotiable.

4. Q: What are your terms of delivery?

A: We accept FOB, CFR, CIF, EXW, and DDU. You can choose the terms which is the most convenient and cost effective to you.

5. Q: How does your factory carry out quality control?

Ningbo Aumax Plastic Machinery Co., Ltd

Address: No. 216, Lianhe Rd., Ningbo Economic & Tech Development Zone, Beilun, Ningbo, China Phone: +86-13819843291 Tel: +86-574-26850648 E-mail: sales@aumax-plast.com

Fax: +86-574-26855258



A: Powerful R&D teams and professional QC department take care of every detail during design, processing, assembling, testing and packing.

6. Q: Can you supply OEM and customized products?

A: Yes, we can supply OEM / ODM service. Our engineers have rich experience in design and production of plastic auxiliary equipment. We can supply special products according to your ideas and drawings.

7. Q: What about warranty terms?

A: We provide one year warranty for all of our products. During warranty period, if any machine parts damaged due to quality, we will send the new parts by courier immediately by free of charge. Also, we supply 24 hours online service and technical support.