



#### **Cast Steel Remote Control Float Valve**

We supply high quality Hispeed® Cast Steel Remote Control Float Valve. The HISPEED® Float Control Valve or Flow Level Control Valve is a non-modulating valve. Float Control Valve is used to maintain a pre-set point water level, The float pilot will shut off when water level rises to high level, and open. When water level drops. The float ball can be mounted separately in the water tank or with the main valve. The HISPEED® Float Control

Valves are designed for installation in the water supply connection to sprinkler, deluge, foam systems, or standpipe fire protection systems. The HISPEED® Float Control Valve features a flange, easy installation and accessibility. We are expecting to become your long term partner in China.

#### **Product Description**


You can rest assured to buy customized Hispeed® Cast Steel Remote Control Float Valve from us. We look forward to cooperating with you, if you want to know more, you can consult us now, we will reply to you in time!

The HISPEED® Float Control Valve or Flow Level Control Valve is a non-modulating valve. Float Control Valve is used to maintain a pre-set point water level, The float pilot will shut off when water level rises to high level, and open. When water level drops. The float ball can be mounted separately in the water tank or with the main valve.

The HISPEED® Float Control Valves are designed for installation in the water supply connection to sprinkler, deluge, foam systems, or standpipe fire protection systems. The HISPEED® Float Control Valve features a flange, easy installation and accessibility. We are expecting to become your long term partner in China.

#### **Product Parameter (Specification)**





Size	DN50	DN65	DN80	DN100	DN150	DN200	DN250	DN300
L	230	290	310	350	480	600	730	850
Н	139	159	179	214	333	407	476	526

### **Product Feature And Application**

Reasonable design, stable performance, long services life

Easy to replacement and available on-line maintenance

The needle valve can adjust the opening and closing speed of the main valve

Flanged and Drilling Complies with ANSI B16.5 Class125 / EN 1092-1 PN16 / Groove dimensions comply with AWWA C606

300psi/PN16

Fusion Bonded Epoxy Coated Interior and Exterior to AWWA C550 Standard

#### **Product Details**

Part	Material	
Body/Bonnet	Cast Steel	
Cover	Cast Steel	
Stem	AISI 304	
Diaphgram	Nylon+EPDM	
Support Ring	Cast Steel	
Obturator	Cast Steel	
Spring	AISI 304	
O ring	NBR	
Seat	AISI 304	
V-Port	AISI 304	
Nut	AISI 304	
Seal Rings	NBR/EPDM	



# **Deliver, Shipping And Serving**

Ship from Qingdao or another Seaports

## **FAQ**

	Q	А		
1	How many days you need to install the equipment?	Unwanted.		
2	How many staff abroad you sent to install the equipment?	Unwanted.		
3	Can I transfer the money to you then you pay to other supplier?	YES.		
4	Can I delivery the goods from other supplier to your factory? Then load together?	YES.		
5	When will you leave your factory and to have your spring festival holidays?	According to national regulations.		
6	Can the equipment be installed under hot weather?	YES.		
7	Can Your products be installed under the cold weather?	YES.		
8	Do You have office in shanghai or guangzhou that i can visit?	NONE.		
9	Can you send your staff to install the equipment for us?	Unwanted.		
10	Can I only buy some spare parts from you?	YES.		
11	Will you will attend the fair to show your products?	YES.		
12	Can you send your equipment to my warehouse in guangzhou?	YES.		
13	How long it takes you to provide the designing options for us?	3 days at most.		
14	What is your products standardization?	AWWA BS AIP WRAS FM.		



15	How do you pack the equipment?	Negotiate with the customer.	
16	Can you can design the equipment according to our size?	YES.	
17	How many years have your company made this kind of equipment?	5 years.	
18	Which certificate do you have for your equipment?	FM.	
19	How many staffs do you have in your factory?	200	
20	Do you have any agent in our country?	NONE.	
21	Do you have any real project pictures of the equipment?	YES.	
22	How far is your factory from the city hotel?	10 km.	
23	How far is your factory from the airport?	10 km.	
24	How long it will take from guangzhou to your factory?	5 hours.	
25	Where is your factory located?	Weifang City, Shandong province.	
26	Do you provide free spare parts?	It depends.	
27	What is the age range for your products?	Everyone.	
28	Do you have detailed and professional installation manual?	YES.	
29	If OEM is acceptable?	YES.	
30	Do you provide sample? Free or charge?	It depends.	
31	What is your term of payment?	30% payment in advance, 70% paid before shipment.	
32	What is your MOQ?	One container.	
33	Are you a trading company or a	Trade and Industry combination group company.	



www.headsupplier.com

	manufacturer?	
34	How long is your delivery time?	25-40 days.

Tel: +86-18005365375 E-mail: sales@headsupplier.com