



DIN PN16 Rising Stem Resilient-Seated(OS and Y) Gate Valve

As the professional manufacture, we would like to provide you Hispeed® DIN PN16 Rising Stem Resilient-Seated(OS and Y) Gate Valve. We supply DIN PN16 Rising Stem Resilient-Seated(OS and Y) Gate Valve. The gate valve provides full flow with minimal pressure drop. The gate valve is designed to be the main control valve in an automatic fire sprinkler system. The

gate valve features a PN16 flange, raised face end connection for easy installation and accessibility. Outside screw and yoke (OS and Y) gate valves are recommended when positive shutoff and a quick visual indicator of open/closed position is required. This valve features a pre-grooved stem for tamper switch mounting. It is listed by Underwriters Laboratories of the FM Approved.We are expecting to become your long term partner in China.


Product Description

You can rest assured to buy Hispeed® DIN PN16 Rising Stem Resilient-Seated(OS and Y) Gate Valve from our factory and we will offer you the best after-sale service and timely delivery. Our company's reputation is built on timely delivery, good quality and competitive prices. We are eager to be your reliable long-term business partner! Its products are widely recognized nationwide for their reliability and excellent quality, and exported to Europe, the United States, Africa, Australia with an eye on the future, the company will continue to improve and expand.

Hispeed® DIN PN16 Rising Stem Resilient-Seated(OS and Y) Gate Valve

The Hispeed® DIN PN16 Rising Stem Resilient-Seated(OS and Y) Gate Valve is designed to be the main control valve in an automatic fire sprinkler system. The gate valve features a PN16 flange, raised face end connection for easy installation and accessibility. Outside screw and yoke (OS and Y) gate valves are recommended when positive shutoff and a quick visual indicator of open/closed position is required. This valve features a pre-grooved stem for tamper switch mounting. It is listed by Underwriters Laboratories of the FM Approved. We are expecting to become your long term partner in China.

Product Parameter (Specification)



	Size	50	65	80	100	125	150	200	250	300	350	400	450	500	600
	Series 3/B16,10	178	191	203	229	254	267	292	330	356	381	406	432	457	508
	Series 14	150	170	180	190	200	210	230	250	270	290	310	330	350	390
L	Series15	250	270	280	300	325	350	400	450	500	550	600	650	700	800
	BS3464	146	159	165	171	191	210	241	273	305	-	-	- 2	-	-
	н	362	427	508	620	709	809	990	1180	1352	1590	1720	1970	2090	2450
	D	183	183	254	254	305	305	355	455	455	558	558	610	610	610

Product Feature And Application

Meet or exceed DIN/EN
Full Waterway
Adjustable Packing
Ductile Iron Wedge,EPDM Encapsulated
Face to Face Dimensions to EN558 S14



Flange Drilling to EN1092-2 PN16 FM Approved PN16

Fusion Bonded Epoxy Coated Interior and Exterior to AWWA C550 Standard

Product Details

Available with Supervisory Switch
ASTM B150 Bronze Stem Available
ASTM A276 Type 316/431/420 Stainless Steel Available

Part	Material	ASTM Specification		
Body	Ductile Iron	A536 Grade 65-45-12		
Wedge	EPDM Fully Encapsulated Ductile Iron			
Wedge Nut	Stainless Steel	A351 Grade CF8		
Bonnet	Ductile Iron	A536 Grade 65-45-12		
Yoke	Ductile Iron	A536 Grade 65-45-12		
Stem	Stainless Steel	A276 Type 304		
Stem Nut	Bronze	B148 C95200		
Body/Bonnet Gasket	Rubber	D2000 EPDM		
Packing	Graphite	Non-Asbestos		
Gland	Ductile Iron	A536 Grade 65-45-12		
Gland stud	Stainless Steel	F593 Grade 304		
Bonnet Fasteners	Carbon Steel	A307 Grade B		
Plug	Malleable Iron	A47 Grade 22010		
Handwheel	Ductile Iron	A536 Grade 65-45-12		

Deliver, Shipping And Serving

Ship from Qingdao or another Seaports

Product Qualification



FAQ

Tel: +86-18005365375 E-mail: sales@headsupplier.com



	Q	А
1	How many days you need to install the equipment?	Unwanted.
2	How many staff abroad you sent to install the equipment?	Unwanted.
3	Can I transfer the money to you then you pay to other supplier?	YES.
4	Can I delivery the goods from other supplier to your factory? Then load together?	YES.
5	When will you leave your factory and to have your spring festival holidays?	According to national regulations.
6	Can the equipment be installed under hot weather?	YES.
7	Can Your products be installed under the cold weather?	YES.
8	Do You have office in shanghai or guangzhou that i can visit?	NONE.
9	Can you send your staff to install the equipment for us?	Unwanted.
10	Can I only buy some spare parts from you?	YES.
11	Will you will attend the fair to show your products?	YES.
12	Can you send your equipment to my warehouse in guangzhou?	YES.
13	How long it takes you to provide the designing options for us?	3 days at most.
14	What is your products standardization?	AWWA BS AIP WRAS FM.
15	How do you pack the equipment?	Negotiate with the customer.
16	Can you can design the equipment according to our size?	YES.



	How many years have your			
17	company made this kind of	5 years.		
.,	equipment?	- ,		
	Which certificate do you have for			
18	your equipment?	FM.		
	How many staffs do you have in			
19	your factory?	200		
00	Do you have any agent in our	NONE		
20	country?	NONE.		
21	Do you have any real project	YES.		
21	pictures of the equipment?			
22	How far is your factory from the	10 km.		
	city hotel?			
23	How far is your factory from the	10 km.		
20	airport?			
24	How long it will take from	5 hours.		
	guangzhou to your factory?			
25	Where is your factory located?	Weifang City, Shandong province.		
26	Do you provide free spare parts?	It depends.		
27	What is the age range for your	Everyone.		
	products?			
	Do you have detailed and	YES.		
28	professional installation			
	manual?			
29	If OEM is acceptable?	YES.		
30	Do you provide sample? Free or	It depends.		
55	charge?			
31	What is your term of payment?	30% payment in advance, 70% paid before		
	That is your torm or paymont.	shipment.		
32	What is your MOQ?	One container.		
33	Are you a trading company or a manufacturer?	Trade and Industry combination group company.		
34	How long is your delivery time?	25-40 days.		

We now have our individual sales group, layout team, technical team, QC crew and package group. Now we have strict high-quality control procedures for each procedure. Also, all of our workers are experienced in printing discipline for PriceList for China



Industrial Resilient Seated Non Rising Stem Gate Valve, We warmly welcome clients, enterprise associations and pals from all around the earth to get in touch with us and seek out cooperation for mutual added benefits. PriceList for China Gate Valve, Cast Iron Gate Valve, Welcome any of your inquiries and concerns for our goods. We look forward to establishing a long-term business relationship with you in the near future. Contact us today. We're the first business partner for yourself.

Tel: +86-18005365375 E-mail: sales@headsupplier.com