
Organic Melting Point Apparatus

The JH50D Organic Melting Point Apparatus perfectly combines high-precision temperature control technology and high-definition video camera technology, not only to provide users with accurate, stable and reliable test results, but also to bring users an efficient and convenient test experience. The high-definition video can easily and clearly see the whole process of sample melting, which is convenient for users to accurately measure the melting point and melting distance of the sample.

1. Organic Melting Point Apparatus Introduction

Innovation points to improve efficiency:

- 1: HD video instead of traditional microscope visual inspection;
- 2: Process 4 samples at a time (3 small and 1 large hole);
- 3: Equipped with high-definition camera lens module;
- 4: The whole machine has passed CE certification;
- 5: It is convenient to test flake and block samples.

2. Organic Melting Point Apparatus Parameter

Model: JH50D

Product name: Organic Melting Point Apparatus

Temperature range: room temperature -400°C

Detection method: semi-automatic (automatic temperature control, manual detection)

Processing capacity: 4 pieces/batch (four samples can be made at the same time)

Minimum display value of temperature: 0.1°C

Heating rate: 0.1°C--20°C (200 steps steplessly adjustable)

Capillary size: outer diameter ϕ 1.4mm, inner diameter: ϕ 1.0mm;

Accuracy: $\pm 0.3^{\circ}\text{C}$ (<250°C)

$\pm 0.5^{\circ}\text{C}$ (>250°C)

Repeatability: Repeatability $\pm 0.1^{\circ}\text{C}$ at 0.1°C/Min

Exploration mode: none

Video function: take photos, video

Video playback: Yes

Magnification: 7

User Management: 8

Data saving result: 400

Video storage capacity: 8G

Display mode: TFT high-definition true color screen

Data interface: USB RS232 network port

Small capillary size: outer diameter ϕ 1.5mm, inner diameter: ϕ 1.3mm

Large capillary size: outer diameter ϕ 4.2mm, inner diameter: ϕ 3.8mm

Power: 220V 50HZ Power: 120W

3. Organic Melting Point Apparatus Feature

- 1: With refrigeration system, 3 samples can be processed at a time;
- 2: One-key automatic detection function, effectively avoid human error;
- 3: PID precise temperature control;
- 4: Can record and playback the experiment process, not missing every detail;
- 5: in full compliance with the national standard and ISO oil melting point determination method

4. Fields of use

Organic Melting Point Apparatus has an important position in the chemical industry and medical research. It is an essential instrument for the production of food, medicine, spices, dyes and other organic crystal substances.

5. Product Details

Organic Melting Point Apparatus can quickly and accurately determine the melting point of various block and paste samples. 3 samples can be measured simultaneously. Through the digital optical sensor, the whole experiment process is digitized and transmitted to the computer, the intelligent software can automatically judge the melting point of oil, eliminate the subjective error of judging the melting point, and reduce the labor intensity of the experimenter.

6. Product Qualification:

The Organic Melting Point Apparatus has its own heating system, which can ensure a stable heating rate. The platinum temperature sensor has the advantages of fast response and high accuracy compared with the traditional method of using mercury thermometer.

7. Deliver,Shipping And Serving:

We have a top R&D team returned from Europe and America, cooperate with our superb manufacturing team, professional sales team and dedicated service team, working together to provide customers with high-tech, high-quality products and efficient, convenient, Comprehensive pre-sales and after-sales professional services.

8. FAQ



☎ 0086-17721148861
✉ bentian@jiahanglab.com
🌐 www.jiahanglab.com
📠 0086 021 59904405

How many years have your company made Organic Melting Point Apparatus ?

22 years of scientific instrument manufacturer, laboratory solution provider!

Which certificate do you have for your products?

Jiahang has obtained CE certification, TART certification, ISO quality management system certification, more than 10 software copyrights and multiple patents to ensure that each instrument has stable performance and excellent quality.

Will you will attend the fair to show your products?

Yes. Every year we will participate in some internationally renowned exhibitions to launch our new products, such as Arablab、PICCTON、Analytica Russia、Lab Africa、Analytica Germany、Analytica Latin America and so on,we are looking forward to your visit.

How about your company's R&D strength

Possess strong R&D technical capabilities (a R&D team of more than 20 people, with an average degree of doctorate degree, graduated from well-known universities at home and abroad, with an average work experience of 8 years), able to deal with and solve product-related technical problems

If OEM is acceptable?

Provide OEM customization service, product built-in software has autonomy, can customize development settings

Are you a trading company or a manufacturer?

100% manufacturer, no middlemen and distributors make the price difference, the price of the source factory is very advantageous; Jiahang is headquartered in Shanghai, China, has 15 service outlets and 2 production plants in China, and has sales in more than 10 countries overseas proxy.

How about your delivery time?

"Generally, it will take 7 to 15 working days after receiving your advance payment. Depend on the quantity."

Which payment can be acceptable ?

We could accept the payment by L/C, TF, Paypal , Western Union,etc.

Service

We could provide Online instruction ; Real-time support by video-ca or voice-chat.

Any customer who cooperates for the first time promises to provide a production cost price trial opportunity to solve your worries about product quality problems.

Provide official product quality assurance documents that comply with legal benefits to escort you with worry-free after-sales service.

SHANGHAI JIAHANG INSTRUMENTS CO. ,LTD

BUILDING B , 3570 JIASONG NORTH ROAD, JIADING DISTRICT,SHANGHAI