

Timed constant temperature porous water bath



Timed constant temperature porous water bath is widely used for drying, deep shrinking, vegetable distillation, impregnating chemical reagents, impregnating pharmaceutical drugs and biological products, and can also be used for constant temperature heating in water bath and other temperature tests. It is biological, genetic, virus, aquatic, environmental protection, medicine, and health. , Biochemical laboratory, analysis room, essential tools for education and scientific research.

1. Timed constant temperature porous water bath Introduction

- 1) The water tank of the studio is made of stainless steel, which has superior corrosion resistance.
- 2) Accurate temperature control, digital display and automatic temperature control.
- 3) Easy to operate and safe to use.

2. Timed constant temperature porous water bath Parameter

Model	product name	Technical Parameters
JH-S1	Digital display constant temperature water bath	Size 180×180×130 (mm), room temperature -100° C, heating power 300W
HH-II	Digital display constant temperature water bath	Size 320×180×130 (mm), room temperature -100° C, heating power 600W
JH-S4	Digital display constant temperature water bath	Size 320×320×130 (mm), room temperature -100° C, heating power 800W
JH-S6	Digital display constant temperature water bath	Size 470×320×130 (mm), room temperature -100° C, heating power 1500W
JH-S8	Digital display constant	Size 620×320×130 (mm), room temperature -100° C, heating power 1800W

	temperature water bath	
JH-4	Digital display single row water bath	Size 620×180×130 (mm), room temperature -100° C, heating power 1000W
JH-6	Digital display single row water bath	Size 920×180×130 (mm), room temperature -100° C, heating power 1500W
JH-8	Digital display single row water bath	Size 1100×180×130 (mm), room temperature -100° C, heating power 2000W
JHDK-8D	Three-hole water bath	Three holes and three temperature, three holes have independent temperature control system, heating power: 3×400
JH-420	Digital display three-purpose constant temperature water tank	Size 420×180×150 (mm), room temperature -100° C, heating power 800W
JH-600	Digital display three-purpose constant temperature water tank	Size 600×300×150 (mm), room temperature -100° C, heating power 1500W
HH-601	Super constant temperature water bath	Digital display temperature control, room temperature ~100°C, accuracy: ±0.2°C
JH-SA	Super constant temperature oil bath	Size 400×300×180 (mm) Accuracy ≤0.1°C, room temperature -300.0°C
JHY-1S	Constant temperature stirring oil bath	Speed adjustment range: starting ~2000 rpm, timing: 1-9999 minutes or normally open
JH-S	Digital display constant temperature oil bath	Size 280×280×300 (mm) Room temperature -300°C, accuracy ≤1°C Heating power 2000W

3. Product Qualification

Jiahang Product has obtained CE certification, TART certification, ISO quality management system certification, more than 10 software copyrights and multiple patents to ensure that each instrument has stable performance and excellent quality.

4. Deliver, Shipping And Serving

We have a top R&D team returned from Europe and America, cooperate with our superb manufacturing team, professional sales team and dedicated service team, working together to provide customers with high-tech, high-quality products and efficient, convenient, Comprehensive pre-sales and after-sales professional services.

5. FAQ

How many years have your company made Timed constant temperature porous water bath ?

22 years of scientific instrument manufacturer, laboratory solution provider!

Which certificate do you have for your products?

Jiahang has obtained CE certification, TART certification, ISO quality management system certification, more than 10 software copyrights and multiple patents to ensure that each instrument has stable performance and excellent quality.

Will you will attend the fair to show your products?

Yes, Every year we will participate in some internationally renowned exhibitions to launch our new products, such as Arablab, PICCTON, Analytica Russia, Lab Africa, Analytica Germany, Analytica Latin America and so on,we are looking forward to your visit.

How about your company's R&D strength

Possess strong R&D technical capabilities (a R&D team of more than 20 people, with an average degree of doctorate degree, graduated from well-known universities at home and abroad, with an average work experience of 8 years), able to deal with and solve product-related technical problems

If OEM is acceptable?

Provide OEM customization service, product built-in software has autonomy, can customize development settings

Are you a trading company or a manufacturer?

100% manufacturer, no middlemen and distributors make the price difference, the price of the source factory is very advantageous; Jiahang is headquartered in Shanghai, China, has 15 service outlets and 2 production plants in China, and has sales in more than 10 countries overseas proxy.

How about your delivery time?

"Generally, it will take 7 to 15 working days after receiving your advance payment. Depend on the quantity."

Which payment can be acceptable ?

We could accept the payment by L/C, TF, Paypal , Western Union,etc.



☎ 0086 17721148861
✉ bentian@jiahanglab.com
🌐 www.jiahanglab.com
📞 0086 021 59904405

Service

We could provide Online instruction ; Real-time support by video-ca or voice-chat.

Any customer who cooperates for the first time promises to provide a production cost price trial opportunity to solve your worries about product quality problems.

Provide official product quality assurance documents that comply with legal benefits to escort you with worry-free after-sales service.