



Brass Cable Gland MG Series G And NPT Thread



We have rich experience and strong strength and are recognized and loved by customers for JIXIANG CONNECTOR® Brass cable gland MG Series G and NPT Thread all over the world. We independently produce and design many types of #CablbeGlands and #CableConnectors, which can meet your various needs. Say Brass cable gland MG Series G and NPT Thread. More designs

are welcome to communicate with us. We have strong R&D capabilities and can provide you with OEM&ODM services for Brass cable gland MG Series G and NPT Thread.

Product Description

With years of experience in production Brass Cable Gland MG Series G And NPT Thread, Yueqing Jixiang Connector Co., Ltd. can supply a wide range of Brass Cable Gland MG Series G And NPT Thread. High quality Brass Cable Gland MG Series G And NPT Thread can meet many applications, if you need, please get our online timely service about Brass Cable Gland MG Series G And NPT Thread. In addition to the product list below, you can also customize your own unique Brass Cable Gland MG Series G And NPT Thread according to your specific needs.

China Brass Cable Gland MG Series G And NPT Thread CE Price

JIXIANG CONNECTOR® Brass cable gland MG Series G and NPT Thread may be used on all types of electrical power, control, instrumentation, data and telecommunications cables.

They are used as a sealing and termination device to ensure that the characteristics of the enclosure which the cable enters can be maintained adequately.

Brass Cable Gland MG Series G And NPT Thread Parameter (Specification)

| Brass Cable Gland MG Series G And NPT Thread Size Chart | | | | | | | |
|---|-----------|-----------------|-----------------|-----------------------------|----------------------|-------------------|----------------|
| Product Code | Thread AG | Cable range(mm) | Thread O.D.(mm) | Mounting Hole Diameter (mm) | Thread length GL(mm) | Spanner Size (mm) | Std, Pkg (pcs) |

| | | | | | | | |
|----------------|-----------|---------|--------|-----------|------|-------|----|
| JX-G1/4A-MG | G1/4" | 3-5.3 | 13.157 | 13.2-13.4 | 8 | 17/17 | 10 |
| JX-G1/4B- MG | | 4.5-7.8 | 13.157 | 13.2-13.4 | 8 | 17/17 | 10 |
| JX-G3/8A-MG | G3/8" | 4-7 | 16.662 | 16.7-16.9 | 9 | 22/22 | 10 |
| JX-G3/8B-MG | | 6-10 | 16.662 | 16.7-16.9 | 9 | 22/22 | 10 |
| JX-G1/2A-MG | G1/2" | 7-11 | 20.955 | 21-21.2 | 9.5 | 26/26 | 10 |
| JX-G1/2B-MG | | 9-14 | 20.955 | 21-21.2 | 9.5 | 26/26 | 10 |
| JX-G3/4A-MG | G3/4" | 12-16 | 26.411 | 26.5-26.8 | 12 | 32/32 | 10 |
| JX-G3/4B-MG | | 14-18 | 26.411 | 26.5-26.8 | 12 | 32/32 | 10 |
| JX-G1A-MG | G1" | 16-22 | 33.249 | 33.3-33.6 | 12.5 | 41/41 | 10 |
| JX-G1B-MG | | 18-25 | 33.249 | 33.3-33.6 | 12.5 | 41/41 | 10 |
| JX-G11/4A-MG | G1 1/4" | 21-25 | 41.91 | 42-42.3 | 15 | 50/50 | 5 |
| JX-G11/4B-MG | | 24-30 | 41.91 | 42-42.3 | 15 | 50/50 | 5 |
| JX-G11/2A-MG | G1 1/2" | 26-32 | 47.803 | 48-48.4 | 15 | 60/60 | 2 |
| JX-G11/2B-MG | | 31-41 | 47.803 | 48-48.4 | 15 | 60/60 | 2 |
| JX-G2A-MG | G2" | 40-46 | 59.614 | 60-60.4 | 15 | 73/73 | 2 |
| JX-G2B-MG | | 44-51 | 59.614 | 60-60.4 | 15 | 73/73 | 2 |
| JX-G21/2A-MG | G2 1/2" | 50-56 | 75.184 | 75.2-75.6 | 18 | 85/88 | 1 |
| JX-G21/2B-MG | | 56-66 | 75.184 | 75.2-75.6 | 18 | 85/88 | 1 |
| JX-NPT3/8A-MG | NPT3/8" | 4-7 | 17.055 | 17.1-17.3 | 9 | 22/22 | 10 |
| JX-NPT3/8B-MG | | 6-10 | 17.055 | 17.1-17.3 | 9 | 22/22 | 10 |
| JX-NPT1/2A-MG | NPT1/2" | 7-11 | 21.223 | 21-21.2 | 9.5 | 26/26 | 10 |
| JX-NPT1/2B-MG | | 9-14 | 21.223 | 21-21.2 | 9.5 | 26/26 | 10 |
| JX-NPT3/4A-MG | NPT3/4" | 12-16 | 26.568 | 26.5-26.8 | 12 | 32/32 | 10 |
| JX-NPT3/4B-MG | | 14-18 | 26.568 | 26.5-26.8 | 12 | 32/32 | 10 |
| JX-NPT1A-MG | NPT1" | 16-22 | 33.227 | 33.3-33.6 | 12.5 | 41/41 | 10 |
| JX-NPT1B-MG | | 18-25 | 33.227 | 33.3-33.6 | 12.5 | 41/41 | 10 |
| JX-NPT11/4A-MG | NPT1 1/4" | 21-25 | 41.984 | 42-42.3 | 15 | 50/50 | 5 |
| JX-NPT11/4B-MG | | 24-30 | 41.984 | 42-42.3 | 15 | 50/50 | 5 |

Brass Cable Gland MG Series G And NPT Thread Feature And Application

Features: The claws and seals of excellent design, sealing nut have a “click” sound and re-open, can hold cable firmly and have a wider cable range. Resistant to salt water, weak acid, alcohol, oil, grease and common solvency.

Function: Brass cable gland MG Series G and NPT Thread is cable supporting products, connector cable can be locked, the other end of the device can access the device through the box body, also can choose thread access according to the entry and outlet of the internal thread electrical equipment.

More options: Customization is acceptable. Welcome to inquire when ordering.



MECHANICAL EQUIPMENT



LIGHTING EQUIPMENT



NEW ENERGY VEHICLE



PHOTOVOLTAIC (PV)



OUTDOOR ADVERTISEMENTS



WHEEL TRANSPORT DOCK

Brass Cable Gland MG Series G And NPT Thread Details

Connection Thread: G, NPT

Material:

Cap nut: Brass with nickel Plated

Clamping Insert: PA66

Sealing Ring: EPDM

Gland Body: Brass with nickel plated

Certificate: CE, IP68, ISO9001

Protection Class : IP68-10 BAR

Operating Temperature: -40 °C to +100 °C, (short time to 120 °C); -20 °C to 80 °C, (short time to 100 °C)

Brass Cable Gland MG Series G And NPT Thread Qualification

Certificates of JIXIANG CONNECTOR® Brass cable gland MG Series G and NPT Thread: CE, ROHS, REACH, IP68, ISO9001



Deliver, Shipping And Serving of Brass Cable Gland MG Series G And NPT Thread

Delivery of Brass cable gland MG Series G and NPT Thread Normally 7 working days to 1 month after received the payment.

Related Products Recommend

[Nylon Gland United Structure G and NPT Thread](#)

Jixiang Connect Nylon gland United Structure G and NPT Thread made from PA66

Tel: +86-18958708338

E-mail: jx5@jxljq.net

material, provide the highest degrees of functionality and safety. You can choose the calibers of cable glands according to the diameter of cables.



[Stainless Steel Cable Glands G and NPT Thread](#)

