



Brass Cable Gland MG Series PG Thread

We have rich experience and strong strength and are recognized and loved by customers for JIXIANG CONNECTOR® Brass cable gland MG Series PG Thread all over the world. We independently produce and design many types of #CablbeGlands and #CableConnectors, which can meet your various needs. Say Brass cable gland MG Series PG Thread. More designs are welcome to communicate with us. We have strong

R&D capabilities and can provide you with OEM&ODM services for Brass cable gland MG Series PG Thread.

Product Description

As the professional manufacture, we would like to provide you JIXIANG CONNECTOR® Brass Cable Gland MG Series PG Thread. And we will offer you the best after-sale service and timely delivery. "To achieve zero faults via continuous improvement, to satisfy our customers' needs and expectations, to make pledges we fully understand and think we can keep, and to keep all commitments to customers on schedule," is our guiding concept.

China Brass Cable Gland MG Series PG Thread CE Suppliers

JIXIANG CONNECTOR® Brass cable gland MG Series PG Thread may be used on all types of electrical power, control, instrumentation, data and telecommunications cables.

They are used as a sealing and termination device to ensure that the characteristics of the enclosure which the cable enters can be maintained adequately.

Brass Cable Gland MG Series PG Thread Parameter (Specification)

| Brass Cable Gland MG Series PG Thread Size Chart | | | | | | | |
|--|-----------|-----------------|-----------------|-----------------------------|----------------------|-------------------|----------------|
| Product Code | Thread AG | Cable range(mm) | Thread O.D.(mm) | Mounting Hole Diameter (mm) | Thread length GL(mm) | Spanner Size (mm) | Std, Pkg (pcs) |
| JX-PG7A-MG | PG7 | 3-5.3 | 12.5 | 12.5-12.8 | 8 | 17/17 | 10 |

| | | | | | | | |
|---------------|--------|---------|------|-----------|------|-------|----|
| JX-PG7B-MG | | 4.5-7.8 | 12.5 | 12.5-12.8 | 8 | 17/17 | 10 |
| JX-PG9A-MG | PG9 | 3-5.8 | 15.2 | 15.2-15.5 | 8 | 18/17 | 10 |
| JX-PG9B-MG | | 4.5-7.8 | 15.2 | 15.2-15.5 | 8 | 18/17 | 10 |
| JX-PG11A-MG | PG11 | 4-7 | 18.6 | 18.6-18.9 | 9 | 22/22 | 10 |
| JX-PG11B-MG | | 6-10 | 18.6 | 18.6-18.9 | 9 | 22/22 | 10 |
| JX-PG13.5A-MG | PG13.5 | 5-8.8 | 20.4 | 20.4-20.7 | 9.5 | 24/24 | 10 |
| JX-PG13.5B-MG | | 7-12 | 20.4 | 20.4-20.7 | 9.5 | 24/24 | 10 |
| JX-PG16A-MG | PG16 | 7-11 | 22.5 | 22.5-22.8 | 9.5 | 26/26 | 10 |
| JX-PG16B-MG | | 9-14 | 22.5 | 22.5-22.8 | 9.5 | 26/26 | 10 |
| JX-PG21A-MG | PG21 | 12-16 | 28.3 | 28.3-28.7 | 12 | 32/32 | 10 |
| JX-PG21B-MG | | 14-18 | 28.3 | 28.3-28.7 | 12 | 32/32 | 10 |
| JX-PG29A-MG | PG29 | 16-22 | 37 | 37-37.4 | 12.5 | 41/41 | 10 |
| JX-PG29B-MG | | 18-25 | 37 | 37-37.4 | 12.5 | 41/41 | 10 |
| JX-PG36A-MG | PG36 | 21-25 | 47 | 47-47.4 | 15 | 50/50 | 5 |
| JX-PG36B-MG | | 24-30 | 47 | 47-47.4 | 15 | 50/50 | 5 |

Brass Cable Gland MG Series PG Thread Feature And Application

Features: The claws and seals of excellent design, sealing nut have a “click” sound and re-open, can hold cable firmly and have a wider cable range. Resistant to salt water, weak acid, alcohol, oil, grease and common solvency.

Function: Brass cable gland MG Series PG Thread is cable supporting products, connector cable can be locked, the other end of the device can access the device through the box body, also can choose thread access according to the entry and outlet of the internal thread electrical equipment.

More options: Customization is acceptable. Welcome to inquire when ordering.



MECHANICAL EQUIPMENT



LIGHTING EQUIPMENT



NEW ENERGY VEHICLE



PHOTOVOLTAIC (PV)



OUTDOOR ADVERTISEMENTS



WHEEL TRANSPORT DOCK

Brass Cable Gland MG Series PG Thread Details

Connection Thread: PG

Material:

Cap nut: Brass with nickel Plated

Clamping Insert: PA66

Sealing Ring: EPDM

Gland Body: Brass with nickel plated

Certificate: CE, IP68, ISO9001

Protection Class : IP68-10 BAR

Operating Temperature: -40 °C to +100 °C, (short time to 120 °C); -20 °C to 80 °C, (short time to 100 °C)

Brass Cable Gland MG Series PG Thread Qualification

Certificates of Brass cable gland MG Series PG Thread: CE,ROHS, REACH, IP68,ISO9001



Deliver,Shipping And Serving of Brass Cable Gland MG Series PG Thread

Delivery of Brass cable gland MG Series PG Thread Normally 7 working days to 1 month after received the payment.

Related Products Recommend

[Nylon Standard Cable Gland PG Thread](#)

Jixiang Connect Nylon standard cable gland PG Thread is Made of 100% new nylon, not including any recycle material, it can with the worldwide standards and are able of meeting demands of our customers



Stainless Steel Cable Glands PG Thread

JiXiang Connect Stainless steel cable glands PG Thread has the advantages of smooth and delicate surface, clear stripes, standard thread, smooth and burr-free, etc.

