



Brass Single Compression Cable Gland

These are related to the JIXIANG CONNECTOR® Brass Single Compression Cable Gland news, in which you can learn about the updated information in Brass Single Compression Cable Gland, to help you better understand and expand Brass Single Compression Cable Gland market. Because the market for Brass Single Compression Cable Gland is evolving and changing, so we recommend that you collect our website, and we

will show you the latest news on a regular basis. Rich experience QA can help you audit the factory or check the goods quality before shipping.

Product Description

These are related to the JIXIANG CONNECTOR® Brass Single Compression Cable Gland news, in which you can learn about the updated information in Brass Single Compression Cable Gland, to help you better understand and expand Brass Single Compression Cable Gland market. Because the market for Brass Single Compression Cable Gland is evolving and changing, so we recommend that you collect our website, and we will show you the latest news on a regular basis. Rich experience QA can help you audit the factory or check the goods quality before shipping.

Wholesale Matel Nickel Plated Brass Single Compression Cable Gland

Brass Single Compression Cable Gland Introduction

Jixiang Connector brass single compression gland, essentially offers grip or compression at one place, namely the cable armour, with quick installation, safety, reliability and other characteristics of good protection.

Brass Single Compression Cable Gland Parameter (Specification)

The Drawing of Brass Single Compression Cable Gland



1. Lock Nut
2. O-ring
3. Entry Component
4. Compound Tube
5. Armoured Clamping Cone
6. Anyway Clamping Ring
7. Body
8. Seal
9. Outer Seal Nut

Brass Single Compression Cable Gland (JX6)- Metric, G Thread						
Product Code	Thread AG		Outer Diameter of Cable (mm)		Thread length L1(mm)	Length L (mm)
			Outlet A	Incoming Line B		
JX-6-EX-15A	M16*1.5	-	5-8	7-15	15	67
JX-6-EX-15B	M20*1.5	G1/2	5-12	8-15	15	67
JX-6-EX-20	M25*1.5	G3/4	8-17	11-20	15	71
JX-6-EX-27	M32*1.5	G1	11-22	14-27	17	76
JX-6-EX-33	M40*1.5	G1 1/4	14-28	19-33	17	76

JX-6-EX-40	M50*1.5	G1 1/2	16-33	22-40	17	94
JX-6-EX-50	M63*1.5	G2	29-43	29-50	17	98
JX-6-EX-63	M75*1.5	G2 1/2	38-57	35-63	17	112
JX-6-EX-77A	M85*1.5	G3S	38-72	41-77	18	114
JX-6-EX-77B	M90*1.5	G3	38-72	41-77	18	126
JX-6-EX-83	M100*1.5	G4S	48-83	55-90	18	126
JX-6-EX-94	M110*1.5	G4	48-94	61-104	18	128

More options: Customization of Brass Single Compression Cable Gland is acceptable. It can extend thread length according to customer's requirements. Welcome to inquire.

Brass Single Compression Cable Gland Feature And Application

Our Brass Single Compression Cable Gland with quick installation, safety, reliability and other characteristics of good protection, isolating gasket tube is suitable for clamping and fixing steel wire knit of armored cable. It can be used in Hazardous division 1&2.



Gas



Oil



Pharmaceutical



Mining



Transportation

Brass Single Compression Cable Gland Details

Thread Specification: Metric Thread, G thread

Material: Brass or brass with nickel plated

Sealing materials: silicon rubber, NBR

Surface treatment: nickel plating,

Cable: With packing seal

Protection Class: IP66-10 bars

Brass Single Compression Cable Gland Qualification

Certificates of Brass Single Compression Cable Gland: ATEX ,EX

Deliver, Shipping And Serving

Delivery of Brass Single Compression Cable Gland Normally 7 working days to 1 month after received the payment.