

Yueqing Jixiang Connector Co., Ltd.



EMC Locknut

Right from raw material to finished products, the emphasis on quality has been a pivotal pillar on which the brand Jixiang steadfastly rests.Than's why Jixiang can be a leading supplier and manufacturer in China and always provide high quality JIXIANG CONNECTOR® EMC Locknut.We have a complete and scientific quality management system for EMC locknut.All your inquiries will be replied to in 24 hours. Reasonable quality and

reasonable price you will get from us.

Product Description

The following is the introduction of high quality JIXIANG CONNECTOR® EMC Locknut, hoping to help you better understand EMC Locknut. Welcome new and old customers to continue to cooperate with us to create a better future!We have the distinct advantage because the success of our company is directly related to each and every individual. We take pride in all we do, and we take pride in a job well done.

Nickel Plated Brass EMC Locknut with CE

What is a EMC Locknut?

EMC locknut has raised teeth to make a connection with the panel or control boxes to securely hold the locknut in place.

Different from standard Locknut, the EMC Locknut sharp edges cut the isolated coverage and ensure the contact.

EMC locknut are made of Brass Nickel-Plated, used with brass cable glands and metal fittings, offering users a high level of EMC protection, quick installation time and savings in material costs.

EMC Locknut Size Chart - Thread: Metric, PG, G, NPT									
CODE	Thread	Spanner size (mm)	CODE	Thread	Thickness (mm)	Spanner size (mm)			
JX-EMC M12-ML	M12	14	JX-EMCPG7-ML	PG7	3	14			
JX-EMCM14-ML	M14	17	JX-EMCPG9-ML	PG9	3	17			

EMC Locknut Parameter (Specification)



Yueqing Jixiang Connector Co., Ltd.

www.jxcablegland.com

	M18	20	JX-EMCPG13.5-ML	PG13.5	3	22
	M20	22	JX-EMCPG16-ML	PG16	3.2	24
	M22	24	JX-EMCPG19-ML	PG19	3.5	27
JX-EMCM24-ML	1	27	JX-EMCPG21-ML	PG21	4	30
	M25	27	JX-EMCPG25-ML	PG25	4	35
JX-EMCM27-ML		30	JX-EMCPG29-ML	PG29	4	40
JX-EMCM28-ML	M28	30	JX-EMCPG36-ML	PG36	5.5	50
JX-EMCM30-ML	M30	32	JX-EMCPG42-ML	PG42	6	57
JX-EMCM32-ML	M32	35	JX-EMCPG48-ML	PG48	6.5	64
JX-EMCM33-ML	M33	35	JX-EMCPG63-ML	PG63	8.5	77
JX-EMCM36-ML	M36	40	JX-EMCG1/4-ML	G1/4	3	14
JX-EMCM37-ML	M37	40	JX-EMCG3/8-ML	G3/8	3	18
JX-EMCM40-ML	M40	45	JX-EMCG1/2-ML	G1/2	3	22
JX-EMCM42-ML	M42	45	JX-EMCG3/4-ML	G3/4	4	30
JX-EMCM47-ML	M47	50	JX-EMCG1-ML	G1	4	40
JX-EMCM48-ML	M48	52	JX-EMCG1-1/4-ML	G1-1/4	5.5	50
JX-EMCM50-ML	M50	55	JX-EMCG1-1/2-ML	G1-1/2	5.5	57
JX-EMCM54-ML	M54	57	JX-EMCG2-ML	G2	6	64
JX-EMCM56-ML	M56	59	JX-EMCG2-1/2-ML	G2-1/2	8.5	77
JX-EMCM60-ML	M60	64	JX-EMCG3-ML	G3	9	94
JX-EMCM63-ML	M63	68	JX-EMCNPT1/4-ML	NPT1/4	3	14
JX-EMCM64-ML	M64	68	JX-EMCNPT3/8-ML	NPT3/8	3	18
JX-EMCM72-ML	M72	77	JX-EMCNPT1/2-ML	NPT1/2	3	22
JX-EMCM75-ML	M75	77	JX-EMCNPT3/4-ML	NPT3/4	4	30
JX-EMCM80-ML	M80	88	JX-EMCNPT1-ML	NPT1	4	40
JX-EMCM88-ML	M88	94	JX-EMCNPT1-1/4-ML	NPT1-1/4	5.5	50
JX-EMCM100-ML	M100	110	JX-EMCNPT1-1/2-ML	NPT1-1/2	5.5	57
		-	JX-EMCNPT2-ML	NPT2	6	64
			JX-EMCNPT2-1/2-ML	NPT2-1/2	8.5	77
			JX-EMCNPT3-ML	NPT3	9	94

EMC Locknut Feature And Application

Feature: EMC Locknut usually matched with EMC Cable Glands.

EMC Locknut are widely used in many Industry: Renewable energies, Railway / Transport, Track side, Robotics, Ship building, Chemical Industry, Telecommunications, Miscellaneous









PHOTOVOLTAIC (PV)

OUTDOOR ADVERTISEMENTS



WHEEL TRANSPORT DOCK

EMC Locknut Details

Material: Brass,nickel plated Thread: Metric, PG, G, NPT Certificate: CE, IP68, ISO90001 Feature: EMC Locknut usually matched with EMC Cable Glands. Function: EMC Locknut for use with most electrical fittings.

EMC Locknut Qualification

Certificates of EMC Locknut: CE, IP68, ISO9001







Deliver, Shipping And Serving

Delivery of EMC Locknut Normally 7 working days to 1 month after received the payment.