



Large Cable Gland

You can rest assured to buy customized JIXIANG CONNECTOR® Large Cable Gland from us. We look forward to cooperating with you, if you want to know more, you can consult us now, we will reply to you in time! Jixiang Large Cable Gland can be used in many fields. Large Cable Gland are suitable for the passage, compression and wire binding between two cables. Simply message us with your requirements and we will get back to you

ASAP with a quote!

Product Description

You are welcomed to come to our factory to buy the latest selling, low price, and high-quality JIXIANG CONNECTOR® Large Cable Gland. We look forward to cooperating with you. With competitive prices and reliable delivery services, we are expecting become your long-term partner in China.

Large Cable Gland Waterproof IP68

JIXIANG CONNECTOR® Large Cable Gland may be used on all types of electrical power, control, instrumentation, data and telecommunications cables.

They are used as a sealing and termination device to ensure that the characteristics of the enclosure which the cable enters can be maintained adequately.

Parameter (Specification) of Large Cable Gland

Metric Thread Series - Large Cable Gland						
Product Code	Thread specification AG	Avaiable cable range(mm)	Thread O.D.(mm)	Mounting Hole Diameter (mm)	Thread length GL (mm)	Spanner Size(mm)
JX-M12-TR	M12*1.5	6.5-3	12	12.12.2	7	14
JX-M14-TR	M14*1.5	6.5-3	14	14-14.2	7	17
JX-M16-TR	M16*1.5	8-4	16	16-16.2	7	18

JX-M18-TR	M18*1.5	10-5	18	18-18.2	8	20
JX-M20-TR	M20*1.5	12-6	20	20-20.2	8	22
JX-M22-TR	M22*1.5	14-10	22	22-22.2	8	24
JX-M27A-TR	M27*1.5	18-13	27	27-27.2	9	30
JX-M27B-TR	M27*2	18-13	27	27-27.2	9	30
JX-M28A-TR	M28*1.5	18-13	28	28-28.2	9	30
JX-M28B-TR	M28*2	18-13	28	28-28.2	9	30
JX-M30A-TR	M30*1.5	18-13	30	30-30.2	9	30/32
JX-M30B-TR	M30*2	18-13	30	30-30.2	9	30/32
JX-M32A-TR	M32*1.5	22-15	32	32-32.2	10	35
JX-M32B-TR	M32*2	22-15	32	32-32.2	10	35
JX-M33A-TR	M33*1.5	22-15	33	33-33.2	10	35
JX-M33B-TR	M33*2	22-15	33	33-33.2	10	35
JX-M37A-TR	M37*1.5	25-18	37	37-37.2	10	40
JX-M37B-TR	M37*2	25-18	37	37-37.2	10	40
JX-M40A-TR	M40*1.5	25-18	40	40-40.2	11	40/45
JX-M40B-TR	M40*2	25-18	40	40-40.2	11	40/45
JX-M47A-TR	M47*1.5	33-25	47	47-47.2	11	50
JX-M47B-TR	M47*2	33-25	47	47-47.2	11	50
JX-M48A-TR	M48*1.5	33-25	48	48-48.2	11	50/52
JX-M48B-TR	M48*2	38-32	48	48-48.2	11	50/52
JX-M54A-TR	M54*1.5	38-32	54	54-54.2	12	57
JX-M54B-TR	M54*2	38-32	54	54-54.2	12	57
JX-M56A-TR	M56*1.5	38-32	56	56-56.2	12	57/59
JX-M56B-TR	M56*2	38-32	56	56-56.2	12	57/59
JX-M60A-TR	M60*1.5	44-37	60	60-60.2	13	64
JX-M60B-TR	M60*2	44-37	60	60-60.2	13	64
JX-M63A-TR	M63*1.5	44-37	63	63-63.2	13	64/68

JX-M63B-TR	M63*2	44-37	63	63-63.2	13	64/68
JX-M64A-TR	M64*1.5	44-37	64	64-64.2	13	64/68
JX-M64B-TR	M64*2	44-37	64	64-64.2	13	64/68

Feature And Application of Large Cable Gland

Features: The Large Cable Gland is a product of large range, high tensile strength, waterproof, dustproof, salt, acid, alcohol, grease and common solvent resistant.

Function: Large Cable Gland is cable supporting products, connector cable can be locked, the other end of the device can access the devices through the box body, also can choose thread access according to the entry and outlet of the internal thread electrical equipment.

More options: Customization of Large Cable Gland is acceptable. Welcome to inquire when ordering.



MECHANICAL EQUIPMENT



LIGHTING EQUIPMENT



NEW ENERGY VEHICLE



PHOTOVOLTAIC (PV)



OUTDOOR ADVERTISEMENTS



WHEEL TRANSPORT DOCK

Details of Large Cable Gland

Products:

Thread Size: Metric Thread

Material: The joint body parts are made of nickel plated brass, the clamping part is made of plastic(PA), and the seals and O-ring seals are made of nitrile rubber (NBR).

Operating temperature: Static: -40 °C to 100 °C, short time up to 120 °C. Dynamic: -20 °C to 80 °C, short time up to 100 °C

Thread length: The short thin thread is suitable for holes in thin board or devices with internal thread, while the long thread is available for thick board. Long threads can be customized.

Qualification of Large Cable Gland

Certificates of JIXIANG CONNECTOR® Large Cable Gland: CE,ROHS, REACH, IP68,ISO9001



Deliver,Shipping And Serving

Delivery of Large Cable Gland Normally 7 working days to 1 month after received the payment.

FAQ

1. **Q:** Are you trading company or manufacturer ?

A:We are manufacturer directly.

2. **Q:**Do you have a catalogue?

A:Yes , We have. You can download it online or send an Email to us.

3. **Q:**Do you provide samples ? is it free or extra ?

A: Yes, we can provide 1pcs or 2pcs free samples but need freight collect. If more

samples, also need pay charge.

4. **Q** : Can you make customized products and customized packing?

A: Yes. We can talk details after receiving your detailed request.

5. **Q** : How to ship my order ?

A: Your goods can be sent by international Express or by Air or By sea as your required.

6. **Q**:How long will I receive your quotation?

A:We will reply you as soon as possible, usually send the quotation within 1~3 hours after get your detailed requests at working time.