



Longer Thread Waterproof Cable Gland

At Jixiang we have since inception set the highest and remarkable benchmarks concerning product quality, product innovation and value engineering in the JIXIANG CONNECTOR® Longer thread waterproof cable gland. The commitment and consistency have helped us reach a level that our product quality can easily match international standards.

Product Description

Yueqing Jixiang Connector Co., Ltd. is Longer Thread Waterproof Cable Gland manufacturers and suppliers in China who can wholesale Longer Thread Waterproof Cable Gland. We can provide professional service and better price for you. If you interested in Longer Thread Waterproof Cable Gland products, please contact with us. We follow the quality of rest assured that the price of conscience, dedicated service.

China Longer Thread Waterproof Cable Gland IP68 Manufacturers

JIXIANG CONNECTOR® Longer thread waterproof cable gland may be used on all types of electrical power, control, instrumentation, data and telecommunications cables.

They are used as a sealing and termination device to ensure that the characteristics of the enclosure which the cable enters can be maintained adequately.

Longer Thread Waterproof Cable Gland Parameter (Specification)

Longer Thread Waterproof Cable Gland Size Chart

Product Code	Thread AG	Cable range (mm)	Thread O.D.(mm)	Thread length GL(mm)	Spanner Size (mm)
JX-M8L	M8×1.0	2-5	8	8	12
JX-M10L	M10×1.0	3-6.5	10	10	14
JX-M12L	M12×1.5	3-6.5	12	10	14
JX-M14L	M14×1.5	4-8	14	12	17
JX-M16L	M16×1.5	4-8	16	12	18

JX-M18L	M18×1.5	5-10	18	12	20
JX-M20L	M20×1.5	6-12	20	12	22
JX-M22L	M22×1.5	10-14	22	12	24
JX-M24L	M24×1.5	10-14	24	12	24/27
JX-M25-14L	M25×1.5	10-14	25	12	24/27
JX-M25-18L	M25×1.5	13-18	25	12	30/27
JX-M27L	M27×1.5	13-18	27	12	30
JX-M28L	M28×1.5	13-18	28	12	30
JX-M30L	M30×1.5	13-18	30	14	30/32
JX-M32L	M32×1.5	15-22	32	14	35
JX-M33L	M33×1.5	15-22	33	14	35
JX-M36L	M36×1.5	18-25	36	14	40
JX-M37L	M37×1.5	18-25	37	14	40
JX-M40-25L	M40×1.5	18-25	40	15	40/45
JX-M40-30L	M40×1.5	22-30	40	15	45
JX-M42L	M42×1.5	22-30	42	15	45
JX-M47L	M47×1.5	25-33	47	15	50
JX-M48L	M48×1.5	25-33	48	15	50/52
JX-M50L	M50×1.5	32-38	50	15	57/55
JX-M54L	M54×1.5	32-38	54	15	57
JX-M60L	M60×1.5	37-44	60	16	64
JX-M63L	M63×1.5	37-44	63	16	64/68
JX-M64L	M64×2.0	37-44	64	16	64/68
JX-M72L	M72×2.0	42-52	72	18	78
JX-M75L	M75×2.0	42-52	75	18	78/80
JX-M80L	M80×2.0	50-62	80	20	86/88
JX-M88L	M88×2.0	60-70	88	20	98
JX-M100L	M100×2.0	78-84	100	22	110

Longer Thread Waterproof Cable Gland Feature And Application

Function: Extremely easy installation, simply insert cable through the assembled gland and tighten gland locknut until cable is secured. These JIXIANG CONNECTOR® Longer thread waterproof cable gland are designed to withstand water, dust, salt, acid-based, alcohol, oil and common solvent.

More options: Customization is acceptable. Welcome to inquire.



MECHANICAL EQUIPMENT



LIGHTING EQUIPMENT



NEW ENERGY VEHICLE



PHOTOVOLTAIC (PV)



OUTDOOR ADVERTISEMENTS



WHEEL TRANSPORT DOCK

Longer Thread Waterproof Cable Gland Details

Thread Size: Metric Thread

Material: Brass with nickel plated

Claw: PA

Sealing and sealing ring: NBR

Product Certification: CE certification, TUV and ISO9001.

Patent: National Utility Model Patent No is ZL201020530888.7

Protection Degree: IP68

Working temperature: -40 °C to 100 °C short time to 120°C

Thread Length: Longer thread waterproof cable gland is used for the thick board. Longer thread type can be produced as your requests.

Longer Thread Waterproof Cable Gland Qualification

Certificates of Longer thread waterproof cable gland: CE, IP68, ISO9001



Deliver, Shipping And Serving

Delivery of 9 Longer thread waterproof cable gland Normally 7 working days to 1 month after received the payment.