



## Nickel Plated Cable Glands



Our JIXIANG CONNECTOR® Nickel Plated Cable Glands can be used in many fields, such as energy generation, rail transit, new energy vehicles, charging station systems, power electronic systems, heavy industry systems, etc. The Nickel Plated Cable Glands quality is reliable, safe and environmentally friendly. Basically, glands will be connected to panels, distribution boxes and electric equipments, etc. Simply

message us with your requirements and we will get back to you ASAP with a quote!

### Product Description

You can rest assured to buy customized JIXIANG CONNECTOR® Nickel Plated Cable Glands from us. We look forward to cooperating with you, if you want to know more, you can consult us now, we will reply to you in time! We will always adhere to the principle of "quality first, client first," and we cordially invite customers to visit us for consultation.

### M20 IP68 Nickel Plated Brass Cable Glands

JIXIANG CONNECTOR® Nickel Plated Cable Glands may be used on all types of electrical power, control, instrumentation, data and telecommunications cables.

They are used as a sealing and termination device to ensure that the characteristics of the enclosure which the cable enters can be maintained adequately.

### Parameter (Specification) of Nickel Plated Cable Glands

PG Thread Series						
Product Code	Thread specification AG	Available cable range (mm)	Thread O.D. (mm)	Mounting Hole Diameter (mm)	Thread length GL (mm)	Spanner Size (mm)
JX-PG7-TR	PG7	6.5-3	12.5	12.5-12.7	6	14
JX-PG9-TR	PG9	8-4	15.2	15.2-15.4	7	17
JX-PG11-TR	PG11	10-5	18.6	18.6-18.8	7	20/21

JX-PG13.5-TR	PG13.5	12-6	20.4	20.4-20.6	8	22
JX-PG16-TR	PG16	14-10	22.5	22.5-22.7	8	24
JX-PG21-TR	PG21	18-13	28.3	28.3-28.5	8	30
JX-PG25-TR	PG25	22-15	32	32-32.2	10	35
JX-PG29-TR	PG29	25-18	37	37-37.2	9	40
JX-PG36-TR	PG36	33-25	47	47-47.2	10	50
JX-PG42-TR	PG42	38-32	54	54-54.2	13	57
JX-PG48-TR	PG48	44-37	59.3	59.3-59.5	12	64
JX-PG63-TR	PG63	52-42	72	72-72.2	15	78

## Feature And Application of Nickel Plated Cable Glands

**Features:** The Nickel Plated Cable Glands is a product of large range, high tensile strength, waterproof, dustproof, salt, acid, alcohol, grease and common solvent resistant.

**Function:** Nickel Plated Cable Glands is cable supporting products, connector cable can be locked, the other end of the device can access the devices through the box body, also can choose thread access according to the entry and outlet of the internal thread electrical equipment.

**More options:** Customization of Nickel Plated Cable Glands is acceptable. Welcome to inquire when ordering.



MECHANICAL EQUIPMENT



LIGHTING EQUIPMENT



NEW ENERGY VEHICLE



PHOTOVOLTAIC (PV)



OUTDOOR ADVERTISEMENTS



WHEEL TRANSPORT DOCK

## Details of Nickel Plated Cable Glands

Products:

Thread Size: PG Thread

Material: The joint body parts are made of nickel plated brass, the clamping part is made of plastic(PA), and the seals and O-ring seals are made of nitrile rubber (NBR).

Operating temperature: Static: -40 °C to 100 °C, short time up to 120 °C. Dynamic: -20 °C to 80 °C, short time up to 100 °C

Thread length: The short thin thread is suitable for holes in thin board or devices with internal thread, while the long thread is available for thick board. Long threads can be customized.

## Qualification of Nickel Plated Cable Glands

Certificates of Nickel Plated Cable Glands: CE,ROHS, REACH, IP68,ISO9001



## Deliver,Shipping And Serving

Delivery of Nickel Plated Cable Glands Normally 7 working days to 1 month after received the payment.