





NPT Cable Gland

We have rich experience and strong strength and are recognized and loved by customers for JIXIANG CONNECTOR® NPT Cable Gland all over the world.We independently produce and design many types of #CablbeGlands and #CableConnectors, which can meet your various needs. Say NPT Cable Gland.More designs are welcome to communicate with us. We have strong R&D capabilities and can provide you with

OEM&ODM services for NPT Cable Gland.

Product Description

These are related to the JIXIANG CONNECTOR® NPT Cable Gland news, in which you can learn about the updated information in NPT Cable Gland, to help you better understand and expand NPT Cable Gland market. Because the market for NPT Cable Gland is evolving and changing, so we recommend that you collect our website, and we will show you the latest news on a regular basis. We do everything we can to add value to our customers' experiences, allowing us to be their best option.

China NPT Cable Gland CE Manufacturer Price

JIXIANG CONNECTOR® NPT Cable Gland may be used on all types of electrical power, control, instrumentation, data and telecommunications cables.

They are used as a sealing and termination device to ensure that the characteristics of the enclosure which the cable enters can be maintained adequately.

Parameter (Specification) of NPT Cable Gland

Brass Cable Gland – G,NPTthread											
Product Code	Thread AG	Cable range(mm)	Thread	lDiameter	length	Size	Std, Pkg (pcs)				
JX-G1/4A-MG	G1/4"	3-5.3	13.157	13.2-13.4	8	17/17	10				
JX-G1/4B- MG		4.5-7.8	13.157	13.2-13.4	8	17/17	10				



JX-G3/8A-MG	G3/8"	4-7	16.662	16.7-16.9	9	22/22	10
JX-G3/8B-MG		6-10	16.662	16.7-16.9	9	22/22	10
JX-G1/2A-MG	G1/2"	7-11	20.955	21-21.2	9.5	26/26	10
JX-G1/2B-MG		9-14	20.955	21-21.2	9.5	26/26	10
JX-G3/4A-MG	G3/4"	12-16	26.411	26.5-26.8	12	32/32	10
JX-G3/4B-MG		14-18	26.411	26.5-26.8	12	32/32	10
JX-G1A-MG	G1"	16-22	33.249	33.3-33.6	12.5	41/41	10
JX-G1B-MG		18-25	33.249	33.3-33.6	12.5	41/41	10
JX-G11/4A-MG	G1 1/4"	21-25	41.91	42-42.3	15	50/50	5
JX-G11/4B-MG		24-30	41.91	42-42.3	15	50/50	5
JX-G11/2A-MG	G1 1/2"	26-32	47.803	48-48.4	15	60/60	2
JX-G11/2B-MG		31-41	47.803	48-48.4	15	60/60	2
JX-G2A-MG	G2"	40-46	59.614	60-60.4	15	73/73	2
JX-G2B-MG		44-51	59.614	60-60.4	15	73/73	2
JX-G21/2A-MG	G2 1/2"	50-56	75.184	75.2-75.6	18	85/88	1
JX-G21/2B-MG		56-66	75.184	75.2-75.6	18	85/88	1
JX-NPT3/8A-MG	NPT3/8"	4-7	17.055	17.1-17.3	9	22/22	10
JX-NPT3/8B-MG		6-10	17.055	17.1-17.3	9	22/22	10
JX-NPT1/2A-MG	NPT1/2"	7-11	21.223	21-21.2	9.5	26/26	10
JX-NPT1/2B-MG		9-14	21.223	21-21.2	9.5	26/26	10
JX-NPT3/4A-MG	NPT3/4"	12-16	26.568	26.5-26.8	12	32/32	10
JX-NPT3/4B-MG		14-18	26.568	26.5-26.8	12	32/32	10
JX-NPT1A-MG	NPT1"	16-22	33.227	33.3-33.6	12.5	41/41	10
JX-NPT1B-MG		18-25	33.227	33.3-33.6	12.5	41/41	10
JX-NPT11/4A-MG	NPT1 1/4"	21-25	41.984	42-42.3	15	50/50	5
JX-NPT11/4B-MG		24-30	41.984	42-42.3	15	50/50	5

Feature And Application of NPT Cable Gland

Tel: +86-18958708338 **E-mail:** jx5@jxljq.net



Features: The claws and seals of excellent design, sealing nut have a "click" sound and re-open, can hold cable firmly and have a wider cable range. Resistant to salt water, weak acid, alcohol, oil, grease and common solvency.

Function: NPT Cable Gland is cable supporting products, connector cable can be locked, the other end of the device can access the device through the box body, also can choose thread access according to the entry and outlet of the internal thread electrical equipment.

More options: Customization is acceptable. Welcome to inquire when ordering.



MECHANICAL EQUIPMENT



LIGHTING EQUIPMENT



NEW ENERGY VEHICLE



PHOTOVOLTAIC (PV)



OUTDOOR ADVERTISEMENTS



WHEEL TRANSPORT DOCK

Details of NPT Cable Gland

Connection Thread: G, NPT

Material:

Cap nut: Brass with nickel Plated

Tel: +86-18958708338 **E-mail:** jx5@jxljq.net



Clamping Insert: PA66 Sealing Ring: EPDM

Gland Body: Brass with nickel plated

Certificate: CE, IP68, ISO9001 Protection Class: IP68-10 BAR

Operating Temperature: -40 $^{\circ}$ C to +100 $^{\circ}$ C, (short time to 120 $^{\circ}$ C); -20 $^{\circ}$ C to 80 $^{\circ}$ C, (short

time to 100 °C)

Qualification of NPT Cable Gland

Certificates of NPT Cable Gland: CE,ROHS, REACH, IP68,ISO9001





Deliver, Shipping And Serving

Delivery of NPT Cable Gland Normally 7 working days to 1 month after received the payment.

Tel: +86-18958708338 **E-mail:** jx5@jxljq.net