



Nylon Breathable Cable Gland

Nylon Breathable cable gland is one of the special types of cable gland, has a breathable hole insert of the gland body and combine the advantages of cable glands and ventilation plugs in one product. Any inquires, please feel free to contact Jixiang Connector, our professional team are fully ready to proving the best solution for you.

Product Description

As the professional manufacture, we would like to provide you JIXIANG CONNECTOR® Nylon Breathable Cable Gland. And we will offer you the best after-sale service and timely delivery. We have the distinct advantage because the success of our company is directly related to each and every individual. We take pride in all we do, and we take pride in a job well done.

China Waterproof IP68 Nylon Breathable Cable Gland Manufacture

JIXIANG CONNECTOR® Nylon Breathable cable gland is one of the special types of cable gland, has a breathable hole insert of the gland body and combine the advantages of cable glands and ventilation plugs in one product.

Nylon breathable cable gland are used as a sealing and termination device to ensure that the characteristics of the enclosure which the cable enters can be maintained adequately.

Nylon Breathable Cable Gland Parameter (Specification)

Breathable Nylon Cable Gland Size Chart				
Size	Cable Range	Thread O.D	Thread Length	Spanner Size
M12	4-8mm	12mm	8mm	16mm
M16	4-8mm	16mm	8mm	19mm
M16	5-10mm	16mm	8mm	22mm
M20	6-12mm	20mm	10mm	24mm

Nylon Breathable Cable Gland Feature And Application

Applications: Nylon Breathable cable gland applicable for control motor, launch motors,



lighting equipment, refrigeration and air conditioning, household appliances, measuring machinery and equipment, automotive / marine equipment with access, communication equipment, and outdoor projects connected with the wire or cable and other harsh environments.







MECHANICAL EQUIPMENT

LIGHTING EQUIPMENT

NEW ENERGY VEHICLE











WHEEL TRANSPORT DOCK

Nylon Breathable Cable Gland Details

Thread Size: Metric Thread

Material: The Nylon Breathable cable gland body parts are made of nickel plated brass,

the clamping insert is made of Nylon PA, and the seal is made up of nitrile

rubber(NBR) ,using weathering rubber (EDPM) .

Product Certification: CE, ROHS, IP68 and ISO9001.

Protection Degree: in the specific cable range, the using of the O-ring helps tighten head,

so that to reach IP68-10 bar pressure.



Working temperature: Static: -40 $^{\circ}$ C to 100 $^{\circ}$ C, Short time to 120 $^{\circ}$ C.

Thread length: The short thread is suitable for holes in the board or equipment with inner thread, while the long thread is available for thick planted.

Usage: Fix the machine board with the Nylon Breathable cable gland body, and press the tight head tightly to fix the cable.

More options: Customization is acceptable. Welcome to inquire.

Nylon Breathable Cable Gland Qualification

Certificates of Nylon Breathable cable gland: CE,ROHS, IP68,ISO9001





Deliver, Shipping And Serving of Nylon Breathable Cable Gland

Delivery of Nylon Breathable cable gland Normally 7 working days to 1 month after received the payment.

Product Recommend

Brass Air Vent Plugs

JIXIANG CONNECTOR® Brass air vent plug, protect the inside equipment operation normally and long in the serious environment.







Plastic Air Vent Plugs

The plastic air vent plugs can keep product enclosures' pressure balance that may be exposed to indoor and outdoor temperature changes while keeping dust and water out.



Tel: +86-18958708338 **E-mail:** jx5@jxljq.net