



## Nylon Flexible Cable Gland

The Nylon Flexible Cable Gland is waveguide designed and could protect the entry conduits and cables to avoid bending. JIXIANG CONNECTOR is supplier and manufacturer of JIXIANG CONNECTOR® Nylon Flexible Cable Gland, our products is designed to withstand the rigors of continuous flexing and bending, better than the traditional brass cable glands. Jixiang Connector' Nylon Flexible Cable Gland is available

in diverse specifications to meet the precise requirements of our customers.

### Product Description

These are related to the JIXIANG CONNECTOR® Nylon Flexible Cable Gland news, in which you can learn about the updated information in Nylon Flexible Cable Gland, to help you better understand and expand Nylon Flexible Cable Gland market. Because the market for Nylon Flexible Cable Gland is evolving and changing, so we recommend that you collect our website, and we will show you the latest news on a regular basis. Due to our focused approach, timely delivery and ethical business policy, we have been able to gain tremendous success in this domain.

### Nylon Flexible Cable Gland with Waterproof IP68

JIXIANG CONNECTOR® Nylon Flexible Cable Gland featuring a flexible section to guide abend-sensitive cable and provide strain relief and also known as the spiral cable gland or strain relief cable gland.

Nylon Flexible Cable Gland are used in conjunction with cable and wiring for electrical, instrumentation & control, and automation systems, including lighting, power, data and telecoms..

### Nylon Flexible Cable Gland Parameter (Specification)


Nylon Flexible Cable Gland Size Chart (With Strain Relief) -- metric thread					
Product Code	Thread AG	Cable range (mm)	Thread O.D. AG(mm)	Thread length GL(mm)	Spanner Size (mm)
JX-M12-NFL	M12*1.5	3-6.5	12	8	16

JX-M12-NFL	M12*1.5	2-5	12	8	16
JX-M16-NFL	M16*1.5	4-8	16	8	19
JX-M16-NFL	M16*1.5	2-6	16	8	19
JX-M18-NFL	M18*1.5	5-10	18	8	22
JX-M18-NFL	M18*1.5	3-7	18	8	22
JX-M20-NFL	M20*1.5	6-12	20	9	24
JX-M20-NFL	M20*1.5	5-9	20	9	24
JX-M22-NFL	M22*1.5	10-14	22	10	27
JX-M22-NFL	M22*1.5	7-12	22	10	27
JX-M25-NFL	M25*1.5	13-18	25	10	33
JX-M25-NFL	M25*1.5	9-16	25	10	33
JX-M27-NFL	M27*1.5	13-18	27	10	33
JX-M27-NFL	M27*1.5	9-16	27	10	33

More options: Customization of Nylon Flexible Cable Gland is acceptable. Welcome to inquire.

The Nylon Flexible Cable Gland not only made of nylon materials but also nickel plated brass and stainless steel is available.

The Drawing of Nylon Flexible Cable Gland .



### Nylon Flexible Cable Gland Features and Application

Our Nylon Flexible Cable Gland provide the highest degrees of functionality and safety.

Features as below:

IP68 waterproof rating

Minimum Assembly time

Wide cable clamping range

Suitable for use with non-armoured cable, portable and tray

Resistant to Salt water, gasoline, alcohol, oil, grease, ester keyton ether, benzene, common solvent, weak acids & weak alkalies

### **Nylon Flexible Cable Gland Details**

Thread Specification: Metric Thread

Material: The Nylon Flexible Cable Gland body parts are made of Nylon PA66 .

Working temperature: -40°C to 100°C in static state, or instantaneous heat resistance up to 120°C; -20°C to 80°C in dynamic state, or instantaneous heat resistance up to 100°C.

Protection level : IP 68-10 bar, waterproof, self-locking.

Colours: Black, White, other color available upon request

### **The installation method of Nylon Flexible Cable Gland**

JIXIANG CONNECTOR® Nylon Flexible Cable Gland is threaded and is usually provided with a nut , there have two methods for installation.

One option is to make a threaded hole to fit the size being used and simply thread it into the panel.

The other method is to determine the diameter of the cutout hole and use a Nylon Flexible Cable Glands which is close to the size of the hole. The lock nut will secure it to the panel.

After proper installation, the Nylon Flexible Cable Glands feature a spiral flex that allow free range of movement while still holding the cables securely in place. And using with O ring can achieve a better protection degree.

### **Nylon Flexible Cable Gland Qualification**

Certificates of Nylon Flexible Cable Gland: CE,ROHS, IP68,ISO9001



### Deliver,Shipping And Serving of Nylon Flexible Cable Gland

Delivery of Nylon Flexible Cable Gland Normally 7 working days to 1 month after received the payment. Our standard package is inner bag + outer box.