



Nylon Standard Cable Gland Metric Thread

JIXIANG CONNECTOR is Professional supplier in various kinds of cable gland. Nylon standard cable gland Metric Thread are manufactured from a high grade engineering thermoplastic, an inherently strong compound that is self extinguishing and corrosion resistant. Welcome to contact us for designing & ordering different sizes.

Product Description

These are related to the JIXIANG CONNECTOR® Nylon Standard Cable Gland Metric Thread news, in which you can learn about the updated information in Nylon Standard Cable Gland Metric Thread, to help you better understand and expand Nylon Standard Cable Gland Metric Thread market. Because the market for Nylon Standard Cable Gland Metric Thread is evolving and changing, so we recommend that you collect our website, and we will show you the latest news on a regular basis.

High Quality Plastic Nylon Standard Cable Gland Metric Thread Waterproof

JIXIANG CONNECTOR'S Nylon standard cable gland Metric Thread is IP68 rated protection that withstands dust, dirt and sand etc, and protect precious electrical connections and safeguard your electrical project with commercial grade strain relief.

Nylon Standard Cable Gland Metric Thread means the cable gland size calculation in mm, the dimension in millimetres in size table ranging from 6mm to 75mm. The metric thread are the worldwide most commonly used type of general-purpose screw thread. The "M" designation for metric indicates the nominal diameter in millimeters.

Our Nylon standard cable gland Metric Thread are made of high quality Nylon PA66.

Nylon 66 (loosely written nylon 6-6, nylon 6/6, nylon 6,6, or nylon 6:6) is a type of polyamide or nylon, adaptability and resistance to various corrosive elements, making them a great choice for various industries, such as electrical applications, mechanical control boards etc.

Moreover, compared to metal cable gland, nylon standard cable gland Metric Thread are available in a variety of colors such as black, grey and red etc. So they can be easily used for cable management.


Nylon Standard Cable Gland Metric Thread Parameter (Specification)

Nylon/Plastic Cable Gland Size Chart -- Metric thread					
Product Code	Thread AG	Cable range (mm)	Thread O.D. C1(mm)	Thread length GL(mm)	Spanner Size (mm)
JX-NLM12A	M12*1.5	3-6.5	12	8	16
JX-NLM12B		2-5	12	8	16
JX-NLM16A	M16*1.5	4-8	16	8	19
JX-NLM16B		2-6	16	8	19
JX-NLM18A	M18*1.5	5-10	18	8	22
JX-NLM18B		3-7	18	8	22
JX-NLM20A	M20*1.5	6-12	20	10	24
JX-NLM20B		5-9	20	10	24
JX-NLM22A	M22*1.5	10-14	22	10	27
JX-NLM22B		7-12	22	10	27
JX-NLM24A	M24*1.5	12-16	24	10	27
JX-NLM24B		10-13	24	10	27
JX-NLM25A	M25*1.5	13-18	25	10	33
JX-NLM25B		9-16	25	10	33
JX-NLM27A	M27*1.5	13-19	27	10	33
JX-NLM27B		9-16	27	10	33
JX-NLM30A	M30*1.5	16-21	30	11	35
JX-NLM30B		13-18	30	11	35
JX-NLM32A	M32*1.5	16-21	32	11	35
JX-NLM32B		13-18	32	11	35
JX-NLM36A	M36*1.5	18-25	36	12	42
JX-NLM36B		13-20	36	12	42
JX-NLM40A	M40*1.5	22-32	40	14	52
JX-NLM40B		20-26	40	14	52

JX-NLM50A	M50*1.5	32-38	50	14	60
JX-NLM50B		25-31	50	14	60
JX-NLM63A	M63*1.5	37-44	63	15	64
JX-NLM63B	M71*1.5	29-35	63	15	64
JX-NLM72A		42-50	72	28	77
JX-NLM72B		32-40	72	28	77

More options: Customization of Nylon standard cable gland Metric Thread is acceptable. Welcome to inquire.

The Drawing of Nylon standard cable gland Metric Thread .



The parts of Nylon standard cable gland Metric Thread

- ***Lock Nut:** Locking cable gland and surface to achieve sealing effect
- ***Washer:** ensure the nylon standard cable gland excellent waterproof performance
- ***Body:** Exquisite craft, makes glands smooth and burr-free
- * **Thick Seal** : offer high IP level, flexible, no hurt to cables
- ***Claw:** high tenacity for wide range of cables
- ***Sealing Nut** : makes glands smooth and burr-free.

Usually, the lock nut, body, claw and sealing nut are made of Nylon. The rest of the washer and seal are made of NBR or EPDM rubber.

Nylon Standard Cable Gland Metric Thread Feature And Application

Our Nylon standard cable gland Metric Thread provide the highest degrees of functionality and safety.

Features as below:

Superior Quality:

Our Nylon standard cable gland Metric Thread are made from high-level tensile strength PA66 Nylon, which have get UL94 approval. What is UL94? UL 94, the Standard for Safety of Flammability of Plastic Materials for Parts in Devices and Appliances testing, is a plastics flammability standard released by Underwriters Laboratories of the United States.

And Nylon standard cable gland Metric Thread are resistant to Salt water, gasoline, alcohol, oil, grease, easter keyton ether, benzine, common solvent, weak acids & weak alkalies

Strongly Waterproof:

High protection level IP68, Nylon standard cable gland Metric Thread consists of a lock nut, a washer, a body, a seal and a sealing nut, providing long term protection for your indoor and outdoor applications.

Easy to install:

You just need to thread the cable through the cable gland then tight up the sealing nut and lock nut, the cable will be tightly fixed but no need to disassemble.

Extended Use:

Our Nylon standard cable gland Metric Thread are fantastic for cable fixing, wire splices, machinery control boxes, distribution panels and electrical appliances etc.



MECHANICAL EQUIPMENT



LIGHTING EQUIPMENT



NEW ENERGY VEHICLE



PHOTOVOLTAIC (PV)



OUTDOOR ADVERTISEMENTS



WHEEL TRANSPORT DOCK

Nylon Standard Cable Gland Metric Thread Details

Thread Specification: Metric Thread

Material: The Nylon standard cable gland Metric Thread body parts are made of PA66. Rubber is NBR.

Working temperature: -40°C to 100°C in static state, or instantaneous heat resistance up to 120°C; -20°C to 80°C in dynamic state, or instantaneous heat resistance up to 100°C.

Protection level : IP 68-10 bar, waterproof, self-locking.

Colours: Black, White, other color available upon request

Nylon Standard Cable Gland Metric Thread Qualification

Certificates of Nylon standard cable gland Metric Thread: CE, ROHS, IP68, ISO9001



Deliver,Shipping And Serving

Delivery of Nylon standard cable gland Metric Thread Normally 7 working days to 1 month after received the payment.

Recommend Cable Glands

Brass Standard Cable Gland Metric Thread

JIXIANG CONNECTOR® Brass standard cable gland Metric Thread may be used on all types of electrical power, control, instrumentation, data and telecommunications cables.



Stainless Steel Cable Glands Metric Thread

JIXIANG CONNECTOR® Stainless steel cable glands Metric Thread is a kind of connection device often used in power system. It can be mainly applied to outdoor products, medium and large remote control machinery, and some equipment whose main body is in the outdoor control system and not on the main body.

