



Nylon Standard Cable Gland PG Thread

You can rest assured to buy customized JIXIANG CONNECTOR® Nylon Standard Cable Gland PG Thread from us. We look forward to cooperating with you, if you want to know more, you can consult us now, we will reply to you in time! Nylon standard cable gland PG Thread widely used in electrical instrumentation and automation systems. Jixiang are continuously functioning towards maintaining our range of quality and at the same time

competently meeting the emerging market requirement, have become a favorite choice by our customers. Welcome to contact us for designing & ordering different sizes.

Product Description

Yueqing Jixiang Connector Co., Ltd. is a professional China Nylon Standard Cable Gland PG Thread manufacturer and supplier, if you are looking for the best Nylon Standard Cable Gland PG Thread with low price, consult us now! We always feel that all success of our company is directly related to the quality of the products we offer.

Ready Stock High Quality Nylon Standard Cable Gland PG Thread

Jixiang Nylon standard cable gland PG Thread is made of 100% new nylon, not including any recycle material, it can with the worldwide standards and are able of meeting demands of our customers.


Nylon Standard Cable Gland PG Thread Parameter (Specification)

Nylon Standard Cable Gland PG Thread - Size Chart					
Product Code	Thread AG	Cable range (mm)	Thread O.D AG(mm)	Thread length GL(mm)	Spanner Size (mm)
JX-NLPG7A	PG7	3-6.5	12.5	8	16
JX-NLPG7B	PG7	2-5	12.5	8	16
JX-NLPG9A	PG9	4-8	15.2	8	19
JX-NLPG9B	PG9	2-6	15.2	8	19
JX-NLPG11A	PG11	5-10	18.6	8	22

JX-NLPG11B	PG11	3-7	18.6	8	22
JX-NLPG13.5A	PG13.5	6-12	20.4	10	24
JX-NLPG13.5B	PG13.5	5-9	20.4	10	24
JX-NLPG16A	PG16	10-14	22.5	10	27
JX-NLPG16B	PG16	7-12	22.5	10	27
JX-NLPG19A	PG21	12-16	24	10	27
JX-NLPG19B	PG21	10-13	24	10	27
JX-NLPG21A	PG21	13-18	28.3	10	33
JX-NLPG21B	PG21	9-16	28.3	10	33
JX-NLPG25A	PG25	16-21	30	11	35
JX-NLPG25B	PG25	13-18	30	11	35
JX-NLPG29A	PG29	18-25	37	12	42
JX-NLPG29B	PG29	13-20	37	12	42
JX-NLPG36A	PG36	22-32	47	14	52
JX-NLPG36B	PG36	20-26	47	14	52
JX-NLPG42A	PG42	32-38	54	14	60
JX-NLPG42B	PG42	25-31	54	14	60
JX-NLPG48A	PG48	37-44	59.3	15	64
JX-NLPG48B	PG48	29-35	59.3	15	64
JX-NLPG63A	PG63	42-50	71	28	77
JX-NLPG63B	PG63	32-40	71	28	77

More options: Customization of Nylon standard cable gland PG Thread is acceptable. Welcome to inquire.

The Drawing of Nylon standard cable gland PG Thread



Nylon Standard Cable Gland PG Thread Feature And Application

Our Nylon standard cable gland PG Thread provide the highest degrees of functionality and safety.

Features as below:

IP68 waterproof rating

Indoor or Outdoor use

Minimum Assembly time

Good Strain Relief

Resistant to Salt water, gasoline, alcohol, oil, grease, ester ketone ether, benzene, common solvent, weak acids & weak alkalies

Use to positively bond the conduit to a box or enclosure.



Nylon Standard Cable Gland PG Thread Details

Thread Specification:PG Thread

Material: The Nylon standard cable gland PG Thread body parts are made of PA66.
Rubber is NBR.

Working temperature: -40°C to 100°C in static state, or instantaneous heat resistance up to 120°C; -20°C to 80°C in dynamic state, or instantaneous heat resistance up to 100°C.

Protection level : IP 68-10 bar, waterproof, self-locking.

Colours: Black, White, other color available upon request

Nylon Standard Cable Gland PG Thread Qualification

Certificates of Nylon standard cable gland PG Thread: CE, ROHS, IP68, ISO9001



Deliver,Shipping And Serving of Nylon Standard Cable Gland PG Thread

Delivery of JIXIANG CONNECTOR® Nylon standard cable gland PG Thread Normally 7 working days to 1 month after received the payment.

FAQ

Q: Are you trading company or manufacturer ?

A:We are manufacturer directly.

Q:Do you have a catalogue?

A:Yes , We have. You can download it online or send an Email to us.

Q:Do you provide samples ? is it free or extra ?

A: Yes, we can provide 1pcs or 2pcs free samples but need freight collect. If more samples, also need pay charge.

Q : Can you make customized products and customized packing?

A: Yes. We can talk details after receiving your detailed request.

Q : How to ship my order ?

A: Your goods can be sent by international Express or by Air or By sea as your required.

Q:How long will I receive your quotation?

A:We will reply you as soon as possible, usually send the quotation within 1~3 hours after get your detailed requests at working time.

Recommend Products

Brass Standard Cable Gland PG Thread

JIXIANG CONNECTOR® Brass standard cable gland PG Thread may be used on all types of electrical power, control, instrumentation, data and telecommunications cables.



Stainless Steel Cable Glands PG Thread

Stainless steel cable glands PG Thread is a kind of connection device often used in power system. It can be mainly applied to outdoor products, medium and large remote control machinery, and some equipment whose main body is in the outdoor control system and not on the main body. JiXiang Stainless steel cable glands PG Thread has the advantages of smooth and delicate surface, clear stripes, standard thread, smooth and burr-free, etc.

