



### Stainless Steel Enlarger

JIXIANG CONNECTOR® Stainless Steel Enlarger are made of SS304 or SS316 and can transform different threads OD freely; Change smaller Thread to larger Thread. We can produce different thread lengths of Stainless Steel Enlarger and the other sides of threads (not standard) as the requirement of customer.

### Product Description

As a professional high quality JIXIANG CONNECTOR® Stainless Steel Enlarger manufacture, you can rest assured to buy Stainless Steel Enlarger from our factory and we will offer you the best after-sale service and timely delivery. Our principle is "to achieve zero defects through continuous improvement, to satisfy our customers' needs and expectations, to make commitments we fully understand and believe we can meet and to meet all commitments to customers on time. Products and services are the life of an enterprise. We have always attached great importance to product quality and after-sales tracking services. We strive to provide customers with satisfactory products and services through our own efforts. If you have questions about product use and functions, you can contact us 24 hours a day. We get in touch.

**High quality SS304 SS316 China Stainless Steel Enlarger IP68 Price**

### Stainless Steel Enlarger Introduction

JIXIANG CONNECTOR® Stainless Steel Enlarger are made of SS304 or SS316 and can transform different threads OD freely; Change smaller Thread to larger Thread.

### Stainless Steel Enlarger Parameter (Specification)

Stainless Steel Enlarger - Size Chart						
Round Series No.	Hexagon Series No.	Specifications		thread length (GL) mm	Height (H) mm	hex size (D) mm
		male (D1)	female (D2)			
JX-M12/M16A-EN	JX-M12/M16B-EN	M12*1.5	M16*1.5	6	8.5	18
JX-M16/M20A-EN	JX-M16/M20B-EN	M16*1.5	M20*1.5	6.5	9	24
JX-M20/M25A-EN	JX-M20/M25B-EN	M20*1.5	M25*1.5	7.5	10	30

JX-M25/M32A-EN	JX-M25/M32B-EN	M25*1.5	M32*1.5	8	11.5	39
JX-M32/M40A-EN	JX-M32/M40B-EN	M32*1.5	M40*1.5	9	12.5	43
JX-M40/M50A-EN	JX-M40/M50B-EN	M40*1.5	M50*1.5	10	14	57
JX-M50/M63A-EN	JX-M50/M63B-EN	M50*1.5	M63*1.5			64
JX-PG7/PG9A-EN	JX-PG7/PG9B-EN	PG7	PG9	6	8.5	17
JX-PG9/PG11A-EN	JX-PG9/PG11B-EN	PG9	PG11	6.5		20
JX-PG11/PG13.5A-EN	JX-PG11/PG13.5B-EN	PG11	PG13.5		9	22
JX-PG13.5/PG16A-EN	JX-PG13.5/PG16B-EN	PG13.5	PG16		9.5	24
JX-PG16/PG21A-EN	JX-PG16/PG21B-EN	PG16	PG21	7.5	10	30
JX-PG21/PG29A-EN	JX-PG21/PG29B-EN	PG21	PG29	8	11.5	39
JX-PG29/PG36A-EN	JX-PG29/PG36B-EN	PG29	PG36	9	12.5	50
JX-PG36/PG42A-EN	JX-PG36/PG42B-EN	PG36	PG42	10	14	57
JX-PG42/PG48A-EN	JX-PG42/PG48B-EN	PG42	PG48			64
JX-NPT3/8"-NPT1/2"A-EN	JX-NPT3/8"-NPT1/2"B-EN	NPT3/8"	NPT1/2"	6.5	9	24
JX-NPT1/2"-NPT3/4"A-EN	JX-NPT1/2"-NPT3/4"B-EN	NPT1/2"	NPT3/4"	7.5	10	30
JX-NPT3/4"-NPT1"A-EN	JX-NPT3/4"-NPT1"B-EN	NPT3/4"	NPT1"	8	11.5	39
JX-NPT1"-NPT1/4"A-EN	JX-NPT1"-NPT1/4"B-EN	NPT1"	NPT1-1/4"	9	12.5	50

### Stainless Steel Enlarger Feature And Application

Function: Stainless Steel Enlarger is used if the dimensions of existing tapped Holes are too small for a given gland. It provides a means of connection between cable entry devices and equipment having dissimilar threads.



MECHANICAL EQUIPMENT



LIGHTING EQUIPMENT



NEW ENERGY VEHICLE



PHOTOVOLTAIC (PV)



OUTDOOR ADVERTISEMENTS



WHEEL TRANSPORT DOCK

### Stainless Steel Enlarger Details

Products:

Material: Brass with nickel-plated

Shape: hexagonal or round

Certificate: CE, IP68

Features: Stainless Steel Enlarger can transform different threads OD freely;

Function: Stainless Steel Enlarger is used if the dimensions of existing tapped Holes are too small for a given gland. It provides a means of connection between cable entry devices and equipment having dissimilar threads.

Accessories: Locknut, Sealing washer

Note: We can produce different thread lengths of Stainless Steel Enlarger and the other sides of threads (not standard) as the requirement of customer.

### Stainless Steel Enlarger Qualification

Tel: +86-18958708338

E-mail: [jx5@jxljq.net](mailto:jx5@jxljq.net)

Certificates of Stainless Steel Enlarger: CE, IP68



### Deliver,Shipping And Serving

Delivery of Stainless Steel Enlarger Normally 7 working days to 1 month after received the payment.

### Recommend Products

#### [Brass Enlarger](#)

Brass Enlarger is used if the dimensions of existing tapped Holes are too small for a given gland. It provides a means of connection between cable entry devices and equipment having dissimilar threads.



#### [Stainless Steel Reducer](#)

Tel: +86-18958708338

E-mail: jx5@jxljq.net

JIXIANG CONNECTOR® Stainless steel reducer has natural heat-resistant properties that are considered corrosion-resistant, tarnish-resistant, and will not rust.



#### Brass Reducer

JIXIANG CONNECTOR® Brass Reducer can transform different threads OD freely; Change larger Thread to smaller Thread. The brass reducer have a plating that makes them shiny and improves corrosion resistance.

