



T Type Outdoor Waterproof Cable Connector IP68

T Type Outdoor Waterproof Cable Connector IP68 with faster installation: no screwdriver needed. Made from Nylon PA66 can resistant to Salt water, gasoline, alcohol, oil, grease, easter keyton ether, benzine, common solvent, weak acids & weak alkalies. Any inquires, please feel free to contact Jixiang Connector.

Product Description

You are welcomed to come to our factory to buy the latest selling, low price, and high-quality JIXIANG CONNECTOR® T Type Outdoor Waterproof Cable Connector IP68. We look forward to cooperating with you. We have achieved remarkable success in this domain as a result of our focused approach, timely delivery, and ethical company philosophy.

Wholesale Electrical Screwless IP68 T Type Outdoor Waterproof Cable Connector IP68

T Type Outdoor Waterproof Cable Connector IP68 Introduction

JIXIANG CONNECTOR'S T Type Outdoor Waterproof Cable Connector IP68 allows for the easy extension of wires, offer many of the benefits that conventional metal circular connectors do not.

Jixiang Connector is a professional manufacturer from China, which supply high quality T Type Outdoor Waterproof Cable Connector IP68 is made from durable plastic and copper alloy and will withstand all of the outdoor elements.

What is PA66:

PA66 is a dyadic nylon we can produce by high-temperature melt polymerization of adipic acid and hexamethylenediamine.

High strength and stiffness at high temperature and good abrasion and wear resistance That's why T Type Outdoor Waterproof Cable Connector IP68 are widely used in many different markets and applications due to their excellent performance/ cost ratios.

T Type Outdoor Waterproof Cable Connector IP68 Parameter (Specification)

M20 Screwless T Type Outdoor Waterproof Cable Connector IP68 Size Chart



Model	Thread Size	Voltage Rating	Current Rating	Cable OD (mm)	Pin Version	Wire Size (mm)	Stripped Wire Length (mm)	Connector Type	Overall Length (mm)	Net Weight (g/pcs)
JX-M20-C2PT	M20X1.5	380V	16A	5-8 / 9-12	2 Pin	0.2-2.5	14	Clip	110x71	62.0
JX-M20-C3PT	M20X1.5	380V	16A	5-8 / 9-12	3 Pin	0.2-2.5	14	Clip	110x71	66.5

M25 Screw T Type Outdoor Waterproof Cable Connector IP68 Size Chart



Model	Thread Size	Voltage Rating	Current Rating	Cable OD (mm)	Pin Version	Wire Size (mm)	Stripped Wire Length (mm)	Connector Type	Overall Length (mm)	Net Weight (g/pcs)
JX-M25-C2PT	M25X1.5	380V	25A	5-8 / 9-12 / 10-14	2 Pin	0.2-2.5	11	Screw	91.5x96.5	64.0
JX-M25-C3PT	M25X1.5	380V	25A	5-8 / 9-12 / 10-14	3 Pin	0.2-2.5	11	Screw	91.5x96.5	66.0
JX-M25-C4PT	M25X1.5	380V	25A	5-8 / 9-12 / 10-14	4 Pin	0.2-2.5	11	Screw	91.5x96.5	68.0
JX-M25-C5PT	M25X1.5	380V	25A	5-8 / 9-12 / 10-14	5 Pin	0.2-2.5	11	Screw	91.5x96.5	70.0

			4						
--	--	--	---	--	--	--	--	--	--

More options: Customization of PA66 Cable Gland is acceptable. Welcome to inquire.

Feature And Application of T Type Outdoor Waterproof Cable Connector IP68

JIXIANG CONNECTOR T Type Outdoor Waterproof Cable Connector IP68 provide the highest degrees of functionality and safety.

Made from Nylon PA66 can resistant to Salt water, gasoline, alcohol, oil, grease, ester keyton ether, benzene, common solvent, weak acids & weak alkalies.

High degree protection level : IP68 waterproof / moisture-proof / dust-proof. Rubber ring + clamping nut for perfect watertightness, excellent sealing, safe for indoor, garden and outdoor lighting connections and external wiring.

Faster installation: no screwdriver needed. Open one end of the waterproof connector, feed the wire directly through, tighten the nut to change the inside diameter of the washer by turning the washer, then tighten to complete the waterproof seal and save time

Widely Application: Base station equipment, outdoor lamps, solar energy industry, high-power energy storage equipment, etc

Further applications in coastal, river, sea or underwater engineering, underground engineering, mining engineering, solar-wind power, solar water heaters, various machinery and equipment.



The Details of T Type Outdoor Waterproof Cable Connector IP68

Thread Specification: Metric Thread

Material: The PA66 Cable Gland dbody parts are made of PA66.

Rubber is EPDM.

Working Temperature: -40°C ~ +105°C

Connector type: Screw/Clip

Wiring Gauge: 0.5 - 2.5mm²

Voltage and Current rating:

400V / 17.5A

Protection level : IP 68-10 bar, waterproof, self-locking.

Colours: Black, White, other color available upon request

IP68 Waterproof Connector has prominent characteristics of high pressure resistance, heat resistance, explosion protection and corrosion resistance.

T Type Outdoor Waterproof Cable Connector IP68 Qualification

Certificates of T Type Outdoor Waterproof Cable Connector IP68: CE, ROHS, IP68, ISO9001



Deliver,Shipping And Serving of T Type Outdoor Waterproof Cable Connector IP68

Delivery of PA66 Cable Gland : Normally 7 working days to 1 month after received the payment.

Recommend Waterproof Connector

Screwless Waterproof Cable Connectors

Screwless Waterproof Cable Connectors Suitable for kinds of LED billboards, tunnel lights, Road landscape lighting,outdoor display, garden electrical lights external.

Inquiry us Now, to get the free samples and the prices of Screwless Waterproof Cable Connectors.

