

1KV Insulation Piercing Connector

Model:SLEP

We are a factory specializing in the production of 1KV Insulation Piercing Connector. The 1KV Insulation Piercing Connector is an insulating layer for threading. It can realize the electrical connection, insulation and sealing of the fixture. Seals and grease are applied to prevent moisture entering the cable and connector which guarantees excellent . We have our own lab and R&D department ,and engineer help you with dealing problems.

Product Introduction

The 1KV Insulation Piercing Connector are applicable for all types of LV-ABC conductors as well as connections in service line system, building electrical system and street lighting system. Designed for low voltage ABC cable or overhead line.1KV Insulation Piercing Connector can be easily done by tightening the bolts to force the teeth penetrate the insulation of main line and tap line simultaneously. Stripping of insulation is avoided for both lines..

Equipped with single or double shear head bolt. The torque control nut draws the two parts of the connector together and shears off when the teeth have pierced the insulation and made contact with the conductor strands.

Model	Equivalent Type	Main Line Section (mm²)	Branch Section (mm)	Norminal Current	Demensions (mm)	Weight (G)	Piercing Depth (mm)	Bolt Quantity (pcs)
SL756	JJC888	0.75-6	0.75-6	41	21×27×23	10	1-1.5	1
SL101	JJC-1	1.5-25	1.5-10	55	27 ×41x62	55	1.5-2	1
SLEP	JJC-2	16-95	1.5-10	55	27×41×62	55	1-2	1
SL102	JJC-3(A)	6-50	4-25	157	42 ×45×62	110	2.5-3.5	1
SL2 95	JJC-3	16-95	4-35(50)	157	46 ×52×87	160	2.5-3.5	1
SL2-150	JJC-4	50-150	6-35(50)	157	46×52×87	162	2.5-3.5	1
SL3-95	JJC-5	25-95	25-95	214	50×61×100	198	3-4	1
SL3-120	JJC-5-1	16-120	16-120	214	50×61×100	198	3-4	1

Product Parameter (Specification)



www.sentuo-elec.com

SL4-150	JJC-6	(35)50-150	(35)50-150	316	50×61×100	280	3-4	1
SL6	JJC-7	120-240	25-120	276	52×68×100	360	3-4	1
SL7	JJC-7-1	150-240	10-25	102	52×68×100	336	3-4	1
SL400		95-400	35-300	425	83x130x130	1050	5-6	2



SL4-150







Product Feature And Application

1KV Insulation Piercing Connector has puncture structure, simple installation, no need to peel the insulated wire.

Torque nut, constant puncture pressure to ensure good electrical connection ears do not damage the wire.

Self-sealing structure, moistureproof, waterproof, anticorrosion, prolongs the service life of insulated wire and clamp.

Tin-plated copper alloy or high hardness aluminum alloy contact blade, suitable for copper (aluminum) butt and copper aluminum transition.

Special insulating shell, resistant to UV and environmental aging.



Product Details

• Piercing connector, simple installation, need not strip the cable coat.

• Moment nut, piercing pressure is constant, keep good electric connection and make no damage to lead.

• Self-seam frame, wetproof, waterproof, and anti corrosion, extend the using life of insulated lea d and connector.

· Adopted special connecting tablet, apply to joint of Cu(AI) and Cu(AI) or Cu and AI.

• Small electric connecting resistance, connecting resistance less than 1.1 times of the resistance of branch conductor with the same length, in accordance with the standard DL/T765.1 -2001.

• Special insulated case body, resistance to illumination and environmental aging, the insulation s trength can up to 12KV.

• Arc surface design, apply to connection with the same (different) diameter, wide connection sco pe (0.75mm2-400mm2/td)

Product part figure Lining Shear Head 6kv underwater test qualified. More than 80% similar factories come from our factory in China. Blade AL alloy teeth is very hard, (90-102HB). Other factoriesare 60-70HB. Spacer Some products have a patent appearance. Shell End cap Plastic cover won't be Quality guarantee:12 broken in test after -30°C month after assembly freeze.




Product Qualification

Our 1KV Insulation Piercing Connector products have CE certification, ISO9001(Quality Management System certificated), ISO14001(Environmental Management System) and GB/T28001(Occupational Health and Safety Management System certificated), and the quality is guaranteed.





Professional modern factory providing OEM,ODM service.



Deliver, Shipping And Serving

- · Your inquiry will be replied within 24 hours.
- \cdot We offer you professional service in fluent English.
- · Keep the mass production as the sample in high quality
- Freight forwarder: faster, safer, and convenient.
- · Quality: we have QC on each process, provide high quality products.

Any problem or needed please feel free let us know, we are glad to service for you We are factory, we can provide competitive price. And all the products will be shipped after quality inspection. Usually we quote within 24 hours after we get your inquiry. If you can not buy our product in your local area, we will ship a sample to you (Please contact our agent or send email to our mailbox).



PACK AND SHIP



FAQ

- Q1: Are you a trading company or factory?
- A2: We are the factory, and we are the suppliers of 35% company in this field.
- Q2: Are you able to customize the product for me?
- A2: Yes, we owns the professional R&D team and complete Injection molding machine.
- Q3: What is the acceptable payment term?
- A3: Credit Card, West Union, Paypal or T/T.
- Q4: What is the package could be?
- A4: We can make special design as your requirement.
- Q5: What is your day capacity?
- A5: 10000-20000pcs