

Al-Cu PG Clamps



Model:CAPG-B1

CAPG-B1 Al-Cu PG Clamps can be used as a jumper spacer and in that case they are connected by a steel bar. It is also possible to connect two conductors of different sizes by using reduction tubes. If conductors made of different materials

are to be connected this can be done by using bimetallic...

Product Introduction

CAPG-B1 Al-Cu PG Clamps can be used as a jumper spacer and in that case they are connected by a steel bar.

It is also possible to connect two conductors of different sizes by using reduction tubes.

If conductors made of different materials are to be connected this can be done by using bimetallic tubes.

The Al-Cu PG Clamps casing adopts special Alloy with properties of high-strength, anti-oxidization to be die-casting for forming. Special designed screw hole and arc shape of the body allow clamp to adjust to different cable size on each side. Slotted holes allow adjustment for conductors on each side.

Galvanized steel hardware provides high strength for heavy-duty applications. Materials of bolt and nut are optional depend on customer request. Options including Hot-dip galvanized steel and Stainless steel. High Strength Bolts, And Tapped Threads In The Clamp Base Allow Tightening To High Torques With A Single Spanner.

Hot dip galvanizing Steel hardware is hot dip galvanized . Galvanizing can be done in accordance to national and international standards

TECHNICAL:

Model	CAPG-B1
Conductor Range (mm ²)	Cu 6-50, Al 16-70
Bolt (Pcs)	1

FAQ:

Q1: Are you a trading company or factory?

A2: We are the factory.

Q2: What is the acceptable payment term?

A2: Credit Card, West Union, Paypal or T/T.

Q3: What is difference between CAPG and APG?

A3: CAPG is the bimetallic pg connector, and APG is aluminium pg connector.

Q4: What is the package could be?

A4: We can make special design as your requirement.

Q5: The PG Connector is for bare overhead networks?

A5: Used for tapping or joining AAC, AAAC or ACSR overhead conductors.

Q6: What is the difference for model A/B/C?

A6: A is for 1 bolt, B is for 2 bolts, C is for 3 bolts.

Q7: What is the guarantee?

A7: 1 Year under the normal service condition.