



Plastic Suspension Clamp

Model:SL2500

These Suspension Clamps are suitable for a wide range of ABC cables. These are quickly and easily installed with absolutely no tool required for the installation process. It lines the angles up to 30 degrees to 60 degree. It helps in protecting the ABC cable very well. As the professional manufacture, we would like to provide you Plastic Suspension Clamp. And we will offer you the best after-sale service and timely delivery.

Product Introduction

Plastic Suspension Clamp

These Suspension Clamps are suitable for a wide range of ABC cables.

These are quickly and easily installed with absolutely no tool required for the installation process. It lines the angles up to 30 degrees to 60 degree. It helps in protecting the ABC cable very well. Capable for locking and clamping of the insulated neutral messenger without damaging the insulation by a notched knee joint device.

The applications of the suspension clamps are for the ABC cable, suspension clamp for ADSS cable, suspension clamp for the overhead line.

The clamps are designed for supporting Insulated Aerial Cable (ABC) having messenger cable size ranging from 16-95mm² in straight and at angles. The body, the movable link, tightening screw and clamp are made of reinforced thermoplastic, a U-V radiant resistant material having mechanical and climatic properties.

Clamp and ring pull are made of high mechanical strength, weather resistant, anti-UV material.

Neutral messenger is placed in the groove and locked by an adjustable grip device to fit different cable;

Easy installation without any additional tools, the high quality engineering plastics used provide additional insulation, strength and enable live line working without additional tools

No loose parts could fall to ground during installation.





Standard use/Application





To support and suspend the line



To provide service connection by tapping main line.

Application Angle :



TECHNICAL DATA:

Model	SL2500
Cable Size (mm ²)	16-95 mm ²
Material of Body	Weather resistant material plastic

FAQ:

Q1: Are you a trading company or factory?

A2: We are the factory, and we are the supplier of 35% company in this field.

Q2: Are you able to customize the product for me?

A2: Yes, we owns the professional R&D team and complete Injection molding machine.

Q3: What is the acceptable payment term?

A3: Credit Card, West Union, Paypal or T/T.

Q4: What is the package could be?

A4: We can make special design as your requirement.

Q5: What is your day capacity?

A5: 10000-20000pcs