



### **Thermocol Moulding Machine**

Ningbo PinSheng Machinery Manufacturer as one of the leading EPS Machine manufacturers in China, we are providing Pinsheng® Thermocol Moulding Machine to worldwide clients, our machines are loved by customers because of their accuracy and low energy consumption. If you are interested in Thermocol Moulding Machine, we will be your best Choice! As the professional manufacture, we would like to provide you

Thermocol Moulding Machine. And we will offer you the best after-sale service and timely delivery.

#### **Product Description**

With this motto in mind, we have turn out to be amongst probably the most technologically innovative, cost-efficient, and price-competitive manufacturers for OEM Customized Top Grade Thermocol Moulding Machine, Welcome your enquiry, most effective service will likely be provided with full heart.

OEM Customized Top Grade Thermocol Moulding Machine, Our company now has many department, and there have more than 20 employees in our company. We set up sales shop, show room, and product warehouse. In the meantime, we registered our own brand. We have tightened inspection for quality of product.

Our Pinsheng® PSBM200-500V Thermocol Moulding Machine is simple equipment designed safe, scientific, stable, energy-saving and full-automatic, the main engine and the accessories are made of high quality material, reliable performance and reasonable affordable price. The size of Thermocol Moulding Machine is adjustable.

Model:PSBM200-500V Brand: PINSHENG

# **Product Parameter (Specification)**

Our Pinsheng® Thermocol Moulding Machine provides all machine process,including filling,expanding,sieving, de-lumping and conveying work automatically.


1.New Desgin	The Thermocol Moulding Machine is all-new generation product,it
	adopts the new design,concept of European machine design.
2.High efficiency	Our Thermocol Moulding Machine uses low temperature with large
and less steam	diameter pipes to ensure quick heating system and vacuum
consumption	cooling. The pressure sensor controls stable pressure automatically.
3.Safety	The Thermocol Moulding Machine is equipped with safety



devices, which can safely guarantee the normal operation of machine.

# **Product Feature And Application**

EPS(EXPANDABLE POLYSTYRENE) is commonly used for packaing medical,fruit,vetatables and electrical,insulation panels for building.With the good quality,it can be expand 40 times the volume of the original polystyrene beads.



**Deliver, Shipping And Serving** 





#### **FAQ**

1. Where is your factory located?

We have 2 production plant, one plant locates in Hangzhou which professionally producing EPS/EPP/ETPU machine. Another factory locates in Jiangsu Provide which producing EPS/EPP/ETPU mould. Both two factories are pretty close to the Shanghai port for easiest transportation.

- 2.Do you have detailed and professional installation manual?
  We will provide very detailed installation manuals and videos, and the service until you are satisfied
- 3. Are you a trading company or a manufacturer? We are manufacturer.
- 4.Q:How long is your delivery time of Thermocol Moulding Machine? Normally delivery time is 30~45 days.
- 5.Q:How many years have your company made this kind of equipment? More than 10 years.
- 6.Q:Can I only buy some spare parts of Thermocol Moulding Machine from you? Yes, we also provide all kinds of spare parts that relatives to our machine.
- 7. How do you pack the equipment?

We will strengthen and protect the equipment to ensure that they will not be damaged during transportation.

8.Q:Can you send your staff to install the equipment for us?
Under normal conditions, it is possible. Now it is an epidemic situation. We will try our best



to assist in case wecannot send technician in time. We will also conduct video connections with guests to teach them to install them in place.

9.Q:Can you can design the equipment according to our size? Yes, it is acceptable

10.Q:How many production lines in your factory? We have total 10 production line.