



#### **Thermostatic Shower Panels**

Thermostatic Shower Panels
Feature Cold&Hot water /
Multi-Function Shower
Panel,Material 304 Stainless steel,
thickness: 1.0MM. Welcome to
inquire about products at any time,
we will give you the most
satisfactory answer within 24
hours.

## **Product Description**

# **Thermostatic Shower Panels Quick Details**

Feature	Cold&Hot water / Multi-Function Shower Panel
Material	304 Stainless steel, thickness: 1.0MM
Warranty	3 years
Ceramic Cartridge	35mm ceramic cartridge
Cartridge Lifetime	500,000 times Open and Close
Flexible Hose	150cm; 304 stainless steel
Installing Accessories	Stainless steel

Model	YNS-6737
Size	1300X200X460
Delivery time	20-30 days
Laser logo	YES (on handle)
мод	1pcs
Sample ready time	1- 5 days



OEM/ODM	YES
Payment term	T/T ,Western Union ,MoneyGram,L/C,D/A,D/P and so on

Surface Treatment	Chrome plated
Layer of Nickel	Nickel: 3-5um
Layer of Chrome	Chrome: 0.1-0.3um
Pressure Testing	0.6-0.8MPA ( 8-10bar, NO Leakage)
Package	Inner box Form; outer box Paper box

### **Packaging**

Package Detail: Packaging can be made according to your request Delivery Detail: It depends on your order quantity. Normally 20-30 days after order confirmed.





















### **Shipping**

Shipping by sea, by air, by express are all acceptable. According to your requests. Sending the goods to your Chinese agent's warehouse also is workable.



## LOGISTICS D





















#### **FAQ**

- Q: Whats your main port of lading?
- A: Ningbo/Shanghai
- Q: How about certificate?
- A: We have CE. BM TRADA certificate
- Q: Could I buy a sample befor place the order?
- A: Yes.it is ok. Welcome to your samples orders.
- Q: What is your main market?
- A: Europe and America Japan, southeast and the Middle East.
- Q: Whafs your package?
- A: In standard export cartons, but could be designed as your request.



Q: What is your MOQ?

A: Usually our MOQ is I.OOOpcs. But we accept lower quantityforyourtria order.