

Orans Co.,Ltd.

NOTE: 1. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.  
2. Please consult the manufacture for confirmation of detailed dimensions for building construction purposes. 3. Due to the printing process, the colors of the actual products may differ from those pictures. For true color matching purposes, Please refer to sanitary ware chip color samples.

 **Orans** FEELING THE LOVE

# PRODUCT CATALOGUE



@ORANS Sanitary



orans\_sanitary



YouTube



www.orans-sanitary.com



venus@orans.com.cn



Official website



Wechat



venus@orans.com.cn

 **Orans**

 **Rans**

# CONTENTS

Orans Sanitary Ware. Product Catalogue

007 / MODERN CABINET

067 / BATHTUB

113 / SMART TOILET

135 / CERAMICS

171 / SHOWER CABIN

193 / SAUNA ROOM

213 / SHOWER ENCLOSURE

233 / HARDWARE





Feeling the love



product design award

reddot design award

ORANS was originated from Baveno Italy, a beautiful lakeside town on the West Bank of the Romantic Lake Maggiore with happy cheering residence.

The milestone chapter got written in 1998, when ORANS set up its global operation center in Shanghai while manufacturing base in Taizhou Zhejiang, as a strategic approach to the promising Chinese market. And the products range rapidly expanded from steam cabin to bathtub, furniture, shower enclosure, smart toilet, sauna, ceramics, faucets & hardware fittings.

Thereafter, with plug taken off, ORANS has been supplying over 120 countries worldwide, aiming to offer one-stop bathroom solution with quality and imagination. Thanks to her Italian fashion gene plus competitive supply chain, ORANS has been privileged to serve numerous people and their bathrooms all over the world.

By working with renowned Italian design master Mr. Nilo Gioacchini since 2015, we launched series of new collections covering all lines of bathroom earning design award REDDOT and IF in year 2016, which helped ORANS stand out of the simple cheap low quality product competition as commonly existing among Chinese factories. The "only" series of smart toilets are available at the main meeting venue of G20 Summit in Hangzhou for global leaders.

Great products can speak. Looking forward to the future, ORANS shall insist on our product strategy with down-to-earth attitude, fully committed to leading, impelling & populating intelligent sanitary ware, and becoming a truly global sanitary ware brand.







*Nilo Gioacchini*


*Nilo Gioacchini*

Born in Italy, the cradle of European culture, Mr. Nilo Gioacchini has over 35 years career in designing, and cooperating actively with the famous company like Group Marazzi which is the leading company in tile industry.

Ranging from aeronautical interior to home decoration, community construction to private house design, his gallery like " Mobile totale " is displayed in New York Modern Art Museum and most important exhibitions both domestic and overseas. He sticks to peculiarity and practicability, and all his works are of methodology. His pragmatic attitude towards projects helps him to be awarded many international prizes as Golden Compass, Red Dot, and Frankfurt design prize.



reddot award  
design concept 2016



# MODERN CABINET

Inseparable art and beauty, combination of fashion and practical to improve the overall beauty of bathroom space, organize storage space wisely; unique design connected with practical requirements, revealing the gentle and delicate attitude of life, to give you a warm home.







We offer rich materials choices for cabinets—plywood, MDF, chip board and rock board, meeting your different needs. And all the materials are stable in the wet bathroom, which avoids the wood deformation and edge warping.



The introduction of the Microcrystalline Tech to manufacture artificial marble stone basin, which will give you a soft touch with excellent glossiness, and the vitrified surface is smooth and clean, with excellent anti-pollution and durability, and it has no radiation, no water absorption and no color leakage.



We are available to provide DTC door hinges & drawer sliders with soft closing or push-to-open designs for 100000 times open & close, no matter you use hands or knees. Besides we offer more hardware brand for options: Blum, Hettich and Grasshopper, and OEM & ODM service as per your customization.



The mirror cabinet comes with LED mirror. The touch switch control with time & temperature display, is designed to effectively use the light source at everyday life. And the magnifying mirror is convenient to make up, providing both external illumination and convenient for using cabinet at night.



Everything in order. It's not difficult to get things in order—it's difficult keeping it that way. Our drawer dividers are little helpers to make everything well-organized.



Integral moulding in one, fashionable matching, simple, clear & elegant style.

## WHY ORANS BATHROOM CABINET?

### 1. EFFICIENCY & PRECISION

Advanced machinery and production line including CNC machining center, high-speed driller, automatic UV coating line, digital drying house, etc.

### 2. LONG-TERM RELIABILITY


Environmentally friendly manufacturing with processing system of waste and dust; FSC wood material, recyclable packing material.

### 3. 100% ORIGINAL DESIGN & FLEXIBILITY

Besides hundreds of original designs, there are new concepts launched every year with various colour options, function options, cost budget options, plus customizations upon your request or simply an idea.

### 4. USER FRIENDLY

Product details, whether required or not, are carefully considered and implemented as technical routine, in terms of storage spaces, long lasting lights and switches, reliable hinges, runners, wall brackets, needless to say safety and quality.








NEW

BC2060-800L

16mm ply wood;  
 One big drawer box with melamine finish, color MFC089;  
 One-piece white aluminum stone basin with drainer;  
 Mirror with touch sensor light & anti-fog function.






NEW

**BC2060-1000L/1200L**


16mm ply wood;  
 One big drawer box with melamine finish, color MFC089;  
 One-piece white aluminum stone basin with drainer;  
 Mirror with touch sensor light & anti-fog function;  
 Side cabinet with one door, melamine color MFC089.



NEW


**BC2060-1500**

16mm ply wood;  
 Two big drawer box with melamine finish, color MFC089;  
 One-piece white aluminum stone basin with drainer;  
 Mirror with touch sensor light & anti-fog function;  
 Side cabinet with one door, melamine color MFC089.




**BC2061-1000**

16mm plywood;  
 Two big drawers with wood color & soft closing;  
 Aluminum stone basin, with drainer;  
 Mirror with LED light plus wood shelf box.



**BC2061-1200L**


16mm plywood;  
 Two drawers & one door storage box with wood color;  
 Aluminum stone basin, with drainer;  
 Mirror with LED light plus wood shelf box.





**BC2061-1500L**

16mm plywood;  
Two drawers & two door storage box with wood color;  
Aluminum stone basin, with drainer;  
Mirror with LED light plus wood shelf box.









**BC4017S-800/900/1000**

16mm ply wood;  
Two drawers with PU matte lacquering finish,color PU022;  
Resin basin with pop-up drainer;  
Mirror with touch sensor light & anti-fog function.



**BC4017S-1100LR/1200LR**


16mm ply wood;  
Two drawers & one door with PU matte lacquering finish, color PU022;  
Resin basin with pop-up drainer;  
Mirror with touch sensor light & anti-fog function;  
Side cabinet with one door, PU matte lacquering finish,color PU022.






**BC4056-1200**

16mm ply wood;  
 Front panels with special corner texture finishing & body is with two big drawers, PU matt painting, color PU038;  
 Artificial integrated basin with grains and drainer;  
 Smart mirror with touch control sensor switch & anti-fog function.



**BC4056-1600**


16mm ply wood;  
 Front panels with special corner texture finishing & body is with two big drawers, PU matt painting, color PU038;  
 Artificial integrated basin with grains and drainer;  
 Smart mirror with touch control sensor switch & anti-fog function.






**BC4059-1000/1200**

16mm ply wood;  
 One drawer box with PU matte finish, color PU038 and built-in LED strip with sensor;  
 One-piece aluminum stone basin with drainer;  
 Smart mirror with touch sensor light & anti-fog function.



**BC4059-1600**

16mm ply wood;  
 Two drawer box with PU matte finish, color PU038 and built-in LED strip with sensor;  
 One-piece aluminum stone basin with drainer;  
 Smart mirror with touch sensor light & anti-fog function;  
 Small shelf box with PU matte finish, color PU038.









BC4060-1200L/R

16mm ply wood;  
 One big drawer with PU matte lacquering finish, color PU034;  
 One-piece aluminum stone art basin with drainer;  
 Smart mirror with touch sensor light & anti-fog function.



BC4060-1600L/R

16mm ply wood;  
 One drawer & one door with PU matte lacquering finish, color PU034;  
 One-piece aluminum stone art basin with drainer;  
 Smart mirror with touch sensor light & anti-fog function.




NEW



BC4061-800/1000

16mm plywood;  
Arc shape design, two drawers with wood slider & PU matte painting, color PU038;  
Aluminum stone basin, moonlight color, with drainer;  
Gun grey aluminum frame with frey glass door, shelf with built-in LED light with sensor switch.




NEW



BC4061-1200

16mm plywood;  
Arc shape design, two drawers with wood slider & PU matte painting, color PU038;  
Aluminum stone basin, moonlight color, with drainer;  
Gun grey aluminum frame with frey glass door, shelf with built-in LED light with sensor switch.




NEW



BC6032-800

16mm ply wood;  
One drawer box with high glossy lacquering, color UV017 and drawer inside with light;  
One-piece aluminum stone with high edge & drainer;  
Half-round mirror with light, touch control sensor switch & anti-fog function.




NEW



BC9015-1200


16mm ply wood;  
Body is PU white lacquering, side panel is PU black lacquering & front drawer with matt black aluminum frame glass;  
Black artificial integrated basin with grains and drainer;  
Smart mirror with touch control sensor switch & anti-fog function.






BC9015-1600

16mm ply wood;  
 Body is PU white lacquering, side panel is PU black lacquering & front drawer with matt black aluminum frame glass;  
 Black artificial integrated basin with grains and drainer;  
 Smart mirror with touch control sensor switch & anti-fog function.




BC9013-800/1000

16mm ply wood;  
 One drawer with blue aluminum frame glass & inside with sensor LED light, PU matt lacquering, color PU030;  
 Artificial integrated basin with grains and drainer;  
 Round mirror with sensor light & anti-fog function.




BC9013-1200

16mm ply wood;  
 One drawer with blue aluminum frame glass & middle open shelf & one door, inside with sensor LED light. PU matt lacquering, color PU030;  
 Artificial integrated basin with grains and drainer;  
 Round mirror with sensor light & anti-fog function.



BC9013-1600

16mm ply wood;  
 Two drawers with blue aluminum frame glass & inside with sensor LED light. PU matt lacquering, color PU030;  
 Artificial integrated basin with grains and drainer;  
 Round mirror with sensor light & anti-fog function.









BC9017-1600L

16mm ply wood;  
 Retro red with modern extremely narrow frame hidden handle & tawny glass drawer panel with LED light inside, soft PU matte painting, color PU039;  
 One-piece aluminum stone basin & round basin with oval sinking design with drainer;  
 Mirror with light & ambient backlight, touch control sensor switch & anti-fog function.



BC9018-1000L


16mm ply wood;  
 One big drawer with PU matte lacquering, color PU038 and drawer inside with light;  
 New resin basin with sesame grain & drainer;  
 Aluminium alloy mirror with light, touch control sensor switch & anti-fog function.






**BC2051-800**

16mm ply wood;  
 Cabinet body with edge banding MFC082;  
 Two doors with gun grey color metal handle & door front panel with edge banding MFC083;  
 Resin basin with pop- up drainer, the basin color likes the moonlight;  
 Two mirror doors with half- open shelf ;  
 Mirror body with edge banding MFC082 & mirror front panel with edge banding MFC083.



**BC2051-1000**


16mm ply wood;  
 Cabinet body with edge banding MFC082;  
 Two doors with gun grey color metal handle & door front panel with edge banding MFC083, right side with open shelf;  
 Resin basin with pop- up drainer, the basin color likes the moonlight;  
 Two mirror doors with half- open shelf;  
 Mirror body with edge banding MFC082 & mirror front panel with edge banding MFC083.






BC2055-800/900

16mm ply wood;  
Two drawers with edge banding MFC085;  
One-piece black top & basin, surface with grains & inside with matte finish;  
Mirror with light & anti-fog function & shelf.




BC2055-1000/1100L/1200L

16mm ply wood;  
Two drawers with edge banding MFC085 & one glass door;  
One-piece black top & basin, surface with grains & inside with matte finish;  
Mirror with light & anti-fog function & shelf.




BC2057-700

16mm ply wood;  
Main body with edge banding MFC085 & drawer panel with edge banding MFC086;  
One-piece black basin around with water proof;  
Mirror cabinet with left mirror door & right open shelf, color MFC085 & MFC086, and with LED light.



BC2057-800/900

16mm ply wood;  
Main body with edge banding MFC085 & drawer panel with edge banding MFC086;  
One-piece black basin around with water proof;  
Mirror cabinet with left mirror door & right half open door, color MFC085 & MFC086, and with LED light.









BC4051-700

16mm ply wood;  
Main body with edge banding MFC078 & drawer panel with PU matt lacquering, color PU031;  
With built-in handle by made of aluminum alloy;  
One-piece white resin basin, easy cleaning;  
Mirror with led light & shelf, color MFC078.



BC4051-800/900

16mm ply wood;  
Main body with edge banding MFC078 & drawer panel with PU matt lacquering, color PU031;  
With built-in handle by made of aluminum alloy;  
One-piece white resin basin, easy cleaning;  
Mirror with one door & shelf, color MFC078, with led light.




size:800mm

size:900mm




BC4054-700/800/900

16mm ply wood;  
Two doors with PU matt lacquering, color PU031;  
Main body 45° joint & wave board style with golden handle;  
One-piece white burnt stone basin with texture finish;  
Easy cleaning;  
Mirror cabinet with one door & shelf, storage as per zone, with built-in light and color MFC078 & PU031.




BC4055-1000L/1200L

16mm ply wood;  
Two drawers with one open shelf, color MFC088 & PU007;  
One-piece white burnt stone basin with texture finish;  
Mirror with one door with half open storage, color MFC088 & built-in light.



size:1000mm




size:1200mm







**BC0901-600/700/800**

18mm MDF;  
 Two drawers with golden handles & white metal drawer slider, soft closing;  
 Matt PU lacquering ocean blue color PU023;  
 Artificial marble basin with pop- up drainer;  
 Mirror cabinet with two doors, inside with adjustable glass shelves.




**BC0902-1000/1200**

16mm ply wood ;  
 Drawer panel & door panel with popular wave style, color MFC078;  
 Inside of top drawer with touch sensor LED light;  
 Artificial marble basin with pop- up drainer;  
 Mirror cabinet with one doors & LED light, MFC078.




**BC0903-600/800/900**

16mm chipboard;  
 One big drawer box with similar white rockboard texture, color MFC084, and bottom the open shelf storage;  
 White ceramic basin with popup drainer;  
 Mirror with one shelf, color MFC084.



**BC0903-1000**

16mm chipboard;  
 Drawer & door panel with similar white rockboard texture, color MFC084, and bottom the open shelf storage;  
 White ceramic basin with popup drainer;  
 Mirror with one shelf, color MFC084.






**BC0905-600/700/800**

16mm chipboard;  
 Body MFC030 edge banding finish & handle PU007 white  
 matte painting with 45° beveling process & 2 pcs drawers;  
 Ceramic basin with drainer;  
 Mirror type is optional.



**BC0906-600/700/800**

16mm chipboard;  
 Body MFC030 edge banding finish & front one door  
 PU007 white matte painting;  
 Wood countertop & ceramic basin with drainer;  
 Simple mirror without light.









**BC4033-600/700/800/900**

16mm ply wood;  
 With two doors, MFC076, golden stainless steel hidden handle;  
 Artificial stone basin with drainer;  
 Mirror cabinet with two doors & no light, MFC076.




**BC4034-600/700/800/900**

16mm ply wood;  
 Main cabinet body MFC076 & front drawer PU030,  
 two drawers with golden stainless steel handle;  
 Artificial stone basin with drainer;  
 Mirror cabinet with two doors & no light, MFC076,  
 inside with removable shelf.




**BC1125-800**

16mm ply wood;  
 Single drawer panel with edge banding MFC061 &  
 open shelf storage;  
 Rock board counter RB003, ceramic basin with pop-  
 up drainer;  
 LED touch- sensor mirror, with anti- fogging function  
 and soft background light.



**BC1127-1000L**


16mm plywood;  
 2pcs drawers with right open storage spacers, color MFC079;  
 Natural rock board countertop & ceramic basin;  
 Smart mirror with touch control LED light;  
 Options: smart LED light mirror or regular simple mirror.






**BC1129-1200**

16mm ply wood;  
Two drawer panes with PU matt lacquering PU032,  
four open shelves storage;  
Rock board counter RB003, ceramic basin with pop-  
up drainer;  
Smart anti-fog light mirror with touch on/off.




**BC1130-1500L**

16mm ply wood;  
Left two drawers & right open shelf, PU matt painting color  
PU022;  
Rock board counter RB006 with built-in ceramic basins;  
Smart anti-fog light mirror with touch on/off.




**BC1131-1500**

16mm ply wood;  
One big drawer box color PU007 with two open shelves  
edge banding MFC073;  
Handle & auto-open lights on sliders;  
Rock board counter RB006 with built-in ceramic basin;  
Smart anti-fog light mirror with touch on/off and black  
stainless steel shelf.



**BC1132A-1200**


16mm ply wood;  
With two drawers & two open shelves, metal handle & feet;  
Body color is edge banding finishing, MFC067;  
Grey diamond stone basin (Silicon oxide) with drainer;  
Smart anti-fog light mirror with touch on/off.





**BC1134-1600L**

16mm ply wood;  
Rock board counter RB007;  
Main cabinet PU matte lacquering PU021;  
Two soft-closing drawers front with elegant wave design,  
with auto-open lights on sliders & elegant golden handles;  
Oval type mirror with metal frame & metal shelf with golden color;









**BC1135-1600**

16mm ply wood;  
Main cabinet PU matte lacquering PU034 color;  
Push- open drawers with wave design & auto- open lights on sliders;  
Matt white aluminum stone double basin with hidden drainer;  
Smart anti- fog light mirror with touch on/off.




**BC1137-1000L**

16mm ply wood;  
Main cabinet PU matte lacquering PU030 with one push- open drawer & two open shelves;  
Rock board counter RB006 with built- in ceramic basin;  
White edge banding anti- fog mirror with touch on/off;



**BC1138-1600L**


16mm ply wood;  
Main cabinet PU matte lacquering PU030 color;  
Two push- open drawers with wave design & auto- open lights on sliders & cabinet bottom;  
Rock board counter RB008 with black ceramic countertop basin;  
Smart anti- fog mirror with touch on/off.






**OLS-PTG701S-600/800**

Aluminum material;  
 Two doors with soft closing, blue canyon color;  
 Ceramic basin with pop up drainer;  
 Mirror cabinet with two doors, inside with smart makeup mirror, space grey color.





**OLS-PTG701S-1000**

Aluminum material;  
 Three doors with soft closing, blue canyon color;  
 Ceramic basin with pop up drainer;  
 Mirror cabinet with three doors, inside with smart makeup mirror, space grey color.




**OLS-PTG702S-600/800**

Aluminum material;  
 Two drawers with soft closing, apple blue color;  
 Ceramic basin with pop up drainer;  
 Mirror cabinet with two doors, inside with smart makeup mirror, space grey color.



**OLS-PTG702S-1000**


Aluminum material;  
 Two drawers & one door with soft closing, apple blue color;  
 Ceramic basin with pop up drainer;  
 Mirror cabinet with three doors, inside with smart makeup mirror, space grey color.






**BC0609-600**

16mm chipboard & 18mm MDF;  
 Body edge banding MFC030 & front drawer  
 PU007, with two drawers;  
 Artificial stone basin with drainer popup;  
 Mirror with shelf MCF030.



**BC0610-500/600/700/800/900/1000**


16mm chipboard;  
 Edge banding MFC030;  
 2pcs doors with alu handle, with adjustable shelf;  
 Ceramic basin with drainer popup;  
 Mirror with shelf MCF030.



size:600mm



size:700mm



size:800mm



size:900mm




size:1000mm






**BC0610-1200**

16mm chipboard;  
Edge banding MFC003;  
3pcs doors with alu handle, with adjustable shelf;  
Ceramic basin with drainer popup;  
Mirror with shelf MCF003.




**BC0610-1200DS**

16mm chipboard;  
Edge banding MFC054;  
4pcs doors with alu handle, with adjustable shelf;  
Ceramic basin with drainer popup;  
Mirror with shelf MCF054.




**BC0613-500/600/700**

16mm chipboard;  
Edge banding MFC034/005;  
2pcs drawers with alu handle;  
Ceramic basin with drainer popup;  
Mirror with shelf MCF034/005.



**BC0613-800/900/1000**

16mm chipboard;  
Edge banding MFC057;  
2pcs drawers with alu handle;  
Ceramic basin with drainer popup;  
Mirror with shelf MCF057.






**BC0613-1200**

16mm chipboard;  
 2pcs drawers plus one door with adjustable shelf  
 & alu handle, edge banding MFC030;  
 Ceramic basin single bowl with drainer popup;  
 Mirror with shelf MCF030.




**BC0613-1200DS**

16mm chipboard;  
 2pcs drawers plus 2 doors with adjustable  
 shelf & alu handle, color MFC054;  
 Ceramic basin double bowl with drainer;  
 Mirror with shelf MFC054.



**BC2022-1000**

16mm ply wood;  
 2pcs drawers with one door, color MFC051;  
 Artificial stone basin with drainer;  
 Mirror with one shelf, color MFC051.



**BC2022-1100/1200L**


16mm ply wood;  
 2pcs drawers with one door, color MFC051;  
 Artificial stone basin with drainer;  
 Mirror with one shelf, color MFC051.






**BC2042-600/700/800/900**

16mm ply wood;  
Main cabinet body MFC061 with front doors MFC069;  
Artificial stone basin with drainer;  
Mirror MFC061 with door front MFC 069.




**BC2043-800**

16mm ply wood;  
Drawers with zinc alloy handles, MFC073;  
Ceramic basin with drainer;  
Mirror cabinet with one door & three open shelves MFC073.




**BC4017-800/900**

16mm ply wood;  
Body 2pcs drawers with matt white PU007;  
Artificial stone basin with drainer popup;  
Mirror with shelf, color PU007.



**BC4017-1000**

16mm ply wood;  
Body 2pcs drawers with matt white PU007;  
Artificial stone basin with drainer popup;  
Mirror with shelf & one door cabinet, color PU007.








PU matt painted, with PU color options.  
 Optional side shelf for more storage space to go with toilet by side.  
 Multi mirror options - you can choose a simple plain mirror, or a mirror with side cabinet, or a plain mirror with shelf.



**BC4017-1100L/1200L**

16mm ply wood;  
 2pcs drawers plus 1pcs door, white color PU007;  
 Artificial stone basin with drainer popup;  
 Mirror with shelf & one door cabinet, color PU007.




size:1100mm

size:1200mm



**BC4019-800/900/1000**


16mm ply wood;  
 Elegant hidden handle for 2 doors, matt painting PU019;  
 Artificial stone basin with drainer popup;  
 Mirror cabinet with shelf, PU019.






**BC4023-600/800**

16mm ply wood;  
 Body chipboard MFC061 & drawer front  
 MDF PU022, 2pcs drawers with black inside;  
 Ceramic basin with drainer;  
 Mirror type is optional.



**BC4023-1000**

16mm ply wood;  
 Body chipboard MFC061 & drawer front  
 MDF PU022, 2pcs drawers with black inside;  
 Ceramic basin with drainer;  
 Mirror type is optional.




**BC4023-SIDE**

16mm ply wood;  
 Body MFC061 with door front MDF PU022 ;  
 2pcs doors with 4pcs adjustable shelf.



**BC4036-1000/1200**


16mm ply wood;  
 Main cabinet body MFC008 & front drawer PU007;  
 Floor standing type with Aluminun legs;  
 Artificial stone basin with drainer;  
 Mirror cabinet with three doors & led light.






**BC5018-600/800**

16mm chipboard & 18mm MDF;  
 One drawer & two doors front PU007,  
 and body MFC030;  
 Ceramic basin with drainer popup;  
 Aluminium support legs are optional;  
 Mirror type is optional.




**BC1116-1600**

16mm ply wood;  
 Three push open drawers, color MFC067;  
 Rock board RB001 with seamless built-in ceramic basin;  
 Anti-fog LED mirror with touch on/off switch.




**BC1120-1000/1200/1500**

16mm ply wood;  
 Two big drawers front MFC070, and body edge banding  
 MFC061, inside with LED light;  
 Rock board RB004 with built-in ceramic basin (paste the  
 basin to counter by DIY);  
 Anti-fog LED light mirror with touch on/off switch.




**BC1140-2600L**

16mm ply wood;  
 One push-open drawer front melamine with rock board  
 RB007 & two open shelves and PU matte lacquering  
 PU018;  
 One-piece rock board RB007 counter & basin with pop-up  
 drainer;  
 Side cabinet with two aluminum framed glass doors, inside  
 with shelves & lights, PU matte lacquering PU018;  
 Smart anti-fog light mirror with touch on/off.








BC1142-1600

16mm plywood;  
 Body is edge banding MFC061 with front 2 push- open drawers with elegant wavy design, PU matte lacquering PU022;  
 2pcs Black diamond stone basin (silicon oxide) with drainer & Rock board counter RB007;  
 Smart anti- fog light mirror with touch on/off.



MFC edge banding



UV painting / High glossy



Rock board



PU painting / Matt




# BATHTUB SERIES

Unique art never exists for one person or group of people, and it is born for everyone who knows exquisite life and loves to explore the essence of life; after getting rid of all vanity, enjoy the feeling of being embraced from warm water to find happiness that belongs to you.







**MASSAGE SYSTEM**

The innovative Simulated Massage(SMS)was developed by integrating electronic numerical,water pressure impulse and human engineering.

**HUMAN-BODY ENGINEERING DESIGN**

Cylinder structure according to the body figure,whether sitting or lying all comfort excellent. Environmental friendly-

**CTC THERMOSTATIC RECYCLING SYSTEM**

In this system,water is heatde constantly to achieve stable temperature, and flows quietly with the direction of silent water pump. Customers are expected to take bath like in natural sprint without worrying about decrease of water temperature.

**BATHTUB TECHNOLOGY**

○ **STAINLESS STEEL BATH-TUB FRAME**

The bottom of the cylinder is made of high quality stainless steel cylinder frame support. The bathtub is very stable and firm, not rusting,making the use more convenient and more intimate .

○ **CHROMED QUALITY HARDWARE SAME AS MIRROR FINISH**

Functional compoents of white body with bright mirror,best define simple elegance .

○ **COLOR LIGHTS**

Waterproof LED lamp emits 7 colors light,bringing afairy tale dream beauty.

○ **EXTRA STRENGTH-ENED TUB BODY**

The tub body is reinforced by 3 vertical and 3 horizontal layers of glass fiber, allowing for the best weight tolerance without deformation.

○ **SELF-CONTROL WATER INLET SET(OPTIONAL)**

Set the water inlet level according to user's preferences, without waiting on spot .

○ **MULTI SAFETY MEANS-URES**

The separation design of water and electricly, with as many as 20 security detection and dynamic safety data monitoring ensure the safety.

○ **MUTE PUMP**

The special pump let you enjoy the warm bath time.

○ **WATER-SAVING**






Optimized pipe system design, saves up to 20% .







○ **SELF-CLEAN**

The bathtub drain is preset with 3 seconds pause, to clean the bathtub nozzle and flush away dirt.






Model		BT-NL601(L)	BT-NL601(FTSH)	BT-NL602	BT-NL609/AB(R)			BT-NL610B
Type		Empty bathtub	Massage bathtub	Hardware bathtub	Massage bathtub	Hardware bathtub	Empty bathtub	Hardware bathtub
Product								
Function								
Water pump	1.5HP							
	1HP							
Thermostatic heater								
Air pump			*		*			
Touch control panel								
Earth leakage protection			*		*			
Pneumatic air switch			*		*			
Underwater lamp			*		*			
Speaker								
Pillow	1pc			*				
	2pc							
Water inlet					*	*		*
Faucet					*	*		*
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow								
Cleaning function								
Bluetooth								
Removeable skirt								
Massage pressure regulator								
Big jets								
Small jets								
Air jets			*		*			
Shower head					*	*		*

Model		BT-NL612A/B		BT-61106B	BT-61110/T/S/M/A/B		BT-61112A	BT-61122/A
Type		Hardware bathtub	Empty bathtub	Empty bathtub	Hardware bathtub	Empty bathtub	Empty bathtub	Empty bathtub
Product								
Function								
Water pump	1.5HP							
	1HP							
Thermostatic heater								
Air pump								
Touch control panel								
Earth leakage protection								
Pneumatic air switch								
Underwater lamp								
Speaker								
Pillow	1pc							
	2pc							
Water inlet		*			*			
Faucet		*			*			
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow								
Cleaning function								
Bluetooth								
Removeable skirt								
Massage pressure regulator								
Big jets								
Small jets								
Air jets								
Shower head		*			*			

Model		BT-61119/AB (L)			BT-62105/AB/C (L)			BT-62106B
Type		Massage bathtub	Hardware bathtub	Empty bathtub	Massage bathtub	Hardware bathtub	Empty bathtub	Massage bathtub
Function	Product							
	Water pump	1.5HP						
	1HP	*			*			*
Thermostatic heater								
Air pump								
Touch control panel								
Earth leakage protection		*			*			*
Pneumatic air switch		*			*			*
Underwater lamp								
Speaker								
Pillow	1pc	*	*	*	*	*	*	*
	2pc							
Water inlet		*	*		*	*		*
Faucet		*	*		*	*		*
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow		*			*			*
Cleaning function		*			*			*
Bluetooth								
Removeable skirt		*	*	*	*	*	*	*
Massage pressure regulator		*			*			*
Big jets		5			5			5
Small jets		6			12			12
Air jets								
Shower head		*	*		*	*		*

Model		BT-62107/A	BT-62108 (L)		BT-62109 (L)		BT-NL-613B	BT-NL611S
Type		Massage bathtub	Massage bathtub	Hardware bathtub	Massage bathtub	Hardware bathtub	Empty bathtub	Hardware bathtub
Function	Product							
	Water pump	1.5HP						
	1HP	*	*		*			
Thermostatic heater								
Air pump								
Touch control panel								
Earth leakage protection		*	*		*			
Pneumatic air switch		*	*		*			
Underwater lamp								
Speaker								
Pillow	1pc		*	*	*	*		
	2pc	*						
Water inlet		*	*	*	*	*		*
Faucet		*	*	*	*	*		*
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow		*	*		*			
Cleaning function		*	*		*			
Bluetooth								
Removeable skirt		*	*	*	*	*		*
Massage pressure regulator		*	*		*			*
Big jets		4	5		5			
Small jets		12	9		9			
Air jets								
Shower head		*	*	*	*	*		*








Model		BT-62115B (R)				OLS-6033X(R)	OLS-6506/A	BT-65105(L)
Type		Luxury	Ordinary	Hardware bathtub	Empty bathtub	Massage bathtub	Massage bathtub	Massage bathtub
Function	Product							
	Water pump	1.5HP	*	*		*		*
		1HP					*	
Thermostatic heater		*						
Air pump		*					*	*
Touch control panel		*					*	
Earth leakage protection		*	*			*	*	*
Pneumatic air switch			*			*		*
Underwater lamp		*						
Speaker		*						
Pillow	1pc							*
	2pc	*	*	*	*	*	*	
Water inlet		*	*	*	*	*	*	*
Faucet		*	*	*	*	*	*	*
Colorful LED light jets							*	
Anti-odor drainage		*	*	*	*	*	*	*
Overflow		*	*			*	*	*
Cleaning function		*	*			*	*	*
Bluetooth		*						
Removeable skirt		*	*	*	*	*	*	*
Massage pressure regulator		*	*			*		*
Big jets		6	6			4	6	8
Small jets		12	12			18		12
Air jets		*					*	*
Shower head		*	*	*	*	*	*	*








Model		BT-65107		BT-65108A/B (L)		BT-65109B (R)		BT-65103/B/S
Type		Luxury	Ordinary	Luxury	Ordinary	Luxury	Ordinary	Empty bathtub
Function	Product							
	Water pump	1.5HP	*	*			*	*
		1HP			*	*		
Thermostatic heater		*		*		*		
Air pump		*		*		*		
Touch control panel		*		*		*		
Earth leakage protection		*	*	*	*	*	*	*
Pneumatic air switch			*		*		*	
Underwater lamp		*	*	*	*	*	*	
Speaker		*		*		*		
Pillow	1pc	*	*	*	*	*	*	
	2pc							
Water inlet		*	*	*	*	*	*	
Faucet		*	*	*	*	*	*	
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow		*	*	*	*	*	*	
Cleaning function		*	*	*	*	*	*	
Bluetooth		*		*		*		
Removeable skirt		*	*	*	*	*	*	
Massage pressure regulator		*	*	*	*	*	*	
Big jets		4	4	4	4	5	5	
Small jets		12	12	6	6	12	12	
Air jets		*		*		*		
Shower head		*	*	*	*	*	*	







Model		OLS-C106(L)			BT-65100X/A(R)		BT-61111B	BT-61117B
Type		Massage bathtub	Hardware bathtub	Empty bathtub	Luxury	Ordinary	Empty bathtub	Empty bathtub
Product								
Function								
Water pump	1.5HP				*	*		
	1HP	*						
Thermostatic heater					*			
Air pump					*			
Touch control panel					*			
Earth leakage protection		*			*	*		
Pneumatic air switch		*				*		
Underwater lamp					*			
Speaker					*			
Pillow	1pc	*	*	*				
	2pc				*	*		
Water inlet		*	*		*	*		
Faucet		*	*		*	*		
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow		*			*	*		
Cleaning function		*			*	*		
Bluetooth					*			
Removeable skirt		*	*	*	*	*		
Massage pressure regulator		*			*	*		
Big jets		4			5	5		
Small jets		4			5	5		
Air jets					*			
Shower head		*	*		*	*		

Model		BT-62111S/M		BT-62118M		BT-62113A(R)	BT-62112A/B	OLS-6085/A/B(R)
Type		Luxury	Ordinary	Luxury	Ordinary	Massage bathtub	Massage bathtub	Hardware bathtub
Product								
Function								
Water pump	1.5HP	*	*	*	*		*	
	1HP					*		
Thermostatic heater		*		*			*	
Air pump		*		*			*	
Touch control panel		*		*			*	
Earth leakage protection		*	*	*	*	*	*	
Pneumatic air switch			*		*	*		
Underwater lamp		*		*			*	
Speaker		*		*			*	
Pillow	1pc					*	*	*
	2pc	*	*	*	*			
Water inlet		*	*	*	*		*	*
Faucet		*	*	*	*	*	*	*
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow		*	*	*	*	*	*	
Cleaning function		*	*	*	*	*	*	
Bluetooth		*		*			*	
Removeable skirt		*	*	*	*	*	*	*
Massage pressure regulator		*	*	*	*	*	*	
Big jets		5	5	5	5	4	5	
Small jets		5	5	5	5	5	5	
Air jets		*		*			*	
Shower head		*	*	*	*	*	*	*








Model		BT-62116(L)	BT-62110A/B	BT-61137/A	BT-61136A	BT-61130/A	BT-66108B	BT-66108A/B/C/D/E/F/G
Type		Massage bathtub	Empty bathtub	Empty bathtub	Empty bathtub	Empty bathtub	Empty bathtub	Empty bathtub
Product								
Function								
Water pump	1.5HP	*						
	1HP							
Thermostatic heater								
Air pump								
Touch control panel								
Earth leakage protection		*						
Pneumatic air switch		*						
Underwater lamp								
Speaker								
Pillow	1pc	*					*	*
	2pc							
Water inlet		*						
Faucet		*						
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow		*						
Cleaning function		*						
Bluetooth								
Removeable skirt		*						
Massage pressure regulator		*						
Big jets		8						
Small jets		4						
Air jets								
Shower head		*						

Model		OLS-6012X		BT-6075	BT-61107	BT-1001	BT-1002	BT-WM3131
Type		Luxury	Ordinary	Empty bathtub	Empty bathtub	Empty bathtub	Empty bathtub	Massage bathtub
Product								
Function								
Water pump	1.5HP	*						*
	1HP		*					*
Thermostatic heater		*						
Air pump		*						*
Touch control panel		*						
Earth leakage protection		*	*					*
Pneumatic air switch		*	*					*
Underwater lamp		*						
Speaker		*						
Pillow	1pc							*
	2pc	*	*					
Water inlet		*	*					*
Faucet		*	*					*
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow		*	*					*
Cleaning function		*	*					*
Bluetooth		*						
Removeable skirt		*	*					
Massage pressure regulator		*	*					*
Big jets		16	12					4
Small jets								
Air jets		10						*
Shower head		*	*					*

Model		BT-WM3133B(R)	BT-WM477B	BT-WM452B/C	BT-62125B(R)	BT-WM3050/3001	BT-WM3098B(R)	BT-WM3099B(L)
Type		Massage bathtub	Massage bathtub	Massage bathtub	Massage bathtub	Hardware bathtub	Massage bathtub	Massage bathtub
Product								
Function								
Water pump	1.5HP							
	1HP	*	*	*	*		*	*
Thermostatic heater								
Air pump			*	*				
Touch control panel								
Earth leakage protection		*	*	*	*		*	*
Pneumatic air switch		*	*	*	*		*	*
Underwater lamp								
Speaker								
Pillow	1pc	*	*	*	*		*	*
	2pc						*	*
Water inlet		*	*	*	*	*	*	*
Faucet		*	*	*	*	*	*	*
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow		*	*	*	*	*	*	*
Cleaning function		*	*	*	*	*	*	*
Bluetooth								
Removeable skirt								
Massage pressure regulator		*	*	*	*		*	*
Big jets		3	2	4	4		4	4
Small jets		3	1		3		2	4
Air jets			*	*				
Shower head		*	*	*	*	*	*	*

Model		BT-62122/AB		BT-61132V/T/S (L/R)	BT-620B	BT-61135V/T/S
Type		Massage bathtub	Hardware bathtub	Hardware bathtub	Hardware bathtub	Hardware bathtub
Product						
Function						
Water pump	1.5HP					
	1HP	*				
Thermostatic heater						
Air pump						
Touch control panel						
Earth leakage protection		*				
Pneumatic air switch		*				
Underwater lamp						
Speaker						
Pillow	1pc					
	2pc					
Water inlet		*	*	*	*	
Faucet		*	*	*	*	
Colorful LED light jets						
Anti-odor drainage		*	*	*	*	*
Overflow		*				
Cleaning function		*				
Bluetooth						
Removeable skirt						
Massage pressure regulator		*				
Big jets		4				
Small jets						
Air jets						
Shower head		*	*	*		



Model		BT-WM626/B	BT-WM423/A/B(R)	BT-WM422/B	BT-61128A	BT-66109B	BT-61139B	BT-61138/A/B/C
Type		Hardware bathtub	Hardware bathtub	Hardware bathtub	Hardware bathtub	Hardware bathtub	Hardware bathtub	Hardware bathtub
Product								
Function								
Water pump	1.5HP							
	1HP							
Thermostatic heater								
Air pump								
Touch control panel								
Earth leakage protection								
Pneumatic air switch								
Underwater lamp								
Speaker								
Pillow	1pc							
	2pc							
Water inlet								
Faucet								
Colorful LED light jets								
Anti-odor drainage		*	*	*	*	*	*	*
Overflow								
Cleaning function								
Bluetooth								
Removeable skirt								
Massage pressure regulator								
Big jets								
Small jets								
Air jets								
Shower head								


Model		BT-61123A/B	BT-61126S
Type		Hardware bathtub	Hardware bathtub
Product			
Function			
Water pump	1.5HP		
	1HP		
Thermostatic heater			
Air pump			
Touch control panel			
Earth leakage protection			
Pneumatic air switch			
Underwater lamp			
Speaker			
Pillow	1pc		
	2pc		
Water inlet			
Faucet			
Colorful LED light jets			
Anti-odor drainage		*	*
Overflow			
Cleaning function			
Bluetooth			
Removeable skirt			
Massage pressure regulator			
Big jets			
Small jets			
Air jets			
Shower head			



### BT-NL601(L)

Free-standing bathtub.  
Optional with 7 color lights and faucet.


Technical parameter  
Size: 1750x750x650mm  
Material: Acrylic



### BT-NL601(FTSH)


Free-standing bathtub.  
7 color lights optional, simple elegant air massage.  
(Faucet optional)

Technical parameter  
Size: 1750x750x650mm  
Material: Acrylic  
Massage system: Air massage  
Voltage: 110V/220V  
Power: 3.1KW





reddot award  
design concept 2016




This bathtub is different from free standing one, it is supported by a stainless steel holder, which provide you a sense of space and a sense of value. The metal can hold up towels, cups and other things also. And of course you can adjust the direction of bathing pillow, which is practical and artistic.

**BT-NL602**

Free-standing bathtub.  
Stainless steel holder with adjustable artistic pillow.  
(Faucet optional)

Technical parameter  
Size: 1750x855x650mm  
Material: Acrylic & stainless steel






**BT-NL609/A/B(R)**

Free-standing bathtub.  
With chromed finish cascade spout, hand shower, faucet and diverter.  
Optional: tub color, hardware, air bubble. (cannot add light)


Technical parameter  
Size: 1500/1600/1700x800x630mm  
Material: Acrylic



**BT-NL611S**

Free-standing bathtub with integrated seat,  
Super thin drainer & overflow.


Technical parameter  
Size: 1300x750x700mm  
Material: Acrylic



**BT-NL610B**

Acrylic bathtub.  
With chromed finish cascade spout, hand shower, faucet and diverter.  
Optional: tub color, hardware, air bubble.


Technical parameter  
Size: 1700x750x690mm  
Material: Acrylic



**BT-NL612A/B**

Free-standing bathtub with faucet;  
Pop-up drainer & overflow included, faucet color optional.

Technical parameter  
Size: 1600/1700x800x600mm  
Material: Acrylic






**BT-NL613B**

Free-standing acrylic bathtub with pop-up drainer, overflow.  
(tub color optional)


Technical parameter  
Size: 1700x800x730mm  
Material: Acrylic



**BT-61106B**

Free-standing bathtub with overflow;  
With drainer pop-up;  
White outside white inside.  
(Faucet optional)

Technical parameter  
Size: 1700x800x660mm  
Material: Acrylic





**BT-62122/A/B**

Water pump+4pcs medium jets;  
 Pneumatic switch control plus massage pressure regulator;  
 With chromed faucet,water inlet and diverter;  
 With pop up drainer and auto-pipe cleaning;  
 White inside and white outside.  
 (Matte black faucet optional)  
 Optional: rose red, black, khaki, matte green, matte black, matte grey.

Technical parameter

Size: 1500/1600/1700x750x600mm

Material: Acrylic






**BT-62125B(R)**

100% Acrylic massage bathtub;  
 Water pump + 4 pcs big jets + 3 pcs small jets;  
 ABS chromed diverter plus brass start switch;  
 With faucet & outlet & shower head + drainer;  
 Without thermostatic heater, digital control board & light;  
 1pc pillow;  
 With premium quality steel frame.


Technical parameter  
 Size: 1500/1700x750/800x580mm  
 Material: Acrylic



**BT-61132V/T/S (L/R)**

With pop up drainer, overflow, with 4pcs faucet set (hot/cold water/hand shower/water inlet);  
 Standard color: pearl white.  
 (Matte black faucet optional)

Technical parameter  
 Size: 1100/1200/1300x680x680mm  
 Material: Acrylic



**BT-WM3133B(R)**

100% Acrylic massage bathtub;  
 Water pump + 3 pcs big jets + 3 pcs small jets;  
 ABS chromed diverter plus super thin start switch;  
 With faucet & outlet & shower head + drainer;  
 Without thermostatic heater, digital control board & light;  
 1pc pillow;  
 With premium quality steel frame.

Technical parameter  
 Size: 1700x800x580mm  
 Material: Acrylic



**BT-WM3050/3001**

100% Acrylic bathtub;  
 With faucet & outlet & shower head;  
 With stainless steel support;  
 No massage function.

Technical parameter  
 Size: 1350/1500x1350/1500x600mm  
 Material: Acrylic



**BT-WM477B**

100% Acrylic massage bathtub;  
 Water pump+air pump+2 pcs big jets+6 pcs air jets+10 pcs air jets;  
 ABS chromed diverter plus super thin start switch;  
 With faucet & outlet & shower head+drainer;  
 Without thermostatic heater, digital control board & light;  
 1pc pillow;  
 With premium quality steel frame.

Technical parameter  
 Size: 1700x850x580mm  
 Material: Acrylic



**BT-WM452B/C**

100% Acrylic massage bathtub;  
 Water pump+air pump+2 pcs big jets+6 pcs air jets+10 pcs air jets;  
 ABS chromed diverter plus super thin start switch;  
 With faucet & outlet & shower head+drainer;  
 Without thermostatic heater, digital control board & light;  
 1pc pillow;  
 With premium quality steel frame.


Technical parameter  
 Size: 1700/1800x800x580mm  
 Material: Acrylic



**BT-WM423/A/B(R)**

Acrylic bathtub with glossy surface finish;  
 White inside and white outside;  
 With pop up drainer and overflow;  
 Black is optional.

Technical parameter  
 Size: 1500/1600/1700x750/800/800x580mm  
 Material: Acrylic



**BT-WM626/B**

Acrylic bathtub with glossy surface finish;  
 White inside and white outside;  
 With pop up drainer and overflow;  
 Black is optional.

Technical parameter  
 Size: 1500/1700x750/800x580mm  
 Material: Acrylic






### BT-61139B

Acrylic bathtub.  
White inside and outside;  
With pop up drainer & overflow.

Technical parameter  
Size: 1700x850x580mm  
Material: Acrylic







**BT-61123AB**


100% acrylic bathtub with pop up drainer and overflow.

Technical parameter

Size: 1600/1700x750x700/720mm

Material: Acrylic

NEW



**BT-61126S**


100% acrylic bathtub with pop up drainer and overflow.

Technical parameter

Size: 1300x650x700mm

Material: Acrylic

NEW







**BT-61128A**

Acrylic bathtub with glossy surface finish;  
White inside and white outside;  
With pop up drainer and overflow.

Technical parameter  
Size: 1600x750x590mm  
Material: Acrylic



**BT-66109B**

Build in bathtub with pillow and handrail.  
Skirt is optional.

Technical parameter  
Size: 1700x750x540mm  
Material: Acrylic



**BT-61138/A/B/C**

Acrylic bathtub.  
White inside and outside;  
With pop up drainer & overflow.

Technical parameter  
Size: 1500/1600/1700/1800x750x600mm  
Material: Acrylic



**BT-WM422/B**

Acrylic bathtub with glossy surface finish;  
White inside and white outside;  
With pop up drainer and overflow;  
Black is optional.


Technical parameter  
Size: 1500/1700x750/800x580mm  
Material: Acrylic



**BT-620B**

Acrylic bathtub white inside white outside;  
With anti-odor drainer integrated with overflow;  
Easy access after-sales and installation window;  
With chromed finish cascade spout, hand shower, faucet and diverter.  
Optional: tub color, hardware color, air bubble.

Technical parameter  
Size: 1700x750x600mm  
Material: Acrylic



**BT-61135V/T/S**

Acrylic bathtub with pop up drainer.  
With removeable acrylic stool inside.

Technical parameter  
Size: 1100/1200/1300x680x680mm  
Material: Acrylic



**BT-61111B**

Free-standing bathtub without overflow;  
With pop-up drainer;  
White outside white inside.

Technical parameter  
Size: 1700x750x600mm  
Material: Acrylic



**BT-61117B**

Free-standing bathtub without overflow;  
With pop-up drainer;  
White outside white inside.


Technical parameter  
Size: 1700x750x600mm  
Material: Acrylic



**BT-61112A**

Acrylic one-piece empty free-standing bathtub.


Technical parameter  
Size: 1600x750x600mm  
Material: Acrylic



**BT-61122/A**

Acrylic free-standing bathtub,  
Without overflow & faucet;  
With pop-up drainer.  
(Faucet optional)


Technical parameter  
Size: 1500/1600x800x580mm  
Material: Acrylic



**BT-61130/A**

Acrylic free-standing bathtub.  
With pop-up drainer;  
(Feet color optional)


Technical parameter  
Size: 1580/1680x755x570mm  
Material: Acrylic



**BT-61110T/S/M/A/B**

Free-standing bathtub.


Technical parameter  
Size: 1200x800x630mm(with seat)  
1300/1400/1700x800x680mm  
1500/1600/1700x800x630mm  
Material: Acrylic



**OLS-6075**

Free-standing bathtub with claw feet.  
(Feet color optional)

Technical parameter  
Size: 1720x750x750mm  
Material: Acrylic



**BT-6506(A)-ECO**

Massage Bathtub(Eco)


Technical parameter  
Size: 1600x1600x660/1800x1800x660mm  
Material: Acrylic  
Massage system: Water massage+Air massage  
Voltage: 110V/220V  
Power: 1250W



**BT-65105(L)**

Water massage+air massage, pillow, self-clean, CASCADE water spout, air switch control.


Technical parameter  
 Size: 1800x1200x680mm  
 Material: Acrylic  
 Massage system: Water massage+Air massage  
 Voltage: 110V/220V  
 Power: 1575W



**BT-65107**

Touch control panel, pillow, CASCADE faucet spout, 7-color lights, blue tooth speaker, self-clean.


Technical parameter  
 Size: 1500x1500x630mm  
 Material: Acrylic  
 Massage system: Water massage+Air massage  
 Voltage: 110V/220V  
 Power: 3.1KW



**BT-65108A/B(L)**

Touch control panel, pillow, CASCADE faucet spout, 7-color lights, blue tooth speaker, self-clean.


Technical parameter  
 Size: 1700x1600x750x630mm  
 Material: Acrylic  
 Massage system: Water massage+Air massage  
 Voltage: 110V/220V  
 Power: 3.1KW



**BT-65109B(R)**

Touch control panel plus brass chromed massage pressure regulator; With thermostatic heater, bluetooth speaker -water proof, faucet and CASCADE spout.


Technical parameter  
 Size: 1700x1200x630mm  
 Material: Acrylic  
 Massage system: Water massage+Air massage  
 Voltage: 110V/220V  
 Power: 3.1KW



**BT-65100X/A(R)**

Water pump + 6pcs big jets + 6pcs small jets; ABS chromed air switch control with massage pressure regulator; With faucet and CASCADE spout. 2pcs pillow.


Technical parameter  
 Size: 1700x1600x1200x630mm  
 Material: Acrylic  
 Massage system: Water massage+Air massage  
 Voltage: 110V/220V  
 Power: 3.1KW



**BT-62115B-LUX (R)**

Touch control panel, thermostatic heater, bluetooth speaker and water proof, faucet and CASCADE water flow.


Technical parameter  
 Size: 1700x1000x630mm  
 Material: Acrylic  
 Massage system: Water massage+Air massage  
 Voltage: 110V/220V  
 Power: 3.1KW



**BT-62105/A/B/C(L)**

Water massage, air switch control, self-clean, CASCADE faucet spout.


Technical parameter  
 Size: 1500/1600/1700x800x630mm, 1800x800x680mm  
 Material: Acrylic  
 Massage system: Water massage+Air massage  
 Voltage: 110V/220V  
 Power: 750W



**BT-61119/A/B(L)**

Air switch control, self-clean, CASCADE faucet spout, pillow; (3 sides skirt panel available)

Technical parameter  
 Size: 1500/1600/1700x800x630mm  
 Material: Acrylic  
 Massage system: Water massage  
 Voltage: 110V/220V  
 Power: 750W






**BT-62106B**

Stainless steel waterfall inlet, air switch control.  
Optional: heater, FM, colorful light, computer control panel, bluetooth speaker.


Technical parameter
Size: 1300x1300x630mm
Material: Acrylic
Massage system: Water massage
Voltage: 110V/220V
Power: 750W



**BT-62107/A**

Water pump massage, air bubble massage, switch control, self-clean system.


Technical parameter
Size: 1500x1500x630/1400x1400x600mm
Material: Acrylic
Massage system: Water massage
Voltage: 110V/220V
Power: 750W



**BT-62118M/LUX**

ABS chromed air switch control with massage pressure regulator; With faucet and CASCADE spout.


Technical parameter
Size: 1400x1400x580mm
Material: Acrylic
Massage system: Water massage+Air massage
Voltage: 110V/220V
Power: 3.1KW



**OLS-6012X / LUX**

Touch control panel, pillow, 7-color lights, blue tooth speaker, thermostatic heater.


Technical parameter
Size: 1500x1500x650mm
Material: Acrylic
Massage system: Water massage+Air massage
Voltage: 110V/220V
Power: 3.1KW



**BT-62108/62109(L)**

Water massage, air switch control, self-clean, CASCADE faucet spout; (Heater optional)


Technical parameter
Size: 1400/1600x750x600mm
Material: Acrylic
Massage system: Water massage+Air massage
Voltage: 110V/220V
Power: 750W



**BT-62111S/M/LUX**

ABS chromed air switch control with massage pressure regulator; With faucet and CASCADE spout; 2PC pillow.


Technical parameter
Size: 1300x1300x580/1400x1400x580mm
Material: Acrylic
Massage system: Water massage



**BT-6033X(R)**

Pneumatic air switch; Anti-odor drainage; auto-cleaning; 3 function shower head.

Technical parameter
Size: 1820x1250x740mm
Material: Acrylic
Massage system: Water massage+Air massage
Voltage: 110V/220V
Power: 3.1KW



**OLS-C106(L)**

Walk-in bathtub, water massage, air switch control, self-clean, CASCADE spout, pillow, handle.


Technical parameter
Size: 1300x700x930mm
Material: Acrylic
Massage system: Water massage
Voltage: 110V/220V
Power: 750W



**BT-62113A(R)**

Water pump, brassed chromed faucet, air switch control, self-clean.


Technical parameter  
 Size: 1600x780x630mm  
 Material: Acrylic  
 Massage system: Water massage  
 Voltage: 110V/220V  
 Power: 750W



**BT-62112A/B-LUX**

Touch control panel plus massage pressure regulator;  
 With thermostatic heater; With bluetooth speaker;  
 With faucet and CASCADE spout; Left/Right reversible.


Technical parameter  
 Size: 1600/1700x700x630mm  
 Material: Acrylic  
 Massage system: Water massage+Air massage  
 Voltage: 110V/220V  
 Power: 3.1KW



**BT-62116(L)**

Water pump, ABS chromed air switch control plus massage pressure regulator; With faucet and CASCADE spout. (Glass screen optional)


Technical parameter  
 Size: 1500x850x630mm  
 Material: Acrylic  
 Massage system: Water massage  
 Voltage: 110V/220V  
 Power: 750W



**BT-6085/A/B(R)**

Empty bathtub with drainer, faucet, shower, spout.


Technical parameter  
 Size: 1500/1600/1700x750x570mm  
 Material: Acrylic



**BT-61137/A**

Empty bathtub.


Technical parameter  
 Size: 1500/1600x800x560mm  
 Material: Acrylic



**BT-61136A**

Free-standing matte black acrylic bathtub with pop-up drainer.


Technical parameter  
 Size: 1600x810x700mm  
 Material: Acrylic



**BT-66103S/B**

Built-in bathtub, empty bathtub.


Technical parameter  
 Size: 1500/1700x750x560mm  
 Material: Acrylic



**BT-66108B**

Built-in empty bathtub, with drainer, pillow, handle bar.


Technical parameter  
 Size: 1700x750x540mm  
 Material: Acrylic



**BT-61107**

Built-in empty bathtub;  
With anti-slip bottom; With drainer.


Technical parameter  
Size: 1500x750x510mm  
Material: Acrylic



**BT-1001**

Built-in empty bathtub; Without drainer; Without pillow;


Technical parameter  
Size: 1500/1700x800x450mm  
Material: Acrylic



**BT-1002**

Built-in empty bathtub; Without drainer; Without pillow;  
Without handle bar.


Technical parameter  
Size: 1500/1700x750x450mm  
Material: Acrylic



**BT-62110A/B**

Freestanding acrylic bathtub;  
With drainer pop up and over-flow.  
(Faucet is not included.)


Technical parameter  
Size: 1600/1700x800x620mm  
Material: Acrylic



**BT-66106/A/B/C/D/E/F/G**

Built-in empty bathtub;  
With plastic waste drainer;  
1pc pillow.


Technical parameter  
Size: 1500/1600/1800/1820/1670/1510x900x540mm  
Material: Acrylic



**BT-WM3131**

100% Acrylic massage bathtub;  
Water pump + air pump + 4 pcs big jets + 10 pcs air jets;  
ABS chromed diverter plus super thin start switch;  
With faucet & outlet & shower head + aluminum handrail + drainer;  
Without thermostatic heater, digital control board & light;  
1pc acrylic pillow;  
With premium quality steel frame.


Technical parameter  
Size: 1500x1500x580mm  
Material: Acrylic



**BT-WM3098B(R)**

100% Acrylic massage bathtub;  
Water pump + 4 pcs big jets + 2pcs small jets;  
ABS chromed diverter plus brass start switch;  
With faucet & outlet & shower head + drainer;  
Without thermostatic heater, digital control board & light;  
2pcs pillows;  
With premium quality steel frame.


Technical parameter  
Size: 1700x800x590mm  
Material: Acrylic



**BT-WM3099B(R)**

100% Acrylic massage bathtub;  
Water pump + 4 pcs big jets + 4 pcs small jets;  
ABS chromed diverter plus brass start switch;  
With faucet & outlet & shower head + drainer;  
Without thermostatic heater, digital control board & light  
4pcs pillows;  
With premium quality steel frame.

Technical parameter  
Size: 1700x1200x590mm  
Material: Acrylic





# SMART TOILETS

From manufacturing to smart manufacturing, science and technology has opened the door of smart life. Every upgrade is a leap of functionality, breaking through the boundary of intelligence and performance, and the integration of science & technology and art, so that life change better, people will enjoy smart toilet experience.



### ○ RUNNING WATER INSTANT HEATING


Take only one second to achieve the preset water temperature and keep it thermostatic.

### ○ AIR KERMA ENERGY

Designed with air kerma energy, ORANS developed micro compressor turbo, which mixes air with water at 1:3, making the water drops rich in air.

### ○ THERMOSTATIC

This is a technique which can reduce the loss of energy consumption, greatly improve the temperature control precision and achieve the effect of lasting constant temperature by changing the power supply frequency.



### ○ ONE BUTTON SOLUTION

Only press one button to progress automatic cleaning, drying and flushing water, which is more convenient for children and elderly.


### ○ TEN LAYERS OF SAFETY GUARANTEE

- 01 Leakage circuit breaker.
- 02 Abnormal current detection and auto power cut off.
- 03 Cleaning water temperature monitoring.
- 04 Seat temperature monitoring.
- 05 Drier temperature monitoring.
- 06 Anti-dry burn protection.
- 07 Water-proof structure and sealing.
- 08 Flame proof rating V0, upto 130 degree centigrade.
- 09 All the parts in direct contact with human body powered by 12voltage, even lower than the 36voltage safety criteria.
- 10 Freezing temperature protection against damage on the pipe system.



### ○ NINE LAYERS WATER PURIFICATION SYSTEM






The nine layers water purification system is for the cleaning water through filter, marking it same hygienic as drinking water.











9 layers purifying system






Drinkable water

Product model	IT-322A	IT-322M	IT-520A	IT-520M	IT-521A	IT-521M	IT-621A
Function							
Seat Sensing	•	•	•	•	•	•	•
Cold&hot SPA	Instant heating	Instant heating	Instant heating	Instant heating	Instant heating	Instant heating	Instant heating
Nozzle self-cleaning	•	•	•	•	•	•	•
Nozzle clean	•	•	•	•	•	•	•
Bottom wash	•	•	•	•	•	•	•
Lady wash	•	•	•	•	•	•	•
Movable wash	•	•	•	•	•	•	•
Water pressure massage	•	•	•	•	•	•	•
Soft washing	•	•	•	•	•	•	•
Children wash							•
Hip bath							
Position adjustment	•	•	•	•	•	•	•
Water pressure adjustment	•	•	•	•	•	•	•
Temperature adjustment	•	•	•	•	•	•	•
Intelligent knob	•	•	•	•	•	•	•
One-button auto function	•	•	•	•	•	•	•
Remote matching	•	•	•	•	•	•	•
Remote	2.4G/battery	2.4G/battery	2.4G/battery	2.4G/battery	2.4G/battery	2.4G/battery	2.4G/battery
Flushing water tank							for option
Leave Flush	•	•	•	•	•	•	•
Flushing without power	•	•	•	•	•	•	•
Soft closing	•	•	•	•	•	•	•
Auto open-close lid	Auto	Hand	Foot sensor	Hand	Foot sensor	Hand	Auto
Warm seat	•	•	•	•	•	•	•
Seat-temp adjustment	•	•	•	•	•	•	•
Low-temp protection	•	•	•	•	•	•	•
Warm air drying	•	•	•	•	•	•	•
Air-temp adjustment	•	•	•	•	•	•	•
Deodorization	•	•	•	•	•	•	•
Eco-mode	•	•	•	•	•	•	•
Night light	•	•	•	•	•	•	•
Intelligent diagnosis	•	•	•	•	•	•	•
Pre-wetting ceramic surface	•	•	•	•	•	•	•
Descaling							

Product model	IT-912A	IT-912M	IT-627P	IT-627M	IT-627S
Function					
Seat Sensing	•	•	•	•	•
Cold&hot SPA	Instant heating	Instant heating	Instant heating	Instant heating	
Nozzle self-cleaning	•	•	•	•	
Nozzle clean	•	•	•	•	
Bottom wash	•	•	•	•	
Lady wash	•	•	•	•	
Movable wash	•	•	•	•	
Water pressure massage	•	•	•	•	
Soft washing					
Children wash	•	•			
Hip bath	•	•			
Position adjustment	•	•	•	•	
Water pressure adjustment	•	•	•	•	
Temperature adjustment	•	•	•	•	
Intelligent knob	•	•	•		
One-button auto function	•	•	•	•	
Remote matching	•	•			
Remote	2.4G/lithium battery	2.4G/lithium battery	IR/battery	IR/battery	
Flushing water tank					
Leave Flush	•	•	•	•	•
Flushing without power	•	•	•	•	•
Soft closing	•	•	•	•	•
Auto open-close lid	Auto	Hand	Hand	Hand	Hand
Warm seat	•	•	•	•	•
Seat-temp adjustment	•	•	•	•	•
Low-temp protection	•	•	•	•	•
Warm air drying	•	•	•	•	•
Air-temp adjustment	•	•	•	•	•
Deodorization	•	•	•		
Eco-mode	•	•	•	•	
Night light	•	•	•	•	
Intelligent diagnosis	•	•	•	•	•
Pre-wetting ceramic surface					
Descaling					



Product model	IT-321A	IT-321M	IT-422S	IT-422A	IT-422M	IT-421A	IT-421M	IT-420A
Function								
Seat Sensing	•	•	•	•	•	•	•	•
Cold&hot SPA	Instant heating			Instant heating		Instant heating	Instant heating	Instant heating
Nozzle self-cleaning	•	•		•	•	•	•	•
Nozzle clean	•	•		•	•	•	•	•
Bottom wash	•	•		•	•	•	•	•
Lady wash	•	•		•	•	•	•	•
Movable wash	•	•		•	•	•	•	•
Water pressure massage	•	•		•	•	•	•	•
Soft washing								
Children wash								
Hip bath								
Position adjustment	•	•		•	•	•	•	•
Water pressure adjustment	•	•		•	•	•	•	•
Temperature adjustment	•	•		•	•	•	•	•
Intelligent knob	•	•		•	•	•	•	•
One-button auto function	•	•		•	•	•	•	•
Remote matching	•	•		•	•	•	•	•
Remote	2.4G/lithium battery			2.4G/battery		2.4G/battery	2.4G/battery	2.4G/Li-ion battery
Flushing water tank						•	•	
Leave Flush	•	•	•	•	•	•	•	
Flushing without power	•	•	•	•	•	•	•	
Soft closing	•	•	•	•	•	•	•	•
Auto open-close lid	Auto	Hand	Hand	Foot kick	Hand	Auto	Hand	Auto
Warm seat	•	•	•	•	•	•	•	•
Seat-temp adjustment	•	•		•	•	•	•	•
Low-temp protection	•	•		•	•	•	•	•
Warm air drying	•	•		•	•	•	•	•
Air-temp adjustment	•	•		•	•	•	•	•
Deodorization	•	•		•	•	•	•	•
Eco-mode	•	•		•	•	•	•	•
Night light	•	•		•	•	•	•	•
Intelligent diagnosis								
Pre-wetting ceramic surface	•	•		•	•	•	•	
Descaling								

Product model	IT-420M	IT-730	IT-630	EB-7608	EB-7606
Function					
Seat Sensing	•	•	•	•	•
Cold&hot SPA	Instant heating	Instant heating	Instant heating	Instant heating	Instant heating
Nozzle self-cleaning	•	•	•		•
Nozzle clean	•	•	•	•	•
Bottom wash	•	•	•	•	•
Lady wash	•	•	•	•	•
Movable wash	•	•	•		•
Water pressure massage	•	•	•	•	•
Soft washing					
Children wash					
Hip bath					
Position adjustment	•	•	•		•
Water pressure adjustment	•	•	•		•
Temperature adjustment	•	•	•		•
Intelligent knob	•	•	•		•
One-button auto function	•	•	•		•
Remote matching	•	•	•		
Remote	2.4G/Li-ion battery	2.4G/battery	2.4G/Li-ion battery		IR/battery
Flushing water tank					
Leave Flush					
Flushing without power					
Soft closing	•	•	•	•	•
Auto open-close lid	Hand	Hand	Hand	Hand	Hand
Warm seat	•	•	•	•	•
Seat-temp adjustment	•	•	•		•
Low-temp protection	•	•	•	•	•
Warm air drying	•	•	•		•
Air-temp adjustment	•	•	•		•
Deodorization		•	•		
Eco-mode	•				•
Night light	•	•	•	•	•
Intelligent diagnosis					•
Pre-wetting ceramic surface		•	•		
Descaling		•	•		

### IT-322A / IT-322M

Fashion side button, auto open lid, foot sensor open seat cover, flush w/o electricity, auto flush, leave flush, instant heating water, adjustable seat/water/air temperature, anti bacterial seat, night light.

**Technical parameter**


Size: 670x405x470mm

Material: PP+ Ceramic

Hole distance: 305/400mm

Water Pressure: 0.2- 0.6MPa

Voltage/Frequency: 220V/50Hz




NEW



### IT-520A / IT-520M

Streamlined fashion design, super fast warm dryer, flush w/o electricity, foot sensor open lid&seat cover, auto flush, leave flush, foot sensor flush, flush after close seat cover, prewetting ceramic surface.


Technical parameter
Size: 660x400x470mm
Material: PP+Ceramic
Hole distance: 305/400mm
Water Pressure: 0.2MPa- 0.6MPa
Voltage/Frequency: 220V/50Hz



### IT-521A / IT-521M

Digital screen, streamlined fashion design, super fast warm dryer, flush w/o electricity, foot sensor open lid&seat cover, auto flush, leave flush, foot sensor flush, flush after close seat cover, prewetting ceramic surface.


Technical parameter
Size: 660x400x470mm
Material: PP+Ceramic
Hole distance: 305/400mm
Water Pressure: 0.2MPa- 0.6MPa
Voltage/Frequency: 220V/50Hz



### IT-621A

smart voice control, gesture-open seat, radar- open cover, with & without water tank for option, rmless easy- clean, one button smart control, night light, energy saving, leave flush, 2.4G remote, child mode.

Technical parameter
Size: 720x390x420mm
Material: PP+Ceramic
Hole distance: 305/400mm
Water Pressure: 0.1MPa- 0.7MPa
Voltage/Frequency: 220V/50Hz







IT-912A / IT-912M

Siphonic flush even without electricity;  
 2.4G wireless remote control with re-chargeable battery; With  
 one button auto function, auto flush, auto open lid&seat,  
 temperature adjustable.

Technical parameter


Size: 690x420x500mm

Material: ABS+Ceramic

Hole distance: 305/400mm

Water Pressure: 0.2- 0.6MPa

Voltage/Frequency: 220V/50Hz



Siphonic flush without electricity




Multicolor options

IT-627P / IT-627M / IT-627S

IT-627P / IT-627M  
 Siphonic, flush w/o electricity; Infrared wireless remote control;  
 One button auto function, temperature adjustable, with night  
 light.

IT-627S  
 auto flush, flush w/o electricity, warm seat, soft-closing seat &  
 cover.

Technical parameter	
Size:	695x420x510mm
Material:	PP+ Ceramic
Hole distance:	305/400mm
Water Pressure:	0.2- 0.6MPa
Voltage/Frequency:	220V/50Hz








### IT-321A / IT-321M

Foot sensor flush, flush w/o electricity, prewetting ceramic surface, one button smart control, adjustable seat/water/air temperature.

Technical parameter

Size: 670x410x470mm
Material: PP+Ceramic
Hole distance: 305/400mm
Water Pressure: 0.2MPa- 0.6MPa
Voltage/Frequency: 220V/50Hz




### IT-421A / IT-421M

0 water pressure flush, flush w/o electricity, foot sensor flush, adjustable seat/water/air temperature, anti-bacterial seat, one button smart control, prewetting ceramic surface.

Technical parameter

Size: 690x410x470mm
Material: PP+Ceramic
Hole distance: 305/400mm
Water Pressure: 0.07- 0.6MPa
Voltage/Frequency: 220V/50Hz, 110V/60HZ






IT-422S / IT-422A / IT-422M

IT-422A & M  
 Foot kick open&close lid & seat cover, foot kick flush, leave flush, flush after close lid, flush w/o electricity, anti- bacterial nozzle&- seat, automatic deodorization, prewetting ceramic surface, one button smart control.

IT-422S  
 Warm seat, leave flush, foot kick flushing, flush w/o electricity


Technical parameter	
Size:	690x410x470mm
Material:	PP+Ceramic
Hole distance:	305/400mm
Water Pressure:	0.2- 0.6MPa
Voltage/Frequency:	220V/50Hz



IT-420A / IT-420M

Wall- mounted, rimless tornado flush;  
 2.4G wireless remote control with re- chargeable battery;  
 With one button auto function, auto open lid&seat, temperature adjustable.


Technical parameter	
Size:	600x400x430mm
Material:	PP+Ceramic
Hole distance:	180mm
Water Pressure:	0.07- 0.6MPa
Voltage/Frequency:	220V/50Hz, 110V/60HZ



### IT-630

Wall-mounted, rimless easy-clean, anti-bacterial nozzle & seat, automatic deodorization, prewetting ceramic surface, one button smart control.


Technical parameter
Size: 600x385x400mm
Material: UF+PBT+Ceramic
Hole distance: 180mm
Water Pressure: 0.07- 0.6MPa
Voltage/Frequency: 220V/50Hz



### IT-730

Wall-mounted, rimless easy-clean, anti-bacterial nozzle & seat, automatic deodorization, prewetting ceramic surface, one button smart control.


Technical parameter
Size: 600x385x400mm
Material: UF+PBT+Ceramic
Hole distance: 180mm
Water Pressure: 0.07- 0.6MPa
Voltage/Frequency: 220V/50Hz



### EB-7608

Normal wash, lady wash, air-injected wash, massage wash, anti-bacterial nozzle & seat, instant heating, warm seat, quick release cover.  
Recommend to match OLS-928T, OLS-953 ceramic toilet.


Technical parameter
Size: 500x400x98mm
Material: PP
Voltage/Frequency: 220V/50Hz



### EB-7606

Infrared wireless remote control, normal wash, lady wash, movable wash, adjustable seat/water/air temperature, nozzle self-cleaning and position adjustable, one button smart control, instant heating.  
Recommend to match OLS-917 ceramic toilet & GP30035B R&T built-in water tank.

Technical parameter
Size: 519x372x132mm
Material: ABS
Voltage/Frequency: 220V/50Hz



# CERAMIC SERIES

Providing ease in cleaning and a hygienic environment with smart ceramic series with easy clean function.  
Free your hands, enjoy more leisure time, and have comfortable & happy life.








**OLS-WM9925**

1- piece, easy- clean glaze  
 PP soft closing seat cover  
 Pinhole flush, 4/6L per flush  
 S- trap 250/300mm; P- trap 180mm


Technical parameter  
 Size: 690\*370\*660mm



**OLS-928T**

1- piece rimless, easy- clean glaze  
 PP seat cover soft closing  
 R&T flushing mechanism  
 Siphonic flush, 4/6L per flush  
 S- trap 300/400mm


Technical parameter  
 Size: 690\*375\*755mm



**OLS-WM9901**

2- piece Rimless, full back against wall  
 UF thin seat cover soft closing  
 GEBERIT flushing mechanism  
 Washdown, 3/4.5L per flush  
 S-trap 220mm; P-trap 180mm  
 Optional: PP/UF seat cover


Technical parameter  
 Size: 605\*360\*800mm



**OLS-WM9902**

2- piece rimless, easy- clean glaze  
 Durable seat cover soft closing  
 High quality flushing mechanism  
 Washdown, 3/4.5L per flush  
 S- trap 220mm; P- trap 180mm  
 Optional: PP/UF seat cover

Technical parameter  
 Size: 630\*365\*800mm






**OLS-WM9903**

2- piece, full back against wall  
 UF seat cover soft closing  
 GEBERIT flushing mechanism  
 Washdown, 3/4.5L per flush  
 S- trap 220mm; P- trap 180mm  
 Optional: PP/UF seat cover


Technical parameter  
 Size: 650\*350\*815mm



**OLS-WM9904G**

2- piece rimless, full back against wall  
 UF thin seat cover soft closing  
 GEBERIT flushing mechanism  
 Washdown, 3/4.5L per flush  
 P- trap 180mm


Technical parameter  
 Size: 620\*376\*850mm



**OLS-WM9905**

2- piece rimless, easy- clean glaze  
 UF thin seat cover soft closing  
 GEBERIT flushing mechanism  
 Washdown, 3/4.5L per flush  
 S- trap 220mm; P- trap 180mm


Technical parameter  
 Size: 610\*365\*785mm



**OLS-WM9906G**

2- piece rimless, full back against wall  
 Durable seat cover soft closing  
 High quality flushing mechanism  
 Washdown, 3/4.5L per flush  
 S- trap 220mm; P- trap 180mm  
 Optional: PP/UF seat cover

Technical parameter  
 Size: 640\*365\*780mm






**OLS-WM9907**

2- piece Rimless, easy-clean glaze  
 UF thin seat cover soft closing  
 GEBRIT flushing mechanism  
 Washdown, 3/4.5L per flush  
 S- trap 220mm; P- trap 180mm  
 Optional: PP/UF seat cover


Technical parameter  
 Size: 642\*365\*797mm



**OLS-WM9908**

2- piece rimless, full back against wall  
 Durable seat cover soft closing  
 High quality flushing mechanism  
 Washdown, 3/4.5L per flush  
 S- trap 220mm; P- trap 180mm  
 Optional: PP/UF seat cover


Technical parameter  
 Size: 610\*368\*800mm



**OLS-GC909**

1- piece self- clean ceramic toilet, whole pipe glazed,  
 Durable PP fast- disassemble seat cover, mute effect,  
 Siphonic jet flush  
 Hole distance: 305/400mm


Technical parameter  
 Size: 700\*406\*778mm



**OLS-GC910**

1- piece self- clean ceramic toilet, whole pipe glazed,  
 Durable PP fast- disassemble seat cover, mute effect,  
 Siphonic jet flush  
 Hole distance: 305/400mm

Technical parameter  
 Size: 695\*368\*765mm








**OLS-970P**

1- piece rimless self- clean ceramic toilet, whole pipe glazed,  
Durable PP fast- disassemble seat cover, mute effect,  
Washdown flush, qualified R&T water fitting  
Hole distance: P- trap 180mm


Technical parameter  
Size: 650\*375\*765mm



**OLS-959**

1- piece, easy- clean glaze  
Rimless tornado flush, 4/6L per flush  
R&T flushing mechanism  
PP seat cover soft closing  
S- trap 300/400mm

Technical parameter  
Size: 660\*370\*740mm






**OLS-965 / 965P / 965D**

1- piece, self- clean glaze  
 PP seat cover soft closing  
 R&T flushing mechanism  
 Siphonic, 4/6L per flush  
 S- trap 300/400mm(965), 250mm(965D)  
 P- trap 180mm ( 965P )


Technical parameter  
 Size: 670\*380\*760mm



**OLS-967**

1- piece, self- clean glaze  
 PP seat cover soft closing  
 R&T flushing mechanism  
 Siphonic, 4/6L per flush  
 S- trap 300/400mm


Technical parameter  
 Size: 720\*360\*770mm



**OLS-968T**

1- piece, self- clean glaze  
 UF seat cover soft closing  
 Siphonic flush, grade 2 water performance  
 1280°C burned, 360° self- clean glazed  
 Anti-bacterial soft closing seat cover, durable water fitting  
 UF super thin sterilized seat, quick detachable seat cover to clean easily  
 S- trap 305/400mm


Technical parameter  
 Size: 725\*375\*750mm



**OLS-968TZ**

1- piece, self- clean glaze  
 UF seat cover soft closing  
 Siphonic flush, grade 2 water performance  
 Foot kick flush, no need to stoop  
 1280°C burned, 360° self- clean glazed  
 Anti- bacterial soft closing seat cover, durable water fitting  
 UF super thin sterilized seat, quick detachable seat cover to clean easily  
 S- trap 305/400mm

Technical parameter  
 Size: 725\*375\*750mm






**OLS-951**

1- piece round toilet, self- clean glaze  
 Rimless tornado jet- siphonic flush, 3.5/5L per flush  
 Fully glazed waste pipe with diameter 50mm, R&T flushing mechanism  
 UF seat cover soft closing  
 Mute water inlet & seat cover closing  
 S- trap 300/400mm


Technical parameter  
 Size: 690\*370\*750mm



**OLS-952**

1- piece square toilet, self- clean glaze  
 Pinhole jet- siphonic flush, 3.5/5L per flush  
 Fully glazed waste pipe with diameter 50mm, R&T flushing mechanism  
 UF seat cover soft closing  
 Quiet water inlet & mute seat cover closing  
 S- trap 300/400mm


Technical parameter  
 Size: 690\*367\*750mm



**OLS-953**

1- piece toilet, self- clean glaze  
 Pinhole jet- siphonic flush, 3.5/5L per flush  
 Fully glazed waste pipe with diameter 50mm, R&T water fittings  
 UF seat cover soft closing  
 Quiet water inlet & mute seat cover closing  
 S- trap 300/400mm


Technical parameter  
 Size: 690\*375\*750mm



**OLS-955T**

1- piece rimless tankless toilet, 1280°C burned, self- clean glaze  
 4 batteries with one year life time at least  
 Dual- siphonic per flush, 4/6L per flush  
 Fully glazed waste pipe with diameter 50mm  
 Three flush ways: auto flush, side knob control, foot kick  
 PP seat cover soft closing, quiet water inlet  
 Mute seat cover closing, S- trap 300/400mm

Technical parameter  
 Size: 680\*390\*455mm








**OLS-957**

1- piece rimless, easy- clean glaze  
 UF seat cover soft closing  
 R&T flushing mechanism  
 Tornado flush, 4/6L per flush  
 S- trap 305/400mm


Technical parameter  
 Size: 670\*368\*740mm



**OLS-WMH9950**

2- piece, easy- clean glaze  
 PP seat cover soft closing  
 Washdown, 4/6L per flush  
 P- trap 180mm  
 S- trap 220mm


Technical parameter  
 Size: 612\*370\*808mm



**OLS-WMH9951**

2- piece, easy- clean glaze  
 PP seat cover soft closing  
 Washdown, 4/6L per flush  
 P- trap 180mm  
 S- trap 220mm


Technical parameter  
 Size: 610\*370\*800mm



**OLS-WMH9952**

2- piece, easy- clean glaze  
 PP seat cover soft closing  
 Washdown, 4/6L per flush  
 P- trap 180mm

Technical parameter  
 Size: 614\*345\*795mm






**OLS-WMH9953**

2- piece, easy- clean glaze  
PP seat cover soft closing  
washdown, 4/6L per flush  
S- trap 220mm/P- trap 180mm


Technical parameter  
Size: 665\*357\*725mm



**OLS-WMH9954**

1- piece, easy- clean glaze  
PP seat cover soft closing  
Washdown, 4/6L per flush  
S- trap 220mm


Technical parameter  
Size: 655\*360\*720mm



**OLS-WMH9955**

Wall hung rimless ceramic toilet  
UF seat cover soft closing  
P trap 180mm


Technical parameter  
Size: 482\*360\*360mm



**OLS-WMH9956B**

Wall hung rimless black ceramic toilet  
UF seat cover soft closing  
P trap 180mm

Technical parameter  
Size: 482\*360\*360mm






**WM9908WH**

Wall hung rimless ceramic toilet  
 UF seat cover soft closing  
 P-trap


Technical parameter  
 Size: 485\*360\*344mm



**OLS-917**

Wall hung rimless ceramic toilet  
 Easy-clean glaze  
 UF seat cover soft closing  
 Washdown, 3/4.5L per flush  
 P-trap


Technical parameter  
 Size: 530\*360\*365mm



**OLS-916**

Wall hung rimless ceramic toilet  
 Easy-clean glaze  
 UF seat cover soft closing  
 Washdown, 3/4.5L per flush  
 P-trap

Technical parameter  
 Size: 515\*355\*350mm










**OLS-GP30036TF-W/G/S/B**

Panel fits hidden water tank OLS- GP30036TD/TQ  
White/Chromed/Gungrey/Black panel optional


Technical parameter  
Size: 212\*142\*14mm



**OLS-2019Q/H**

Self- clean glaze  
Frontward flush / Backward flush  
Without anti- odor water sealing


Technical parameter  
Size: 620\*450\*190mm



**OLS-2019SQ/SH**

Self- clean glaze  
Frontward /Backward flush  
With anti- odor water sealing


Technical parameter  
Size: 620\*450\*190mm



**OLS-2016Q/H**

Self- clean glaze  
Frontward flush / Backward flush  
Without anti- odor water sealing

Technical parameter  
Size: 580\*460\*190mm






**OLS-2016SQ/SH**

Self- clean glaze  
Frontward flush / Backward flush  
With anti- odor water sealing


Technical parameter  
Size: 580\*460\*265mm



**OLS-2017Q/H**

Self- clean glaze  
Frontward flush / Backward flush  
Without anti- odor water sealing


Technical parameter  
Size: 565\*430\*190mm



**OLS-2017SQ/SH**

Self- clean glaze  
Frontward flush / Backward flush  
With anti- odor water sealing


Technical parameter  
Size: 565\*430\*265mm



**OLS-2018SQ/SH**

Self- clean glaze  
Frontward flush / Backward flush  
With anti- odor water sealing

Technical parameter  
Size: 600\*450\*240mm






NEW



**OLS-20139Q/H**

Self-clean glaze  
Frontward flush / Backward flush  
Without anti-odor water sealing

Technical parameter  
Size: 595\*460\*190mm




NEW



**OLS-20139SQ/H**

Self-clean glaze  
Frontward flush / Backward flush  
With anti-odor water sealing

Technical parameter  
Size: 595\*460\*245mm




NEW



**OLS-GP2006**

Water-saving flushing tank for squatting pan  
ABS

Technical parameter  
Size: 365\*363\*120mm




NEW



**OLS-GP2007**

Water-saving flushing tank for squatting pan  
ABS

Technical parameter  
Size: 390\*116\*360mm






**OLS-GP2008**

Water-saving flushing tank for squatting pan  
ABS


Technical parameter  
Size: 397\*120\*376mm



**OLS-GP30037/B**

Water-saving flushing tank for squatting pan  
ABS


Technical parameter  
Size: 490\*115\*423mm



**OLS-3012-S**

Backward water inlet  
1280 °C burned easy- clean glaze  
Sensor auto flush, AC/DC  
Wall hung, P trap / S trap


Technical parameter  
Size: 480\*360\*880mm



**OLS-3013-S**

Upward water inlet  
1280 °C burned easy- clean glaze  
Wall hung, P trap / S trap  
Without flush valve: P8104 / P8110 / P8017 (optional)

Technical parameter  
Size: 380\*345\*775mm






**OLS-3015-S**

Upward/backward water inlet  
 1280 °C burned easy- clean glaze  
 Wall hung, P trap / S trap  
 Without flush valve: P8104 / P8110 / P8017 (optional)


Technical parameter  
 Size: 345\*380\*775mm



**OLS-3016-S**

Upward/backward water inlet  
 1280 °C burned easy- clean glaze  
 Wall hung, P trap / S trap  
 Without flush valve: P8104 / P8110 / P8017 (optional)


Technical parameter  
 Size: 350\*310\*700mm



**OLS-3017-S**

Backward water inlet  
 1280 °C burned easy- clean glaze  
 Sensor auto flush, AC/DC  
 Free- standing, S trap


Technical parameter  
 Size: 410\*420\*1050mm



**OLS-3018-S**

Backward water inlet  
 1280 °C burned easy- clean glaze  
 Wall hung, P- trap  
 Sensor auto flush, AC/DC

Technical parameter  
 Size: 330\*400\*600mm






NEW



**OLS-3019-S**

Backward water inlet  
1280 °C burned easy- clean glaze  
Wall hung, P- trap  
Sensor auto flush, AC/DC

Technical parameter  
Size: 350\*340\*630mm




NEW



**OLS-3020**

Backward water inlet  
1280 °C burned easy- clean glaze  
Wall hung, P- trap  
Sensor auto flush, AC/DC

Technical parameter  
Size: 340\*380\*710mm



**OLS-5001**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet

Technical parameter  
Size: 515\*430\*205mm



**OLS-5002**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet

Technical parameter  
Size: 560\*430\*200mm



**OLS-5010**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet

Technical parameter  
Size: 485\*370\*140mm



**OLS-5011**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet

Technical parameter  
Size: 550\*350\*145mm



**OLS-5023**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet


Technical parameter  
Size: 480\*370\*130mm



**OLS-5024**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet

Technical parameter  
Size: 525\*350\*175mm



**OLS-5025**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet


Technical parameter  
Size: 410\*410\*150mm



**OLS-5037**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet


Technical parameter  
Size: 545\*405\*195mm



**OLS-5052**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet

Technical parameter  
Size: 605\*420\*200mm



**OLS-5055**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet

Technical parameter  
Size: 460\*325\*130mm



**OLS-5060**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet


Technical parameter  
Size: 610\*400\*115mm



**OLS-GC2410TWM**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet

Technical parameter  
Size: 555\*385\*185mm



**OLS-5017**

1280 °C burned easy- clean glaze  
Without pop- up drainer/faucet

Technical parameter  
Size: 600\*395\*180mm



**OLS-5004**

1280 °C burned easy- clean glaze  
Complete set including pillar and bowl  
Without pop- up drainer/faucet

Technical parameter  
Size: 590\*486\*883mm



**OLS-4001-S**

1280 °C burned easy- clean glaze  
Without pop up drainer

Technical parameter  
Size: 415\*390\*435mm



**OLS-4002**

1280 °C burned self- clean glaze  
Without pop- up drainer

Technical parameter  
Size: 425\*350\*410mm



**OLS-4005-S**

1280 °C burned easy- clean glaze  
Without pop up drainer

Technical parameter  
Size: 380\*450\*400mm



**OLS-WM9918**

1280 °C burned easy- clean glaze  
Complete set including pillar and bowl  
Without pop- up drainer/faucet

Technical parameter  
Size: 630\*485\*835mm



# SHOWER CABIN SERIES

It is a good choice to go steam when you feel weary. Steam room can help you to make your whole body fully relaxed, promote blood circulation, activate the self-healing function, whitening skin and boost your health.





## SR89 ROYAL SERIES DETAILS



I-phone touch control panel outside & inside.  
High temperature embroided floral prints.



Screw free water proof easy clean structure.  
Electrical plated black brushed / white coating profile.



Front-positioned function column-push up to open for  
easy installation & maintenance.



Easy maintenance



Tiny thin stainless steel 304 chromed rain shower 350x350mm. Air-injected hand shower.  
Solid brass chromed shampoo holder flexible to exchange with rack.



HARVIA sauna stove and wood from Finland.

## Why ORANS Shower Cabin?

### DOMINANTING SHOWER MANUFACTURER IN CHINA WITH 24 YEARS EXPERTISE.

New products and innovations updated every year.  
Flexible customization for different markets.

### OPTIMIZED CABIN STRUCTURE

Maximize space efficiency - utility space above 90%.  
Ensure truly relaxing shower experience inside the cabin.

### PROVEN MATERIALS AND PARTS


No re-used waste material, ensuring stable shape & structure and long-lasting color & finish.  
5-ply ABS acrylic mixed - ensuring both intensity, stability and hardness.  
Lab testified before application.  
Mature quality track system.

### SAFETY GUARANTEE

Water system isolated from electrical system.  
Protection against dry heating for steam generator.  
Isolating electrical transformer.

### PARTICULAR FEATURE OF ORANS SHOWER TRAY

Water-proof silicon free tray - a perfect joint of tray and profile.  
Adjustable bottom wheels.  
5 ply ABS acrylic + 8mm MDF board, with fiber glass reinforced.



Traditional tray ORANS tray

### QUALITY HARDWARE

Brass chromed mixers





Model	SR-89101S	SR-89102S	SR-89103S	SR-89105S	SR-89106S
Function					
Touch control panel	*	*	*	*	*
Backlight					*
Top shower	*	*	*	*	*
Back massage	*	*	*	*	*
Hand shower	*	*	*	*	*
Radio	*	*	*	*	*
Fan	*	*	*	*	*
Hook					
Faucet	*	*	*	*	*
Rack	*	*	*	*	*
Ozone	*	*	*	*	*
Steam	*	*	*	*	*
Bluetooth	*	*	*	*	*
Towel rack	*	*	*	*	*
Top light	*	*	*	*	*
Seat	*	*	*	*	*
Tray shelf	*	*	*	*	*
Massage					
Start switch					
Piverter valve					
Pillow					
Drainer	*	*	*	*	*
Handrail					
Water inlet					
Sauna stove			*		
Wooden bucket			*		
Wooden spoon			*		
Thermometer			*		
Hourglass			*		
Explosion-proof lights			*		



Model	SR-86151	SR-86151S	SR-86151A	SR-86151AS	SR-86152
Function					
Touch control panel	*	*	*	*	*
Backlight	*	*	*	*	*
Top shower	*	*	*	*	*
Back massage	*	*	*	*	*
Hand shower	*	*	*	*	*
Radio	*	*	*	*	*
Fan	*	*	*	*	*
Hook	*	*	*	*	*
Faucet	*	*	*	*	*
Rack	*	*	*	*	*
Ozone		*		*	
Steam		*		*	
Bluetooth		*		*	
Towel rack					
Top light					
Seat	*	*			*
Tray shelf					
Massage					
Start switch					
Piverter valve					
Pillow					
Drainer	*	*	*	*	*
Handrail					
Water inlet					
Sauna stove					
Wooden bucket					
Wooden spoon					
Thermometer					
Hourglass					
Explosion-proof lights					

Model	SR-86152S	SR-86152A	SR-86152AS	SR-86153	SR-86153S
Function					
Touch control panel	*	*	*	*	*
Backlight	*	*	*	*	*
Top shower	*	*	*	*	*
Back massage	*	*	*	*	*
Hand shower	*	*	*	*	*
Radio	*	*	*	*	*
Fan	*	*	*	*	*
Hook	*	*	*	*	*
Faucet	*	*	*	*	*
Rack	*	*	*	*	*
Ozone	*		*		*
Steam	*		*		*
Bluetooth	*		*		*
Towel rack					
Top light					
Seat	*			*	*
Tray shelf					
Massage					
Start switch					
Piverter valve					
Pillow					
Drainer	*	*	*	*	*
Handrail					
Water inlet					
Sauna stove					
Wooden bucket					
Wooden spoon					
Thermometer					
Hourglass					
Explosion-proof lights					

Model	SR-86153A	SR-86153AS	SR-86155	SR-86155S	SR-86155A
Function					
Touch control panel	*	*	*	*	*
Backlight	*	*	*	*	*
Top shower	*	*	*	*	*
Back massage	*	*	*	*	*
Hand shower	*	*	*	*	*
Radio	*	*	*	*	*
Fan	*	*	*	*	*
Hook	*	*	*	*	*
Faucet	*	*	*	*	*
Rack	*	*	*	*	*
Ozone		*		*	
Steam		*		*	
Bluetooth		*		*	
Towel rack					
Top light					
Seat			*	*	
Tray shelf					
Massage					
Start switch					
Piverter valve					
Pillow					
Drainer	*	*	*	*	*
Handrail					
Water inlet					
Sauna stove					
Wooden bucket					
Wooden spoon					
Thermometer					
Hourglass					
Explosion-proof lights					



Model	SR-86155AS	SR-86120	SR-86120S	SR-86120B	SR-86120BS
Function					
Touch control panel	*	*	*	*	*
Backlight	*				
Top shower	*	*	*	*	*
Back massage	*	*	*	*	*
Hand shower	*	*	*	*	*
Radio	*	*	*	*	*
Fan	*	*	*	*	*
Hook	*				
Faucet	*	*	*	*	*
Rack	*	*	*	*	*
Ozone	*		*		*
Steam	*		*		*
Bluetooth	*				
Towel rack					
Top light		*	*	*	*
Seat		optional	optional	optional	optional
Tray shelf		optional	optional	optional	optional
Massage					
Start switch					
Piverter valve					
Pillow					
Drainer	*	*	*	*	*
Handrail					
Water inlet					
Sauna stove					
Wooden bucket					
Wooden spoon					
Thermometer					
Hourglass					
Explosion-proof lights					

Model	SR-9501	SR-9501B	SR-9501C	SR-86150	SR-86150S	SR-86159	SR-86202
Function							
Touch control panel				*	*	*	*
Backlight							
Top shower	*	*	*	*	*	*	*
Back massage	*	*	*	*	*	*	*
Hand shower	*	*	*	*	*	*	*
Radio				*	*	*	*
Fan				*	*	*	*
Hook							*
Faucet	*	*	*	*	*	*	*
Rack	*	*	*	*	*	*	*
Ozone							
Steam					*		*
Bluetooth							*
Towel rack							
Top light				*	*	*	*
Seat	*	*	*			optional	
Tray shelf						optional	
Massage	*	*	*				*
Start switch	*	*	*				*
Piverter valve	*	*	*				
Pillow	*	*	*				
Drainer	*	*	*	*	*	*	*
Handrail	*	*	*				
Water inlet	*	*	*				*
Sauna stove							
Wooden bucket							
Wooden spoon							
Thermometer							
Hourglass							
Explosion-proof lights							




### SR-89102S(L)

Stainless steel profile with toughened glass;  
 With ceiling light, fan, FM, ozone, 3KW steam & bluetooth;  
 Built-in touch control panel both outside and inside cabin;  
 With top rain shower, hand shower & faucets;  
 With teak- alike wood floor on the tray;  
 With free- standing seat, shampoo holder and towel racks.

#### Technical parameter

Size: 1500x1000x2200mm  
 Material: PMMA&ABS composite sheet, glass, aluminum alloy  
 With or without steam: With  
 Voltage/frequency: 220V/50HZ  
 Rate power: 3100W  
 Color: Black/White



black flower pattern removable




white

### SR-89101S(R)

Stainless steel profile with toughened glass;  
 With ceiling light, fan, FM, ozone, 3KW steam & bluetooth;  
 Built-in touch control panel both outside and inside cabin;  
 With top rain shower, hand shower & faucets;  
 With teak- alike wood floor on the tray;  
 With free- standing seat, shampoo holder and towel racks.

#### Technical parameter

Size: 1000x1000x2200mm  
 Material: PMMA&ABS composite sheet, glass, aluminum alloy  
 With or without steam: With  
 Voltage/frequency: 220V/50HZ  
 Rate power: 3100W  
 Color: Black/White



black - flower pattern removable



white

### SR-89103S(R)

Stainless steel profile with toughened glass  
 Built-in touch control panel both outside and inside cabin;  
 With ceiling light, fan, FM, ozone, 3KW steam & bluetooth;  
 Sauna room made by natural wood and equipped with  
 Finland HARVIA sauna stove, along with spoon and timer;  
 With top rain shower, hand shower, back massage jets and faucets;  
 With teak- alike wood floor on the tray;  
 With free- standing seat, shampoo holder and towel racks.

#### Technical parameter

Size: 1800x1300x2200mm  
 Material: PMMA&ABS composite sheet, glass, aluminum alloy  
 With or without steam: With  
 Voltage/frequency: 220V/50HZ  
 Rate power: 3100W  
 Color: Black/White



black flower pattern removable



white





### SR-89106S

Stainless steel profile with toughened glass;  
 With ceiling light, fan, FM, ozone, 3KW steam & bluetooth;  
 Built-in touch control panel both outside and inside cabin;  
 Inside panel with flower design and strip lighting on back;  
 With top rain shower, hand shower & faucets;  
 Being able to give shower for 2 persons at same time;  
 With teak-like wood floor on the tray;  
 With free-standing seat, shampoo holder and towel racks.


#### Technical parameter

Size: 1300x1300x2200mm  
 Material: PMMA&ABS composite sheet, glass, aluminum alloy  
 With or without steam: With  
 Voltage/frequency: 220V/50HZ  
 Rate power: 3150W  
 Color: Black/White



black flower pattern removable

white





### SR-89105S(R)

Stainless steel profile with toughened glass;  
 With ceiling light, fan, FM, ozone, 3KW steam & bluetooth;  
 Built-in touch control panel both outside and inside cabin;  
 With top rain shower, hand shower & faucets;  
 With teak- alike wood floor on the tray;  
 With free- standing seat, shampoo holder and towel racks.

Technical parameter
Size:1200x900x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: With
Voltage/frequency: 220V/50HZ
Rate power: 3100W
Color: Black/White




white black optional



### SR-86120BS(L)

White aluminum profile with white painted back glass;  
 Built-in inside control panel on back;  
 With top light, fan, FM, radio, ozone, steam;  
 With adjustable back massage jets, top shower, hand shower;  
 Soft- closing sliding door.



Technical parameter
Size:1200x900x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: With
Voltage/frequency: 220V/50HZ
Rate power: 3100W
Color: White



### SR-86120(R) / 86120S(R)

White profile with white painted back glass;  
 Built-in inside control panel on back;  
 With top light, fan, FM, radio, ozone, steam;  
 With adjustable back massage jets, top shower, hand shower;  
 Pull-out door design.


Technical parameter
Size:900x1000x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: SR- 86120 Without / SR- 86120S With
Voltage/frequency: 220V/50HZ
Rate power: SR- 86120 20W / SR- 86120S 3100W
Color: White



### SR-86151 / 86151S

White profile with white painted back glass;  
 Built-in black glass function column with touch control panel;  
 With colorful lights, fan, FM, bluetooth, ozone, steam;  
 With top rain shower, hand shower and back massage jets;  
 With shampoo holder;  
 Tray height 420mm.

Technical parameter
Size:900x900x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: SR- 86151 Without / SR- 86151S With
Voltage/frequency: 220V/50HZ
Rate power: SR- 86151 20W / SR- 86151S 3100W
Color: Black/White



white




black

### SR-86151A / 86151AS

White profile with white painted back glass;  
 Built-in black glass function column with touch control panel;  
 With colorful lights, fan, FM, bluetooth, ozone, steam;  
 With top rain shower, hand shower and back massage jets;  
 With shampoo holder;  
 Tray height 150mm.

Technical parameter
Size:900x900x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: SR- 86151A Without / SR- 86151AS With
Voltage/frequency: 220V/50HZ
Rate power: SR- 86151A 20W / SR- 86151AS 3100W
Color: Black/White



white




black

SR-86153 / 86153S

White profile with white painted back glass;  
 Built- in black glass function column with touch control panel;  
 With colorful lights, fan, FM,bluetooth,ozone, steam;  
 With top rain shower,hand shower and back massage jets;  
 With shampoo holder;  
 Tray height 420mm.

Technical parameter
Size:1000x1000x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: SR- 86153 Without SR- 86153S With
Voltage/frequency: 220V/50HZ
Rate power: SR- 86153 20W SR- 86153S 3100W
Color: Black/White




white black

SR-86152 / 86152S

White profile with white painted back glass;  
 Built- in black glass function column with touch control panel.  
 With colorful lights, fan, FM,bluetooth,ozone,steam;  
 With top rain shower,hand shower and back massage jets;  
 With shampoo holder;  
 Tray height 420mm and L/R reversible.

Technical parameter
Size:1100x800x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: SR- 86152 Without SR- 86152S With
Voltage/frequency: 220V/50HZ
Rate power: SR- 86152 20W SR- 86152S 3100W
Color: Black/White




white black

SR-86153A / 86153AS

White profile with white painted back glass;  
 Built- in black glass function column with touch control panel;  
 With colorful lights, fan, FM,bluetooth,ozone,steam;  
 With top rain shower,hand shower and back massage jets;  
 With shampoo holder;  
 Tray height 150mm.

Technical parameter
Size:1000x1000x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: SR- 86153A Without / SR- 86153AS With
Voltage/frequency: 220V/50-HZ
Rate power: SR- 86153A 20W / SR- 86153AS 3100W
Color: Black/White




white black

SR-86152A / 86152AS

White profile with white painted back glass;  
 Built- in black glass function column with touch control panel;  
 With colorful lights, fan, FM,bluetooth,ozone,steam;  
 With top rain shower,hand shower and back massage jets;  
 With shampoo holder;  
 Tray height 150mm and L/R reversible.

Technical parameter
Size:1100x800x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: SR- 86152A Without / SR- 86152AS With
Voltage/frequency: 220V/50-HZ
Rate power: SR- 86152A 20W / SR- 86152AS 3100W
Color: Black/White




white black



SR-86155(L) / 86155S(L)

White profile with white painted back glass;  
 Built-in black glass function column with touch control panel;  
 With colorful lights, fan, FM, bluetooth, ozone, steam;  
 With top rain shower, hand shower and back massage jets;  
 With shampoo holder;  
 Tray height 420mm.

Technical parameter
Size: 1300x900x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: SR-86155 Without / SR-86155S With
Voltage/frequency: 220V/50HZ
Rate power: SR-86155 20W / SR-86155S 3100W
Color: Black/White



white




black

SR-86159

White profile with white painted back glass;  
 Built-in black glass function column with touch control panel.  
 With top light, fan, FM;  
 With top rain shower, hand shower and back massage jets;  
 With shampoo holder;  
 Tray height 150mm.


Technical parameter
Size: 1200x900x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: Without
Voltage/frequency: 220V/50HZ
Rate power: 20W
Color: White



SR-86155A(R) / 86155AS(R)

White profile with white painted back glass;  
 Built-in black glass function column with touch control panel;  
 With colorful lights, fan, FM, bluetooth, ozone, steam;  
 With top rain shower, hand shower and back massage jets;  
 With shampoo holder;  
 Tray height 150mm.

Technical parameter
Size: 1300x900x2200mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: SR-86155A Without / SR-86155AS With
Voltage/frequency: 220V/50HZ
Rate power: SR-86155A 20W / SR-86155AS 3100W
Color: Black/White



white




black

OLS-9501/OLS-9501B/OLS-9501C(R)

Combining bathtub and shower design;  
 Bright silver profile and grey back glass;  
 With shampoo holder, rain shower, hand shower;  
 With pillow, back massage jets and chromed start switch.

Technical parameter
Size: (1700/1600/1500)x850x2150mm
Material: PMMA&ABS composite sheet, glass, aluminum alloy
With or without steam: Without
Voltage/frequency: 220V/50HZ
Rate power: 750W
Optional: Thermostatic heater






### SR-86150 / 86150S

White profile with white painted back glass;  
 Touch control panel for top light, fan, FM, steam;  
 With glass shampoo holder;  
 With rain shower, back massage jets and hand shower;  
 Tray height 150mm.

**Technical parameter**

Size: 900x900x2250mm  
 Material: PMMA&ABS composite sheet, glass, aluminum alloy  
 With or without steam: SR-86202 Without / SR-86202 With  
 Voltage/frequency: 220V/50HZ  
 Rate power: SR-86150 20W / SR-86150S 3100W  
 Color: White/Chromed




white

### SR-86202/WS

Black profile with black painted back glass,  
 Touch control panel for ceiling light, fan, FM, 3KW steam & bluetooth,  
 With top rain shower, back jets, hand shower & faucet, storage shelf,  
 massage bathtub with water pump, 4 big jets, ABS chromed air switch  
 control plus massage pressure regulator, drainer.

**Technical parameter**

Size: 1500x900x2200mm  
 Material: glass, aluminum profile, acrylic  
 With or without steam: SR-86202WS With / SR-86202 Without  
 With or without massage bathtub: 86202WS with / 86202 without  
 Voltage/frequency: 220V/50HZ  
 Rate power: SR-86202 20W / SR-86202WS 3650W  
 Color: White/Black




### SR-86201

Chromed bright aluminium profile  
 With ceramic toilet, shower set, basin with pop up drainer,  
 mirror and shampoo holder,  
 With special sliding door 4mm and chromed brass handle,  
 toughened transparent glass 5mm,  
 Adjustable installation size ± 10mm, L/R reversible.  
 Tray height 160mm

**Technical parameter**

Size: 1200x1100x2100mm  
 Material: Aluminum alloy  
 With or without steam: Without  
 Color: Chromed



# SAUNA ROOM SERIES

People who pay attention to healthy quality of life, have their own health tips or healthy lifestyle – SAUNA just at home, enjoying healthy and cost-effective exclusive sauna.





Product model	Function							
	Finland sauna	Infrared sauna	Turkey Steam Suna	Infrared physical therapy	Shower system	Main material	Customization	Control model
SN-98109S-2000	●	●		○		American walnut(outside) African ayous(inside)	●	Intelligent control system
SN-99100I-1800	○	●	●		●	Canadian hemlock	●	Intelligent control system
SN-96116I-900/1000		●				Canadian hemlock		Intelligent control system
SN-96116I-1200/1400		●				Canadian hemlock		Intelligent control system
SN-96115I-1000/1200		●				Ebony veneer(outside) Canadian hemlock(inside)		Intelligent control system
SN-96121I-1000		●				Canadian hemlock		Intelligent control system
SN-96111S	●	○		○		Canadian hemlock	●	Intelligent control system
SN-97101S-1800	●	○		○		Canadian hemlock	●	Intelligent control system
SN-97102S-1800	●					Canadian cedar	●	Intelligent control system
SN-98100S-1500	●	○		○		German beech (outside) American white oak(inside)	●	Intelligent control system
SN-98100S-2000	●	○		○		German beech (outside) American white oak(inside)	●	Intelligent control system
SN-98101S-FTSH (1150/1400/1600/1800)	●					Ebony veneer(outside) Canadian hemlock(inside)		
SN-96120S-1400	●					Finland spruce		
SN-97100S-FTSH	●					German beech (outside) Canadian hemlock(inside)		
SN-95101I-1000/1100/1200		●				Canadian hemlock	●	Intelligent control system
SN-96125I-1050/1350		●		●		Burl wood(outside) Canadian hemlock(inside)		Intelligent control system

Light system	Function						
	Top surround light	Back atmosphere light	Bench atmosphere light	Music system	Auto-spraying system	Rated power	Voltage
●		Colorful	Colorful	●	○	4.0KW/6.0KW	AC220V/380V
●		Colorful		●		1.8KW/3.0KW	AC220V
Colorful				●		1.2KW/1.3KW	AC220V
Colorful				●		1.8KW/2.3KW	AC220V
●	Warm light	Colorful	Warm light	●		1.3KW/1.8KW	AC220V
Colorful				●		1.3KW	AC220V
●		Colorful		●	○	4.5KW	AC220V
●		Colorful		●	○	6.0KW	AC220V
●	Warm light	Colorful		●	○	6.0KW	AC220V
●	Warm light	Colorful		●	○	4.5KW	AC220V
●	Warm light	Colorful		●	○	6.0KW	AC220V
●		Warm light				3.0KW/3.0KW/ 6.0KW/6.0KW	AC220V
●						3.0KW	AC220V
●		Warm light				3.0KW/3.0KW/ 6.0KW/6.0KW	AC220V
●	Warm light	Colorful	Colorful	●		1.3KW/1.8KW /2.0KW	AC220V
●	Warm light	Colorful	Colorful	●		2.4KW/2.8KW	AC220V

● Standard ○ Optional





SN-98109S-200  

Infrared Harvia sauna room; colorful top light; ozone;  
Colorful back lights; inside & outside touch control system;  
Wooden bucket; wooden spoon; sandglass, wooden sleeper;  
Bluetooth & FM radio, MP3.  
(Customization is available)

Technical spec



Size: 2000\*1400\*2200mm

Material : African Aycous(inside) & American Walnut(outside)

Glass thickness: 10mm

Stove Power: 4.0KW(S) 6.0KW(I)



SN- 99100I-180C  

Shower steam cabin & infrared sauna; colorful top light; ozone;  
Colorful back lights; bluetooth & FM radio.  
(Customization is available)

Technical spec

Size: Sauna area: (1000/1100/1200)\*(1000/1100/1200)mm

Shower area : 900-1400mm

Height: 2080mm



Material : Canadian hemlock & matt black stainless steel

Glass thickness: 10mm

Power: 1.8KW(I) 3.0KW(S)







SN-96116I-1200/1400  

Infrared sauna with Canadian hemlock;  
With colorful top light;  
With Bluetooth & FM radio, MP3.



Technical spec  
Size: 1200\*1000\*2000mm/1400\*1100\*2000mm  
Material: Canadian hemlock  
Glass thickness: 8mm  
Power: 1.8KW / 2.3KW

SN-96116I-900/1000  

Infrared sauna with Canadian hemlock;  
With top colorful light;  
With bluetooth & FM radio, MP3.

Technical spec  
Size: 900/1000\*900/1000\*2000mm  
Material: Canadian hemlock  
Glass thickness: 8mm  
Power: 1.2KW/1.3KW



SN-96115I-1000/1200  

Canadian hemlock black ebony veneer;  
Infrared sauna with fancy back light; top light, ozone;  
Electronic control board; bluetooth and speaker.

Technical spec  
Size: 1200/1000\*1000\*2100mm  
Material: Canadian hemlock & black ebony veneer  
Glass thickness: 10mm  
Power: 1.6KW/1.3KW







SN-96121I-1000  

Infrared sauna with Canadian hemlock;  
 Back, shoulder and leg physiotherapy system;  
 Electronic control system;  
 With top light, ozone, bluetooth;  
 Colorful background lights;  
 FM function and resonance surround music system.

Technical spec



Size: 1000\*1000\*2000mm

Material: Canadian hemlock

Glass thickness: 8mm

Power: 1.3KW



SN-96111S-1500  

Sauna room with Harvia stove;  
 Top light, ozone;  
 Back with colorful lights;  
 Electronic control system; bluetooth;  
 Wooden bucket; wooden spoon;  
 Thermometer; sandglass.  
 (Customization is available)

Technical spec

Size: 1500\*1200\*2000mm



Material: Canadian hemlock

Glass thickness: 8mm

Stove Power: 4.5KW





SN-97101S-1800  

Canadian hemlock & German red beech;  
 Top light; ozone; back with colorful lights;  
 Electronic control system; bluetooth;  
 Wooden bucket; wooden spoon; thermometer;  
 Sandglass, wooden sleeper,  
 (Customization is available)


Technical spec



Size: 1800\*1800\*2000mm

Material: Canadian hemlock & German red beech

Glass thickness: 8mm

Stove Power: 6.0 KW



SN-97102S-1800  

Canadian red cedar & German red beech;  
 Top light; ozone; back with colorful lights;  
 Electronic control system; bluetooth;  
 Wooden bucket; wooden spoon;  
 Thermometer; sandglass.  
 (Customization is available)

Technical spec

Size: 1800\*1200\*2100mm


Material: Canadian red cedar & German red beech



Glass thickness: 8mm

Stove Power: 6.0 KW







SN-98100S-1500/2000  

Sauna room with Finland Harvia stove;  
 Top light; ozone;  
 Colorful back lights;  
 Electronic control system; bluetooth;  
 Wooden bucket & spoon;  
 Thermometer; sandglass.  
 (Customization is available)

Technical spec

Size: 2000\*1500\*1500/1200\*2000mm

Material: German red beech & American Aspen

Glass thickness: 8mm

Power: 6.0 KW/4.5 KW



SN-98101S-FTSH(1150/1400/1600/1800)   

Sauna room with Harvia stove;  
 Wooden bucket & spoon, timer.

Technical spec

Size: (1150/1400)\*1150\*2000mm

1600\*1250\*2000mm

1800\*1500\*2000mm



Material: Canadian hemlock & black veneer labelled outside

Glass thickness: 8mm

Stove Power: 3.0KW/6.0KW





SN-96120S-1400  

Sauna room with 3.0KW stove;  
Anti-explosive light, hour glass;  
Thermometer, wooden spoon.



Technical spec

Size: 1400\*1150\*2000mm

Material: Finland Spruce

Stove Power: 3.0KW



SN-97100-FTSH-1150/1400  

Finland sauna with Canadian hemlock;  
With Havia stove and quality stone;  
With top light, spoon, and timer.

Technical spec

Size: 1150/1400\*1150\*2000/1600\*1250\*2000/1800\*1500\*2000mm

Material: Canadian hemlock & German red beech

Glass thickness: 8mm

Power: 3.0KW/6.0KW








SN-95101I-1000/1100/1200  

Shower steam cabin & infrared sauna;  
 Top colorful light; ozone;  
 Back with colorful lights;  
 Electronic control board; bluetooth & FM radio.  
 (Customization is available)

Technical spec  
 Size: Sauna area: (1000/1100/1200)\*(1000/1100/1200)mm  
 Shower area : 900-1400mm  
 Height: 2080mm  
 Material : Canadian hemlock & matte black stainless steel  
 Glass thickness: 10mm  
 Power: 1.3KW/1.5KW/1.8KW



SN-96125I-1050/1350   


Infrared sauna with Canadian hemlock inside and burl wood veneer.  
 With leather physiotherapy backrest;  
 With digital control panel, easy to make variety of physical therapy mode;  
 With top light, ozone, bluetooth;  
 Colorful background lights;  
 With flexible folding cup holder;  
 With multi- button module in exquisite design.

Technical spec  
 Size: 1050/1350\*1050\*2160mm  
 Material : Canadian hemlock  
 Glass thickness: 8mm  
 Power: 2.4KW/2.8KW

## MATERIAL SELECTION



W01  
Finish White wood



W02  
Canadian Hemlock



W03  
Canadian Red cedar



W04  
German Red Beech timber



W05  
Ebony Technology veneer



W06  
Africa Ayous




W07  
American Walnut

# SHOWER ENCLOSURE

The collision and blend of calm and move, the balance and control of elegance and luxury, and surging water flow gives the tender touch to your body; materials from craftsmanship, full protection in every detail; enjoy bath time at will.





Visible metal texture, invisible precision structure.

The hinge is the driving force center of the shower room, which carries the running performance of the whole room.  
Precise six-layer structure and 304 stainless steel body ensure excellent dynamic force and strong bearing capacity and stability.



craftsmanship



For us, the pursuit of excellence is not a pursuit, but a standard. The accuracy of every details, ensuring the overall effect of perfection.



EVERY DETAIL  
GOES TO **perfection**

## Shower enclosure technical advantages



Automotive grade safety tempered glass



Explosion-proof membrane safety protection



Vacuum coating pattern



Easy clean nano glass



High-load concealed dust-proof track



150kg weight-tolerance ultra-quiet pulley



Anti-drop casting hinge



Comprehensive protection, 100% waterproof


# TECHNOLOGY

Four wheels and double track running make sure the stable and smooth running. Full contact between the wheel and the track helps minimize the noise caused by friction. The unique ride rail structure also helps to achieve ultra quiet effect.



## Security orbital motion systems

There are strips or pads between the glass and the profile and wheels to make sure soft closing and waterproof.









**S1-1D31** NEW

304 Stainless steel profile with matte black finish,  
10mm toughened transparent glass,  
Pull-out open door,  
Standard Size: 900\*900\*2200mm  
Size Option: L:900-1300mm, W:900-1300mm, H:1900-2200mm




**S1-3D31** NEW

304 Stainless steel profile with gun grey finish,  
10mm toughened transparent glass,  
Pull-out open door,  
Standard Size: 900\*900\*2000mm  
Size Option: L:900-1300mm, W:900-1300mm, H:1900-2200mm




**S1-1L31** NEW

304 Stainless steel profile with matte black finish,  
10mm toughened transparent glass,  
Pull-out open door,  
Standard Size: 1200\*800\*2000mm  
Size Option: L:1000-1200mm, W:800-1300mm, H:1900-2200mm




**S1-3L31** NEW

304 Stainless steel profile with gun grey finish,  
10mm toughened transparent glass,  
Pull-out open door,  
Standard Size: 1200\*800\*2000mm  
Size Option: L:1000-1200mm, W:800-1300mm, H:1900-2200mm




**S1-1S31** NEW

304 Stainless steel profile with matte black finish,  
10mm toughened transparent glass,  
Pull-out open door,  
Standard Size: 1300\*2000mm  
Size Option: L:1200-1800mm, H:1900-2200mm



**S1-3S31** NEW


304 Stainless steel profile with gun grey finish,  
10mm toughened transparent glass,  
Pull-out open door,  
Standard Size: 1300\*2000mm  
Size Option: L:1200-1800mm, H:1900-2200mm






**S1-5D31** NEW

304 Stainless steel profile with gun grey finish,  
10mm toughened transparent glass,  
Pull- out open door,  
Standard Size: 900\*900\*2000mm  
Size Option: L:900-1300mm,W:900-1300mm, H:1900-2200mm




**S1-7D31** NEW

304 Stainless steel profile with matte black finish,  
8mm toughened transparent glass,  
Pull- out open door,  
Standard Size: 900\*900\*2000mm  
Size Option: L:900-1200mm,W:900-2300mm, H:2000mm



**S1-5L31** NEW

304 Stainless steel profile with gun grey finish,  
10mm toughened transparent glass,  
Pull- out open door,  
Standard Size: 1200\*800\*2000mm  
Size Option: L:1000-1200mm,W:800-1300mm, H:1900-2200mm




**S1-2S22** NEW

304 Stainless steel profile with matte black finish,  
8mm toughened transparent glass,  
Two sliding doors with soft closing,  
Standard Size: 1300\*2000mm  
Size Option: L:1200-1800mm,H:1900-2100mm




**S1-5S31** NEW

304 Stainless steel profile with gun grey finish,  
10mm toughened transparent glass,  
Pull- out open door,  
Standard Size: 1300\*1200mm  
Size Option: L:1200-1800mm,H:1900-2200mm



**S1-6S22** NEW

304 Stainless steel profile with matte black finish,  
8mm toughened transparent glass,  
Two sliding doors,  
Standard Size: 1300\*2000mm  
Size Option: L:1200-1800mm,H:1900-2100mm





**SS-2026**

304 Stainless steel profile with brushed gold finish,  
8mm toughened transparent glass,  
One fixed door, one sliding doors,  
Standard Size: 1300\*2000mm  
Size Option: L:1200-1700mm,H:1900-2100mm




**SS-0804**

304 Stainless steel profile with matte black finish,  
8mm toughened transparent glass,  
Two fixed doors, one pull- out open doors,  
Standard Size: 900\*900\*2000mm  
Size Option: L:800-1200mm,W:800-1200mm, H:1900-2100mm




**SS-2027**

304 Stainless steel profile with gun grey finish,  
8mm toughened transparent glass,  
Three sliding doors,  
Standard Size: 1200\*2000mm  
Size Option: L:950-1800mm,H:1900-2100mm




**SR-2020**

304 Stainless steel plus aluminum as profile;  
8mm clear toughened glass;  
Graceful matte black finish on profile and handles;  
Horizontal handles and double sliding soft- closing doors;  
Standard Size: 1400\*2000mm  
Size option: L:1200-2000mm H:1900-2200mm




**SS-2033**

304 Stainless steel profile with matte black finish,  
8mm toughened transparent glass,  
Two fixed doors, two sliding doors,  
Standard Size: 900\*900\*2000mm  
Size Option: L:865-1300mm,W:865-1300mm, H:1900-2100mm



**SR-2023**

304 Stainless steel profile with matte black finish;  
8mm toughened transparent glass;  
Special two door handles with curve shape;  
Double side soft- closing sliding doors;  
Standard Size: 1400\*2000mm  
Size option: L:1200-2000mm H:1900-2000mm









**SR-2025**

304 Stainless steel profile with PVD treatment mirror color;  
8mm toughened transparent glass;  
Two sliding doors;  
Standard Size: 1300\*2000mm  
Size Option: L:1200-1800mm,H:1900-2100mm




**SR-3703**

304 Stainless steel profile with matte black finish;  
10mm toughened grey glass;  
Both push-open inside & pull-out open door;  
Standard Size: 1200\*800\*2000mm  
Size option: L:1000-1800mm W:800-1300mm H:1900-2200mm




**SR-2028**

304 Stainless steel profile with bright silver finish;  
8mm toughened transparent glass;  
Double soft-closing sliding doors with vertical handles;  
Standard Size: 900\*900\*2000mm  
Size option: L:900-1300mm W:900-1300mm H:1900-2000mm



**SR-3503**

304 Stainless steel profile with matte black finish;  
10mm toughened transparent glass;  
Vertical handle and pull-out open door;  
Standard Size: 1200\*800\*2000mm  
Size option: L:1000-1800mm W:800-1300mm H:1900-2200mm





**SR-LA001**

Aluminum profile with bright silver finish;  
5mm clear toughened glass;  
Stainless steel handles and double wheels sliding system;  
Standard Size: 900\*900\*1950mm  
Size option: L:900-1000mm W:900-1000mm H:1900-2000mm




**SR-LA004**

Aluminum profile with bright silver finish;  
6mm clear toughened glass;  
Stainless steel handle and double wheels sliding system;  
Standard Size: 1200\*1950mm  
Size option: L:1200-1600mm H:1900-2000mm.




**SR-LA002**

Aluminum profile with bright silver finish;  
5mm clear toughened glass;  
Stainless steel handles and double wheels sliding system;  
Standard Size: 900\*900\*1950mm  
Size option: L:1200\*W800; L:1000\*W1000; H:1900-2000mm




**SR-LA005**

Aluminum profile with bright silver finish;  
6mm clear toughened glass;  
Stainless steel handle plus supporting rod;  
Standard Size: 900\*1950mm  
Size option: L:1200-1600mm H:1900-2000mm.




**SR-LA003**

Aluminum profile with bright silver finish;  
6mm clear toughened PIVOT glass;  
Standard Size: 800\*1500mm  
Size option: L:800-1100mm H:1500-2000mm.  
Bathtub model: BT- 66108B



**SR-LA006**


Aluminum profile with bright silver finish;  
5mm clear toughened glass;  
Round ABS chromed door handle;  
Standard Size: 900\*900\*1950mm  
Size option: L:900-1000mm W:900-1000mm H:1900-2000mm






**SR-LA007**

Aluminum profile with bright silver finish;  
5mm clear toughened glass;  
Round ABS chromed door handle;  
Standard Size: 900\*900\*1950mm  
Size option: L:900-1000mm W:900-1000mm H:1900-2000mm




**SR-1206**

Aluminum profile with bright silver finish;  
8mm clear toughened transparent glass;  
Stainless steel door handle;  
Standard Size: 1200\*800\*1900mm  
Size option: L:1200-1600mm W:800-1200mm H:1800-2000mm




**SR-1201**

Aluminum profile with bright silver finish;  
8mm clear toughened transparent glass;  
Stainless steel door handle;  
Standard Size: 1200\*1900mm  
Size option: L:1200-1600mm H:1800-2000mm




**SR-1722**

Aluminum profile with matte finish;  
6mm clear toughened transparent glass;  
Space saving design with PIVOT door handles;  
Standard Size: 900\*900\*1950mm  
Size: 900\*900\*1950mm




**SR-1205**

Aluminum profile with bright silver finish;  
8mm clear toughened transparent glass;  
Stainless steel door handles;  
Standard Size: 900\*900\*1900mm  
Size option: L:900-1000mm W:900-1000mm H:1800-2000mm



**SR-1727**

Aluminum profile with matte silver finish;  
6mm clear toughened transparent glass;  
Space saving design with PIVOT door handles;  
Standard Size: 950\*800\*2000mm





# HARDWARE SERIES


The commitment that is never hot and cold to you suddenly; a kind of intimacy that goes beyond being naked; the enjoyment that let you want forever; from details to experience, each bath is the baptism & sublimation of the whole body and mind.






**OLS-7601/B/W**

Air&water mix injection;  
 59 brass made;  
 3 modes of handheld;  
 Make a new look to catch your eyes;  
 Hidden bottom outlet, beautiful and space saved;  
 High- pressure spray gun strong water force to clean perfectly;  
 Color: chromed/matte white/matte black.




**OLS-7557GH/H**

Thermostatic brass stick shower;  
 Air&Water Mix injection;  
 59 Brass made;  
 3- generation descaling;  
 Moveable holder with anti- twisted flexible pipe;  
 90° rotatable bottom water outlet;  
 Color: chromed/matte black.




**OLS-7611/B**

Air injected and descaling brass stick shower;  
 Air injected enlarged square top shower;  
 One button to switch 3 modes;  
 Anti- twisted flexible pipe, with 360° rotatable connecting joint;  
 Big shampoo holder.  
 Color: chromed/matte black.



**OLS-7603H/HB**


Thermostatic 59 brass stick shower;  
 Air injected enlarged round top shower with silicon descaling;  
 3 modes of hand shower;  
 Anti- twisted flexible pipe, with shampoo holder;  
 Color: chromed+white/matte black.






**OLS-7604H/HB/HS**

Thermostatic 59 brass stick shower;  
Air injected enlarged square top shower with descaling function;  
Revolutionary piano keys to switch the 3 modes;  
Anti-twisted flexible pipe, with wide shampoo holder;  
Color: chromed/matte black/gun grey.




**OLS-K1266**

Brass chromed shower faucet with flex + hand shower + holder  
Spout length 8cm;  
Color: chromed.




**OLS-K1267**

Brass chromed shower faucet with flex + hand shower + holder;  
Color: chromed.



**OLS-K1225A/AB/AG/AS**

Thermostatic wall mounted shower set with square panel;  
2 function water outlet for the top shower;  
With rain shower+ rod;  
Air-injected shower with descaling;  
button and knob to easy switch the modes;  
Color: chromed/matte black/brushed gold/gun grey.











**OLS-K1220A/AB/AS**

Wall mounted shower set with round panel;  
2 function water outlet;  
With rain shower+ rod;  
Air- injected shower with descaling;  
Color: chromed/matte black/gun grey.




**OLS-7616H/HB/HS**

Thermostatic air- injection brass mixer;  
Stainless steel extendable stick;  
3 shower modes of hand shower;  
Left diverter controls top shower, hand shower and bottom spout;  
Right knob controls the water temperature.  
Color:chromed/matte black/gun grey.




**OLS-7575**

Stainless steel chromed stick extendable;  
Anti- twisted SUS304 shower flex;  
Air- injected hand shower with sliding bar;  
Color: chromed.



**OLS-K1226A/AS**

Thermostatic wall mounted shower set with square main body;  
2 function water outlet;  
With rain shower+rod;  
Air- injection shower with descaling;  
Color:chromed/gun grey.











**OLS-7607HB/HS**

Thermostatic fashion shower set;  
Silicone + air- injection descaling top and hand shower;  
Stainless steel stick extendable;  
3- function hand shower with the newest Piano keypad designed buttons;  
Top shower with waterfall mode;  
anti- twisted flexible pipe;  
ABS bigger shampoo holder;  
Color: matte black/gun grey.




**OLS-7607HDB/HDS**

Thermostatic modern shower set;  
Silicone + air- injection descaling top and hand shower;  
Stainless steel stick extendable;  
3- function hand shower with the newest Piano keypad designed buttons;  
Anti- twisted flexible pipe;  
ABS bigger shampoo holder.  
Color: matte black/gun grey.




**OLS-7607HDB/HDS-1**

Thermostatic fashion shower set;  
Silicone+air- injection descaling hand shower;  
Stainless steel stick extendable;  
3- function hand shower with the newest Piano keypad designed buttons;  
Anti- twisted flexible pipe;  
ABS bigger shampoo holder.  
Color: matte black/gun grey.



**OLS-7609/B/S**


Stainless steel stick extendable;  
Silicone+air- injection descaling top and hand shower;  
Brass mixer with strong spray gun;  
3- function hand shower, anti- twisted flexible pipe;  
ABS bigger shampoo holder;  
Temperature and shower time can be displayed;  
Color: chromed/matte black/gun grey.






**OLS-GK1299**


Stainless steel chromed stick extendable;  
 Rain shower ABS chromed;  
 Hand shower with sliding bar;  
 Brass chromed mixer with bottom spout.  
 Color: chromed.



**OLS-GK1699**


Stainless steel chromed stick extendable;  
 Rain shower ABS chromed;  
 Hand shower with simple gun spray function;  
 Brass chromed mixer with bottom spout;  
 With top shower rotatable.  
 Color: chromed.





### OLS-K1119


Brass chromed gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex.



### OLS-K1119S

Brass gun grey gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex.





**OLS-K1002BT**


Brass chromed gravity die casted;  
Air-injected & descaling water spout.



NEW

**OLS-K1032B**


Fashion matte black coating;  
Brass gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex.



NEW

**OLS-K1032**


Brass chromed gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex.



NEW

**OLS-K1032S**


Brass gun grey gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex.





**OLS-K1035**


Brass chromed gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex.



NEW


**OLS-K1036**

Brass chromed gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex & tap bubbler.



**OLS-K1035W**


Brass gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex;  
White coating body.




NEW

**OLS-K1036B**


Fashion matte black coating;  
Brass gravity die casted;  
High quality ceramic cartridge;  
With hot cold flex.






**OLS-K1081**

Brass chromed gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex;  
With body 180° rotatable.




**OLS-K1093**

Brass chromed gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex;  
Side handle to adjust water flow & temperature.



**OLS-K1081DJ**


Brass chromed gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex;  
180° rotatable water spout;  
16cm higher than OLS-K1081.



**OLS-K1093G**


Gold faucet made of 59 brass;  
With hot cold flex and NEOPRL aerator;  
With high quality ceramic cartridge.






**OLS-K1096**

Brass chromed gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex;  
With pull-out water outlet.




**OLS-K1099**

Faucet made of 59 brass;  
With hot cold flex and NEOPRL aerator;  
With high quality ceramic cartridge.




**OLS-K1096B**

Matte black coating gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex;  
With pull-out water outlet.




**OLS-K1055**

Gun grey faucet made of 59 brass;  
With hot cold flex and NEOPRL aerator;  
High quality ceramic cartridge.




**OLS-K1101**

Chromed faucet made of 59 brass and zinc alloy;  
Quality ceramic cartridge;  
With pull-out water outlet.




**OLS-K1101G**

Brushed gold color faucet made of 59 brass and zinc alloy;  
Quality ceramic cartridge;  
With pull-out water outlet.



**OLS-K1101B**

Matte black color faucet made of 59 brass and zinc alloy;  
Quality ceramic cartridge;  
With pull-out water outlet.




**OLS-K1101S**

Gun grey color faucet made of 59 brass and zinc alloy;  
Quality ceramic cartridge;  
With pull-out water outlet.



**OLS-K1313**

Brass chromed wall mounted basin mixer;  
With high quality ceramic cartridge.




NEW




**OLS-K1316A**

Brass chromed wall mounted basin mixer;  
With high quality ceramic cartridge.



**OLS-K1313B**

Matte black coating wall mounted basin mixer;  
With high quality ceramic cartridge.




NEW



**OLS-K1316AB**

Brass matte black coating wall mounted basin mixer;  
With high quality ceramic cartridge.









**OLS-K1317A**

Brass chromed wall mounted basin mixer;  
With high quality ceramic cartridge.




**OLS-K1317AB**

Brass wall mounted basin mixer;  
With fashion matte black finish;  
High quality ceramic cartridge.




**OLS-K1317AG**

Brass wall mounted basin mixer;  
With classical brushed gold finish;  
With high quality ceramic cartridge.



**OLS-K1317AS**

Brass wall mounted basin mixer;  
With chic gun grey finish;  
With high quality ceramic cartridge.






NEW


**OLS-K1318AB**

Brass wall mounted basin mixer;  
With high quality ceramic cartridge;  
With chic matte black coating.



**OLS-K1057**


Brass chromed faucet made of 59 brass;  
With hot cold flex and NEOPRL aerator;  
With high quality ceramic cartridge.



NEW

**OLS-K1318A**


Brass chromed wall mounted basin mixer;  
With high quality ceramic cartridge.




NEW

**OLS-K1107W**


Fashion matte white coating;  
Brass gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex.






**OLS-K1110**

Brass chromed gravity die casted;  
Air-injected & descaling water spout.




**OLS-K1110B**

Fashion matte black coating;  
Brass gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex.



**OLS-K1116**


Brass chromed gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex.



**OLS-K1116S**

Fashion gun grey coating;  
Brass gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex.






### OLS-K1112T

Brass chromed gravity die casted;  
Air- injected & descaling water spout;  
With hot cold flex;  
The spout can be pulled, and the main body can be lifted and rotated.




NEW



### OLS-K1112TS

Brass gun grey gravity die casted;  
Air- injected & descaling water spout;  
With hot cold flex;  
The spout can be pulled, and the main body can be lifted and rotated.




### OLS-K1113Z

Customized gun grey coating smart basin mixer;  
Sensitive gesture or touch control;  
Temperature displayed and flexible to be adjusted;  
Safe anti- scald surface.




NEW



### OLS-K1112TB

Brass matte black gravity die casted;  
Air- injected & descaling water spout;  
With hot cold flex;  
The spout can be pulled, and the main body can be lifted and rotated.




**OLS-K1319A**

Brass chromed wall mounted basin mixer;  
High quality ceramic cartridge;  
Imported bubble aerator, dense and soft water flow.




NEW



**OLS-K1319AS**

Brass gun grey coating wall mounted basin mixer;  
High quality ceramic cartridge;  
Imported bubble aerator, dense and soft water flow.




**OLS-K1117S**

Gun grey coating faucet made of 59 brass;  
With high quality ceramic cartridge;  
With hot cold flex and NEOPRL aerator.



NEW




**OLS-K1109**

Brass chromed gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex;  
Rotatable water spout.



NEW




**OLS-K1109S**

Modern gun grey coating;  
Brass gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex;  
With rotatable water outlet.




**OLS-CF001**

Brass chromed pull-out kitchen sink faucet;  
With rotatable 2-function water outlet;  
With hot cold flex, quality ceramic cartridge and tap bubbler.



NEW




**OLS-K1109B**

Fashion matte black coating;  
Brass gravity die casted;  
Quality ceramic cartridge;  
With hot cold flex;  
Rotatable water spout.



**OLS-CF002B**

Matte black coating pull-out kitchen sink faucet;  
With rotatable 2-function water outlet;  
With hot cold flex, quality ceramic cartridge and tap bubbler.









**OLS-GP801AB**

Brass chromed sensor faucet, AC(220V);  
Optional: DC or AC/DC.




**OLS-GP802ABDJ**

Brass chromed sensor faucet, AC(220V);  
Optional: DC or AC/DC;  
13cm higher than GP802AB.




**OLS-GP802AB**

Brass chromed sensor faucet, AC(220V);  
Optional: DC or AC/DC.



**OLS-GP805AB**


Brass chromed sensor faucet, AC(220V);  
Optional: DC or AC/DC.






**OLS-K1037**

Brass chromed pull-out kitchen sink faucet;  
 With rotatable 2-function water outlet;  
 With hot cold flex;  
 With high quality ceramic cartridge and tap bubbler.




**OLS-K1111**

Brass chromed gravity die casted;  
 Quality ceramic cartridge, zinc alloy handle;  
 With hot cold flex.




**OLS-K1091**


Brass chromed gravity die casted;  
 Quality ceramic cartridge;  
 With hot cold flex;  
 180° rotatable water spout.



**OLS-K1111B**



Brass matte black coating gravity die casted;  
 Quality ceramic cartridge, zinc alloy handle;  
 With hot cold flex.






**OLS-K1601**

Brass chromed;  
 CERAM TEC cartridge;  
 NEOPERL aerator;  
 With installation kit.



**OLS-K1602**


Brass chromed;  
 CERAM TEC cartridge;  
 NEOPERL aerator;  
 With installation kit.



**OLS-K1601-W**


Brass white coating;  
 CERAM TEC cartridge;  
 NEOPERL aerator;  
 With installation kit.






**OLS-K06**

Washing machine faucet;  
Brass chromed gravity die casted;  
Quality ceramic cartridge;  
304 stainless steel handle.




**OLS-K08**

Washing machine faucet;  
Brass chromed gravity die casted;  
Quality ceramic cartridge;  
304 stainless steel handle.



**OLS-K07**

Washing machine faucet;  
Brass chromed gravity die casted;  
Quality ceramic cartridge;  
304 stainless steel handle.




**OLS-K09**

Washing machine faucet;  
Brass chromed gravity die casted;  
Quality ceramic cartridge;  
304 stainless steel handle.




**OLS-GP861AB**

Brass chromed urinal flush sensor, AC/DC;  
Stainless steel panel.



**OLS-GP872AB**

Brass chromed urinal flush sensor, AC/DC;  
Stainless steel panel.




**OLS-GP862AB**

Brass chromed urinal flush sensor, AC/DC;  
Stainless steel panel.




**OLS-P8010**

Brass chromed toilet flush valve;  
With time-stand by.




**OLS-GP863AB**

Brass chromed urinal flush sensor, AC/DC;  
Stainless steel panel.




**OLS-P8012**

Brass chromed toilet flush valve;  
With time-stand by.




**OLS-GP865AB**

Brass chromed urinal flush sensor, AC/DC;  
Stainless steel panel.




**OLS-P8017**

Brass chromed urinal flush sensor, AC/DC;  
Stainless steel panel;  
With time-stand by.




**OLS-GP871AB**

Brass chromed urinal flush sensor, AC/DC;  
Stainless steel panel.



**OLS-P8111**


Brass chromed toilet flush valve;  
With time-stand by.






**OLS-P8102-1**

Brass chromed toilet flush valve;  
With time-stand by.




**OLS-P8104**

Brass chromed toilet flush valve;  
With time-stand by.




**OLS-P8110**

Brass chromed toilet flush valve;  
With time-stand by.




**OLS-P8014**

Brass chromed anti-odor floor drain.




**OLS-P631**

Brass chromed anti-odor floor drain.




**OLS-P631N**

Brass brushed nickel anti-odor floor drain.




**OLS-P633**

Brass chromed wash machine anti-odor floor drain.




**OLS-P634H**

Brass chromed anti-odor floor drain, with magnetic water seal.




**OLS-P635H**

Brass chromed anti-odor floor drain, with magnetic water seal.



**OLS-P635N**

Brass chromed brushed nickel anti-odor floor drain, with magnetic water seal.









**OLS-P637**

Brass chromed anti-odor floor drain, with magnetic water seal.




**OLS-GP15**

Brass chromed pop up drainer.




**OLS-P637N**

Brass brushed nickel anti-odor floor drain, with magnetic water seal.




**OLS-GP16**

Brass chromed pop up drainer.




**OLS-P638TL**

Brass chromed lengthened floor drain, with magnetic water seal.




**OLS-GP17**

Brass chromed pop up drainer.




**OLS-P638TS**

Brass gun grey lengthened floor drain.



**OLS-GP17S**


Brass gun grey pop up drainer.






**OLS-GP18**

Brass chromed pop up drainer.



**OLS-GP21**

Brass chromed pop up drainer.



**OLS-P7201-S/SS/SB**

Stainless steel gun grey/matte black/chromed coating bath towel rack



**OLS-P7202-S/SS/SB**

Stainless steel gun grey/matte black/chromed coating bath shelf



**OLS-P7203-S/SS/SB**

Stainless steel gun grey/matte black/chromed coating bath towel rack



**OLS-P7204-S/SS/SB**

Stainless steel gun grey/matte black/chromed coating bath towel rack



**OLS-P7205-S/SS/SB**

Stainless steel gun grey/matte black/chromed coating toilet paper holder



**OLS-P7206-S/SS/SB**

Stainless steel gun grey/matte black/chromed coating bath hook



**OLS-P7207-S/SS/SB**

Stainless steel gun grey/matte black/chromed coating toilet brush





**OLS-P7208/B/S**

Stainless steel gun grey/matte black/chromed coating toilet brush



**OLS-P7209/B/S**

Stainless steel gun grey/matte black/chromed coating bath towel rack



**OLS-P7210/B/S**

Stainless steel gun grey/matte black/chromed coating toilet paper holder



**OLS-P7211/B/S**

Stainless steel gun grey/matte black/chromed coating toilet paper holder



**OLS-P7212/B/S**

Stainless steel gun grey/matte black/chromed coating soap holder



**OLS-P7213/B/S**

Stainless steel gun grey/matte black/chromed coating cup holder



**OLS-P634L/S**

Brass anti-odor floor drain  
With magnetic water seal  
Brushed/gun grey optional



**OLS-P650L/S**

Brass anti-odor floor drain  
With magnetic water seal  
Chromed/brushed/gun grey optional




**OLS-P651TL/TS**

Brass lengthened anti-odor floor drain  
With magnetic water seal  
Brushed/gun grey optional



**OLS-P652TL/TS**

Brass lengthened anti-odor floor drain  
With magnetic water seal  
Brushed/gun grey optional






NEW

**OLS-P7201/W**

Stainless steel matte white/black coating bath towel rack



NEW

**OLS-P7202/W**


Stainless steel matte white/black coating shelf



NEW

**OLS-P7203/W**

Stainless steel matte white/black coating towel rack



NEW

**OLS-P7204/W**


Stainless steel matte white/black coating towel



NEW

**OLS-P7205/W**


Stainless steel matte white/black coating paper holder



NEW

**OLS-P7206/W**


Stainless steel matte white/black coating hook



NEW

**OLS-P7207/W**

Stainless steel matte white/black coating toilet brush






NEW

**OLS-SP-M001G/S**


304 stainless steel niche  
Color options: gold brushed/gun grey



NEW

**OLS-SP-M002G/S**

304 stainless steel niche  
Color options: gold brushed/gun grey



NEW

**OLS-SP-M003G/S**

304 stainless steel niche  
Color options: gold brushed/gun grey



NEW

**OLS-SP-M004LG/LS**


304 stainless steel niche  
Color options: gold brushed/gun grey



NEW


**OLS-SP-M005LG/LS**

304 stainless steel niche  
Color options: gold brushed/gun grey




**OLS-P2900SET**

Brass chromed shower set, including bath towel rack, paper holder, toilet brush and single towel rack



**OLS-P7900SET**

Brass chromed shower set, including bath towel rack, paper holder, toilet brush and single towel rack






**OLS-P7900SSET**

Brass gun grey coating shower set, including bath towel rack, paper holder, toilet brush and single towel rack




**OLS-P6900SET**

Matte black 304 stainless steel bathroom accessories, including bath towel rack, triangle mesh basket, paper holder, toilet brush and single towel rack




**OLS-P7900GSET**

Golden 304 shower set, including bath towel rack, paper holder, toilet brush and single towel rack



**OLS-P6900SSET**



Gun grey 304 stainless steel bathroom accessories, including bath towel rack, triangle mesh basket, paper holder, toilet brush and single towel rack






**OLS-8020S-T**

Stainless steel chromed triangle mesh basket




**OLS-8021S**

Stainless steel chromed double layers triangle mesh basket




**OLS-8022S**

Stainless steel chromed double layers triangle mesh basket




**OLS-8024S**

Brass chromed clothes hook




**OLS-8025S**

Brass chromed clothes hook




**OLS-8028S**

Brass chromed wall-mounted make-up mirror




**OLS-8029S**

Brass chromed wall-mounted make-up mirror




**OLS-8030S**

Stainless steel bright polished paper holder




**OLS-8031S**

Stainless steel bright polished paper holder



**OLS-8032S**

Stainless steel bright polished paper holder






**OLS-8033S**

Stainless steel bright polished paper holder




**OLS-PA007**

Stainless steel electroplated paper holder




**OLS-8034S**

Stainless steel bright polished hand rail




**OLS-PA005**

Stainless steel electroplated paper holder




**OLS-8035S**

Stainless steel bright polished hand rail




**OLS-PA291**

Brass chromed hexagon valve for water inlet pipe connection  
Zinc alloy handle chromed




**OLS-8023S-T**

Stainless steel chromed rectangle mesh basket




**OLS-PA286**

Brass chromed hexagon valve for water inlet pipe connection  
Zinc alloy handle chromed



**OLS-8023S-TS**

Stainless steel gun grey rectangle mesh basket



**OLS-P1768-1**


304 Stainless steel flexible pipe for water inlet connection  
Length 60mm






**OLS-8038T**

Stainless steel chromed triangle mesh basket




**OLS-8038BT**

Stainless steel matte black triangle mesh basket



**OLS-8038ST**

Stainless steel gun grey triangle mesh basket




**OLS-GC6007**

304 stainless steel kitchen sink  
Strong and durable, acid and alkali resistant, anti-noise cushion, anti-condensation frozen, waste pipe with 50mm diameter help with drainage.




**OLS-GC6008**

304 stainless steel kitchen sink  
Strong and durable, acid and alkali resistant, anti-noise cushion, anti-condensation frozen, waste pipe with 50mm diameter help with drainage.



**OLS-GC6005B**

304 stainless steel kitchen sink  
Strong and durable, acid and alkali resistant, anti-noise cushion, anti-condensation frozen, waste pipe with 50mm diameter help with drainage.



**OLS-GC6006**

304 stainless steel kitchen sink  
Strong and durable, acid and alkali resistant, anti-noise cushion, anti-condensation frozen, waste pipe with 50mm diameter help with drainage.

