



# U10-01/02 | UVC CORN LIGHT


60W/80W




## Specifications

Model No.	Power	Voltage	Wave length	Lamp type	Lamp base	Hold time	Lamp size	Operating Temp (°C/°F)	Life span	Weight (lbs=kgx2.2)	Color
U10-60W-01	60W±15%	100-120V 50-60Hz	254nm	UVC	E26 E27 E39 Ex39 E40	30/60/90/120 mins	E26:D94XL322mm E27:D94XL324mm E39:D94XL331mm Ex39:D94XL331mm E40:D94XL335mm	-10~35°C 14~95°F	9,000H	E26 NW:0.92kg GW:1.14kg	Matt Silver
U10-60W-02	60W±15%	220-240V 50-60Hz	254nm	UVC	E26 E27 E39 Ex39 E40	30/60/90/120 mins	E26:D94XL322mm E27:D94XL324mm E39:D94XL331mm Ex39:D94XL331mm E40:D94XL335mm	-10~35°C 14~95°F	9,000H	E39 NW:0.95kg GW:1.17kg	Matt Silver
U10-80W-01	80W±15%	100-120V 50-60Hz	254nm	UVC	E26 E27 E39 Ex39 E40	30/60/90/120 mins	E26:D94XL422mm E27:D94XL424mm E39:D94XL431mm Ex39:D94XL431mm E40:D94XL435mm	-10~35°C 14~95°F	9,000H	E26 NW:1.10kg GW:1.35kg	Matt Silver
U10-80W-02	80W±15%	220-240V 50-60Hz	254nm	UVC	E26 E27 E39 Ex39 E40	30/60/90/120 mins	E26:D94XL422mm E27:D94XL424mm E39:D94XL431mm Ex39:D94XL431mm E40:D94XL435mm	-10~35°C 14~95°F	9,000H	E39 NW:1.12kg GW:1.37kg	Matt Silver

# Feature



Quartz tube



Wireless control



18S delay start-up



Ozone-free UV




Microwave and PIR Sensor Built-in




Effectively kill 99.99% mites



effective killing of parasites 99.9%



effective killing of virus 99.9%





UV irradiation

## Ozone-free UV lamp


Ultraviolet light rays travel in a straight line, they do not purification a surface if it is blocked from the direct light

## Sensor Built-in


Ceiling Mount  
Top View



Wall Mount  
Top View




Top View




## Feature

- U10 Microwave and PIR Sensor Built-in



3D sensor detection: 1 Microwave + 3 PIR sensors, automatically turn off when unintended entry detected;

- U10 Wireless Remote



- U10 Base Options




- U10 Installation method

Optional accessories:  
eyebolt base and tripod (M8 adapter)




## Dimensions

U10-60W



E26 D94XL322mm

U10-80W




E26 D94XL422mm

# Application



# Packing

Model No.	Inner box size (mm) (x0.0393=inch)	N.W per lamp (kg) (lbs=kgx2.2)	G.W per lamp (kg) (lbs=kgx2.2)	G.W per Carton (kg) (lbs=kgx2.2)	Carton size (mm) (x0.0393=inch)	Quantity per carton
U10-60W-01	380x124x124mm	E26 0.92Kg	E26 1.18Kg	E26 15.14Kg	511x387x400mm	12PCS
U10-60W-02		E39 0.95Kg	E39 1.21Kg	E39 15.37Kg		
U10-80W-01	480x124x124mm	E26 1.10Kg	E26 1.40Kg	E26 17.86Kg	511x387x500mm	12PCS
U10-80W-02		E39 1.12Kg	E39 1.42Kg	E39 18.16Kg		
L21 (Eyebolt base;E27/E39)	130x130x92mm	0.38Kg	0.496Kg	6.72Kg	535x400x112mm	12PCS
L22-02 (Tripod)	890x136x136mm	2.42Kg	2.795Kg	18.13Kg	905x424x290mm	6PCS



## CAUTIONS

- Risk of electric shock. Do not use where directly exposed to water.
- Avoid UV light direct eyes and skin when turn on the lamp.
- Don't take apart the lamps without our permit.

**GK** SHENZHEN GUANKE TECHNOLOGIES CO.,LTD

Bldg 34, XiaLang Industrial Zone, HeShuiKou Community, MaTian St., GuangMing Dist., ShenZhen 518106, China

Tel: +86-755-27165559  
E-mail: info@szguanke.com

Fax: +86-755-27543939  
Web: www.gkuvc.com