



Common Flange Flexible Duct

China manufacturer high quality galvanized steel square rectangular common flange flexible duct. The common flange flexible duct has low resistance, high density, good feature of compression strength, fire-proof performance better than steel plate, oxygen index 100, non-burning Grade A.

Product Description

Common flange flexible duct

China manufacturer High quality galvanized steel square rectangular common flange flexible duct.

Product introduction of the common flange flexible duct

1. low resistance, high density,
2. good feature of compression strength.
3. Fire-proof performance better than steel plate, oxygen index 100, non-burning Grade A.

Product specification of the common flange flexible duct

Material	galvanized sheet iron, stainless steel
Brand name	JUGE
color	custom
Version	custom
Product name	Common flange flexible duct

Product feature and application of the common flange flexible duct

We offer customized production according to your drawings or samples.

Product details of the common flange flexible duct

Our factory produced the common flange flexible duct by advance equipment with strict quality.All product polishing surface then powder coated.It can effectively strengthen indoor ventilation.Easy to install and stamping corner code is more firm.

























FAQ (Frequently Asked Questions)

Give us a chance,we will offer our best!

Q1: How to guarantee the quality of the product?

A1: We have our own QC team to control product's quality during producing.

Q2: How to pack exported goods ?

A2: Paper corner protected + PVC bag + strong carton box (Standard Export Packing).

Q3: How long for a full container 20/40ft be finished ?

A3: Usual 15-20 work days once received advance payment.

Q4: What we need to quote the best price for you ?

A4: Just send us an inquiry, so easy!

Ningbo JUGE Electromechanical Equipment Co.,LTD

Phone:+86-13396633530

E-mail: nick@nbjuge.com

Q5: Can we get samples?

A5: Of course yes, we offer sample free!