



CM32



PERFORMANCE DATA

Model	Power		Q m³/h L/min	0	6	9	12	15	18	21	24	27	30
	kW	HP		0	100	150	200	250	300	350	400	450	500
CM32-160C	1.5	2		25	24	23	21	19	16	13.5	10		
CM32-160B	2.2	3		31.5	30.5	30	29.5	27	25.5	22	19	16	12
CM32-160A	3	4		37	36.5	36	36	35.5	34	32.3	29.8	27	23.5
CM32-200C	4	5.5		47.5	47	46.5	45	44	42	40	38		
CM32-200B	5.5	7.5	H (m)	55	55	54.5	53.5	52	50.5	48.5	46	43.5	
CM32-200A	7.5	10		64	63	63	62	62	59	55	53	50	
CM32-250C	7.5	10		65.5	65.5	65	65	64	62	60	57	54	50
CM32-250B	11	15		80	80	79	77	76	74	72	70	67	64
CM32-250A	15	20		90	90	89.5	89	88	87	85	83	80.5	78


CM40



PERFORMANCE DATA

Model	Power		Q m³/h L/min	0	6	9	12	15	18	21	24	27	30	36	42
	kW	HP		0	100	150	200	250	300	350	400	450	500	600	700
CM40-125C	1.5	2		17				16.5	16	15.5	14.5	14	13		
CM40-125B	2.2	3		20				19.5	19	18.5	17.5	16.5	16	13	
CM40-125A	3	4		25				24.5	23.5	23	22	21	19.5	17.5	
CM40-160C	2.2	3		27	27	26.5	26	25.5	25	24	23	22	20		
CM40-160B	3	4	H (m)	33			32.5	31.5	30.5	30	28.5	27	26	23	
CM40-160A	4	5.5		35.5			35	34.5	34	32.5	31.5	30	29.5	26	22.5
CM40-200B	5.5	7.5		45.5	43.5	43	42	41.5	41	40	38.5	38	36	33	30
CM40-200A	7.5	10		56.5	55	54	53	52.5	51.5	50.5	49.5	49	47	44	41
CM40-250B	11	15		70	69.5	70	69.5	69	68	67.5	66.5	66	64	60	58
CM40-250A	15	20		85.5			84.5	84	83.5	82.5	81.5	80	79	75	72


CM50



PERFORMANCE DATA

Model	Power		Q m³/h L/min	0	6	9	12	15	18	21	24	27	30	36	42	48	54	60	72	84
	kW	HP		0	100	150	200	250	300	350	400	450	500	600	700	800	900	1000	1200	1400
CM50-125C	2.2	3		16.5					16	15.5	15	14.5	13.5	13	12.5	11.5				
CM50-125B	3	4		19.5					19	18.7	18.5	18.2	17.6	17.2	16.5	15.5				
CM50-125A	4	5.5		23					23	22.7	22.4	22	21.5	21	20.5	19.5				
CM50-160C	4	5.5		28					27.8	27.5	27	26.5	26	25	24	22.5	21			
CM50-160B	5.5	7.5	H (m)	35			34.8	34.5	34	33.5	33	32.5	31.5	30.5	28.5	26.5	21.5			
CM50-160A	7.5	10		40			39.5	39	38.5	38	37.5	36.5	35.5	33.5	31.5	26.5	16.5			
CM50-200C	7.5	10		42					41	40	40	39	38	37	36	34	27	20		
CM50-200B	11	15		50					49.5	49	48.5	48	46.5	45	42.5	40	34	25		
CM50-200A	15	20		60			59.5	59	58.5	58	57	55.5	54	53.5	50.5	48	42	34		
CM50-250D	11	15		55			54.5	54	54	53.5	53	51	48	44	39					
CM50-250C	15	20		66			65	64.5	63	61.5	61	60.5	59	55	53.5					
CM50-250B	18.5	25		74					73.8	73.5	73	71	68.5	65	62.5	55.5				


CM65



PERFORMANCE DATA

Model	Power		Q m³/h L/min	0	30	36	48	60	72	84	96	108	120	132	144	156	168	180	198	216
	kW	HP		0	500	600	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3300	3600
CM65-125C	4	5.5		16	16	16	15.8	15.5	14.5	13.5	11.3	8								
CM65-125B	5.5	7.5		20	19.8	19.6	18.5	18	16.7	15.8	14	11.6	9.5							
CM65-125A	7.5	10		24	23.8	23.5	23	22.2	21.4	19.6	17.6	16	13.4	11						
CM65-160C	7.5	10	H (m)	32	30.5	30	28.5	27	25.5	24	21.5	20	16							
CM65-160B	11	15		40	39.5	38.5	38	36.5	34.5	32.5	29.5	25.5	24.5	21.5	17.5					
CM65-160A	15	20		43	42.5	41	40.5	39	37.5	36	33.5	31	29	23	21					
CM65-200C	15	20		45.5			45	44.5	43.7	42.3	40.5	38	35.3							
CM65-200B	18.5	25		50				49	48.5	47.3	45.5	43.5	38	38						
CM65-200A	22	30		56.5				56	55.5	54.5	53.5	51.5	49.5	47	44					

CM80



PERFORMANCE DATA

Model	Power		Q m³/h L/min	0	30	36	48	60	72	84	96	108	120	132	144	156	168	180	198	216
	kW	HP		0	500	600	800	1000	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000	3300	3600
CM80-160D	11	15		26.5			26	25.5	25	24	23.5	22.5	21	19	17.5	15.5	13			
CM80-160C	15	20	H (m)	30			29.5	29	28.5	28	27.5	26	25.5	23.5	22	20	18	15		
CM80-160B	18.5	25		35.5			35	34.5	34	33.5	33	32	31	29.5	28	26	24	18	16	
CM80-160A	22	30		39			38.5	38.2	38	37.5	36.5	36	35.5	33.5	32	30	28	23	18	