



[www.xinyuefastener.com](http://www.xinyuefastener.com)

## **Partially Threaded Studs**



We supply and export to our clients as well as worldwide, We are manufacturer of partially threaded studs, threaded rod, U bolts, anchor bolts and other Fasteners. Our factory with 25 years of experience. We are exporting to countries like USA, Europe, Saudi Arabia, Kuwait, Qatar, Jordan, Hungary, Finland, Iran, Ukraine etc.

## **1.Product Introduction**

Partially Threaded Studs are used in all types of applications. They can be welded to a flat surface, or to the inside or outside of an angle. Length: Length is listed before weld. Studs diameters 1/2" and below will be approx. 1/8" shorter after welding.

## **2.Product Parameter (Specification)**

### **Partially Threaded Studs Specifications:**

**Finish:** Plain, Black, Zinc plate, Hot dipped galvanized.

**ASTM:** ASTM A307 & A193 Grade B7

**DIN:** DIN975, DIN976

**Rolled Threads:** UNC , UNF

**Diameters:** M6, M8, M10, M12, M16, M18, M20, M24.....

1/4, 5/16, 3/8, 1/2.....

**Length:** 100mm, 200mm.....

## **3.Product Feature And Application**

**Tel: +86-13511283997**

**Email: [Zentrale@xinyuefastener.com](mailto:Zentrale@xinyuefastener.com)**

Partially Threaded Studs have many applications, effectively working as a pin to fasten or connect two materials together. Also used to stabilise structures, they can be inserted into various materials like concrete, wood or metal to either temporarily create a steady base during construction or they can be installed permanently.

#### 4.Product Details

##### **Partially Threaded Studs description:**

Partially Threaded Studs are designed to be installed in a tapped hole and have different threaded lengths on each end and utilizes only one nut. They host high tensile strength and are generally used in high pressure and high-temperature environments.





