

Insulated Copper Earth Wire 10-120mm², Used in Earthing Set of High Voltage


Model:jecrod2-1

High quality Insulated Copper Earth Wire 10-120mm², Used in Earthing Set of High Voltage is offered by China manufacturer Jecsany. Buy Insulated Copper Earth Wire 10-120mm², Used in Earthing Set of High Voltage which is of high quality directly with low price.

Product Introduction

Wholesale Newest Insulated Copper Earth Wire 10-120mm², Used in Earthing Set of High Voltage made in China. Jecsany is a Insulated Copper Earth Wire 10-120mm², Used in Earthing Set of High Voltage manufacturer and supplier in China.









Technical Parameters Table:

Model	Total length	Closed length	OD of Bottom Tube	Net weigh
JTTS-3.8M-3	3.8M with 3Parts	1.50m	35	2.00kg
JTTS-5.0M-4	5M with 4Parts	1.56m	39	2.50kg
JTTS-6.4M-5	6.4M with 5Parts	1.68m	43.8	3.20kg
JTTS-7.8M-6	7.8M with 6Parts	1.72m	48.2	3.90kg
JTTS-9.2M-7	9.2M with 7Parts	1.82m	52.6	4.80kg
JTTS-10.6M-8	10.6M with 8 Parts	1.95m	57	6.00kg
JTTS-12.0M-8	12M with 8 Parts	2.10m	57	6.70kg
JTTS-12.5M-8	12.5M with 8Parts	2.15m	57	7.00kg

Operating Instruction

When used, ensure each section completely open and lock fixed in position. Pressing the button can make the stick retract.

When opened, stretch one by one from the lower section. After used, retract one by one from the upper section. Please grip the stick with the left hand when

retracting and press the button with the thumb and push the retraction section with the right hand. When not used, it should be stored in the dustproof and moisture proof ToolsLibrary. Dust and moisture will cause the loss of product performance.