



N08367(6Mo) Stainless Steel Seamless Pipe

As the professional manufacture, we would like to provide you high quality N08367(6Mo) Stainless Steel Seamless Pipe. And we will offer you the best after-sale service and timely delivery. Zhejiang Bewell Steel Co., Ltd. is a domestic enterprise specializing in the production, processing and sales of finished products such as Bewell® seamless pipes, welded pipes, pipe fittings, flanges and steel bars made of Bewell® stainless steel, duplex steel and high nickel alloy. In addition, we are experts in global export and have successfully supplied to more than 60 countries/regions. We insist on "Quality First, Reputation First", if you have any questions, please feel free to contact us.

Product Description

Zhejiang Bewell Steel Co., Ltd. Produces Bewell® stainless steel welded tubes with high precision, uniform wall thickness and high brightness in the internal appearance of the tubes, where the surface grade of the Bewell® steel plate determines the surface brightness of the tube, and the company can set the size arbitrarily according to customer requirements. Therefore, it is economical and beautiful.

Parameter(Specification) of the Bewell® N08367(6Mo) Stainless Steel Seamless Pipe

60	
Product name	Bewell® Stainless Steel Seamless Pipe
Grade	201,202,303, 303Cu,304,304L,316,316L,310S,316Ti,321,430,904L,etc.
Standard	AISI,ASTM,DIN,JIS,BS,NB
Certification	SGS,BV,IQI,TUV,ISO,etc.
Origin	Tisco, baosteel, jiusteel ,etc.
Specification	Wire: 0.01-10mm Strip: 0.05*5.0-5.0*250mm Bar: φ4-50mm;Length 2000-5000mm



	Pipe: φ6-273mm;δ1-30mm;Length 1000-8000mm
	Sheet: δ 0.8-36mm;Width 650-2000mm;Length 800-4500mm
Package	clients' requirement and Standard export sea-worthy packing
Delivery time	5-15 days subject to the clients' requirement and quantity
Advantages	1.low foundation cost 2.easy construction 3.time and labor saving 4.labor saving
Shipment	within 7-20 workdays
Packing	Tied up with steel strips and wrapped with water proof paper
Applications	1.construction:prefabricated house,steel house,mobile house,modular house,villa, bungalow design,portable house/carbin,ready made house,kiosk booths,steel building 2.container manufacturing 3.household appliances and furniture 4.vehicle and vessel manufacturing 5.others,like machinery structure parts,manufacturing shells of motors and so on
Trade Term:	EXW, FOB, CFR, CIF
Application	anti - corrosion roofing panel/roofing pile/Home appliance shell/chimney/kitchenware/ Anti-Corrosion resistant parts of cars/Refrigerating equipment for food/ Storage, transportation and packaging of products
Delivery time	3-15 days subject to the clients' requirement and quantity
Package	clients' requirement and Standard export sea-worthy packing

Feature and application of the Bewell® N08367(6Mo) Stainless Steel Seamless Pipe

Features:

Health and environmental protection No rusting

- (3) sturdy and durable
- (4) low replacement frequency

Application scenarios:

Zhejiang Bewell Steel Industry Co.,Ltd. Phone:+86-18072196625 E-mail:_bwss@vip.163.com



STAINLESS STEEL WELDED PIPE



Petrochemical



Boiler pipes



Sanitation tubes



Machine Tool



Food grade pipes



water pipe

Details of the Bewell® N08367(6Mo) Stainless Steel Seamless Pipe









FAQ

- 1. Q: Are you a factory or a trading company?
- A: We not only have our own factory but also have own trading company.
- 2. Q: Can you provide samples?
- A: Yes, if the sample is available in stock.
- 3. Q: Can you arrange the shipment?
- A: Sure, we have permanent freight forwarder who can gain the best price from most ship company and offer professional service.
- 4. Q: What is the delivery time?



A: It is based on the order, normally 15 - 20 days after receiving the deposit or L/C at sight.

5. Q: Do you have quality control?

A: Yes, we have gained BV, SGS authentication.

6. Q: What are your payment terms?

A: T/T, 30% advance, and balance against the copy of B/L within 3-5 days OR 100% irrevocable L/C at sight.

7.Q: What is your MOQ?

A: 5 tons for common size, or mix sizes for a 20 GP container.