

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 1 of 26

XIAMEN GREEN WAY ELECTRONIC TECHNOLOGY CO., LTD

厦门格睿伟业电子科技有限公司

No.8057, Xiang' an West Road, Xiamen City, PRC China

福建省厦门市翔安火炬二期翔安西路8057号

Report on the submitted samples said to be:

委托检测的样品及申请者对样品的说明如下：

Sample Description: ceramic heater element

样品描述：陶瓷发热芯

Color: white

颜色：白

Tested Style/Item No.①: E6038

主测型号：

Additional Style/ Item No.②: G90105、G94115、G106115、E13295、E7550、E7060、E7050、E075124、

附加型号：X34255、X50295、X5725、X5729、X57285、X5835、P04900

①The tested Style/ Item No. is tested by the lab. ②The Additional Styles/ Items No. declared in the applicant' s declaration are not tested, the materials and weight percentage of them are the same as the tested parts and the result of the test report is only responsible for the test sample.

Remark:

备注:

①实验室测试型号②附加型号:未测试型号，根据申请人所提供的同材质声明，以上所列附加型号样品与测试型号样品均为同种材质制成且重量百分比与主测型号完全相同，测试报告的结果仅对测试的样品负责。

Sample Receiving Date: May 05,2022

收样日期: 2022年05月05日


Testing Period: May 05,2022 - May 18,2022

测试周期: 2022年05月05日 - 2022年05月18日

Result: Please refer to next page(s).

测试结果: 请参见后续页。

Signed for and on behalf of BACL (BACL 授权签名)



Checked by:

审核:

Jenifer Yu-于倩芝

Approved by:

核准:

Fedor Zhang-张成



TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 2 of 26

Summary of Test Result:

测试结果概要:

TEST REQUEST

测试要求

A. Two hundred and eleven (211) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before January 19, 2021 regarding Regulation (EC) No 1907/2006 concerning the REACH

依据欧盟REACH法规(EC)号1907/2006, 测试欧洲化学品管理局于2021年01月19日及之前公布的211种高度关注物质 (SVHC) 的含量

CONCLUSION

结论

See Remark
见备注

Remark: According to the specified scope and analytical technique, concentrations of all 211 SVHC are <0.1% in the submitted sample(s).

备注: 根据指定的范围和分析方法进行测试, 所委托样品中的所有211种高度关注物质(211 SVHC)含量均<0.1%, 此结果符合REACH关于211种高度关注物质含量的限制要求



TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 3 of 26

Result:

测试结果:

Tested part(s):

测试部位:

- (1) Silvery metal(wire)
银色金属-线
- (2) Silvery metal(connection strap)
银色金属-连接片
- (3) White ceramic(heating core)
白色陶瓷-发热芯

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 4 of 26

A. Two hundred and eleven (211) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before January 19, 2021 regarding Regulation (EC) No 1907/2006 concerning the REACH

依据欧盟REACH法规(EC)号1907/2006, 测试欧洲化学品管理局于2021年01月19日及之前公布的211种高度关注物质 (SVHC) 的含量

Test Method: With reference to in-house method, Analysis is performed by ICP-AES, UV-VIS, IC, GC-MS, Headspace GC-MS, LC-MS/MS, HPLC-TS-MS.

测试方法: 参照倍科内部实验方法, 采用电感耦合等离子体发射光谱仪 (ICP-AES), 紫外-可见分光光度计 (UV-Vis), 离子色谱仪 (IC), 气相色谱质谱联用仪 (GC-MS), 顶空进样气相色谱质谱联用仪 (Headspace GC-MS), 高效液相色谱-质谱联用仪 (HPLC/MS), 高效液相色谱-热喷雾-质谱 (HPLC-TS-MS) 进行分析。

Item 项目	Unit 单位	RL	Result 测试结果		
			(1)	(2)	(3)
All Tested 211 SVHC in the Candidate 所有候选清单中的211种SVHC	%	0.010	N.D.	N.D.	N.D.

Full list of tested SVHC:

所有测试的SVHC全部清单:

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
1	Anthracene(ANT) 蒽	120-12-7	204-371-1	%	0.010	PBT
2	4,4'-diaminodiphenylmethane (9#) 4,4'-二氨基二苯甲烷	101-77-9	202-974-4	%	0.010	CMR
3	Dibutyl Phthalate(DBP) 邻苯二甲酸二丁酯	84-74-2	201-557-4	%	0.010	CMR
4	Cobalt Dichloride(CoCl ₂)* 二氯化钴	7646-79-9	231-589-4	%	0.010	CMR
5	Diarsenic Pentaoxide(As ₂ O ₅)* 五氧化二砷	1303-28-2	215-116-9	%	0.010	CMR
6	Diarsenic Trioxide(As ₂ O ₃)* 三氧化二砷	1327-53-3	215-481-4	%	0.010	CMR
7	Sodium Dichromate, Dihydrate* 重铬酸钠及二水化合物	7789-12-0; 10588-01-9	234-190-3	%	0.010	CMR
8	5-tert-butyl-2,4,6-trinitro-m- xylene(musk xylene) 2,4,6-三硝基-3,3-二甲基-5-叔 丁基苯(二甲苯麝香)	81-15-2	201-329-4	%	0.010	vPvB

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 5 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
9	Bis-(2-ethylhexyl) Phthalate (DEHP) 邻苯二甲酸二(2-乙基)己酯	117-81-7	204-211-0	%	0.010	Equivalent level of concern having probable serious effects to the environment (Article 57 f); Toxic for reproduction (article 57c) 具有相同毒性的物质; 生殖毒性.
10	Hexabromocyclododecane (HBCDD) 六溴环十二烷	25637-99-4 & 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)	247-148-4; 221-695-9	%	0.010	PBT
11	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (SCCP) 短链型C10-13氯化石蜡	85535-84-8	287-476-5	%	0.010	PBT
12	Bis(tributyltin)oxide (TBTO)** 氧化三丁锡 (TBTO)	56-35-9	200-268-0	%	0.010	PBT
13	Lead Hydrogen Arsenate* 砷酸氢铅	7784-40-9	232-064-2	%	0.010	CMR
14	Benzyl Butyl Phthalate (BBP) 邻苯二甲酸丁基苄基酯	85-68-7	201-622-7	%	0.010	CMR
15	Triethyl Arsenate* 三乙基砷酸酯	15606-95-8	427-700-2	%	0.010	CMR
16	Anthracene oil*** 蒽油	90640-80-5	292-602-7	%	0.010	PBT
17	Anthracene oil, anthracene paste, distn. lights*** 蒽油, 蒽糊, 轻油	91995-17-4	295-278-5	%	0.010	PBT
18	Anthracene oil, anthracene paste, anthracene fraction*** 蒽油, 蒽糊, 蒽馏分	91995-15-2	295-275-9	%	0.010	PBT
19	Anthracene oil, Anthracene-low*** 蒽油, 含蒽量少	90640-82-7	292-604-8	%	0.010	PBT
20	Anthracene oil, anthracene paste*** 蒽油, 蒽糊	90640-81-6	292-603-2	%	0.010	PBT
21	Diisobutyl phthalate (DIBP) 邻苯二甲酸二异丁酯	84-69-5	201-553-2	%	0.010	CMR
22	2,4-Dinitrotoluene 2,4-二硝基甲苯	121-14-2	204-450-0	%	0.010	CMR
23	coal tar pitch, high temperature*** 高温煤焦油沥青	65996-93-2	266-028-2	%	0.010	PBT

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 6 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
24	tris(2-chloroethyl)phosphate 磷酸三(2-氯乙基)酯	115-96-8	204-118-5	%	0.010	CMR
25	Lead sulfochromate yellow (C.I. Pigment Yellow 34) 铬酸铅(C.I.颜料黄34)	1344-37-2	215-693-7	%	0.010	CMR
26	C.I.Pigment Red 104 钼铬红(C.I.颜料红104)	12656-85-8	235-759-9	%	0.010	CMR
27	Lead chromate: chrome yellow 铬酸铅(铬黄)	7758-97-6	231-846-0	%	0.010	CMR
28	Acrylamide 丙烯酰胺	79-06-1	201-173-7	%	0.010	CMR
29	Trichloroethylene 三氯乙烯	79-01-6	201-167-4	%	0.010	CMR
30	Boric acid 硼酸	10043-35-3; 11113-50-1	233-139-2; 234- 343-4	%	0.010	CMR
31	Disodium tetraborate, anhydrous* 无水四硼酸二钠	1330-43-4;12179- 04-3;1303-96-4	215-540-4	%	0.010	CMR
32	Tetraboron disodium heptaoxide, hydrate* 水合七氧四硼酸二钠	12267-73-1	235-541-3	%	0.010	CMR
33	Sodium chromate* 铬酸钠	7775-11-3	231-889-5	%	0.010	CMR
34	Potassium chromate* 铬酸钾	7789-00-6	232-140-5	%	0.010	CMR
35	Ammonium dichromate* 重铬酸铵	7789-09-5	232-143-1	%	0.010	CMR
36	Potassium dichromate* 重铬酸钾	7778-50-9	231-906-6	%	0.010	CMR
37	Cobalt(II) sulfate* 硫酸钴	10124-43-3	233-334-2	%	0.010	CMR
38	Cobalt(II) dinitrate* 硝酸钴	10141-05-6	233-402-1	%	0.010	CMR
39	Cobalt(II) carbonate* 碳酸钴	513-79-1	208-169-4	%	0.010	CMR
40	Cobalt(II) diacetate* 醋酸钴	71-48-7	200-755-8	%	0.010	CMR
41	2-Methoxyethanol 乙二醇甲醚	109-86-4	203-713-7	%	0.010	CMR
42	2-Ethoxyethanol 乙二醇乙醚	110-80-5	203-804-1	%	0.010	CMR
43	Chromium trioxide* 三氧化铬	1333-82-0	215-607-8	%	0.010	CMR

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 7 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
44	Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid* 三氧化二铬及其低聚物产生的酸：铬酸二铬酸，铬酸及二铬酸的低聚物	7738-94-5; 13530-68-2	231-801-5;236-881-5	%	0.010	CMR
45	2-Ethoxyethylacetate 乙二醇乙醚醋酸酯	111-15-9	203-839-2	%	0.010	CMR
46	strontium chromate* 铬酸锶	7789-06-2	232-142-6	%	0.010	CRM
47	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters(DHNUP) 1,2-苯二酸-二(C7-11 支链与直链)烷基(醇)酯	68515-42-4	271-084-6	%	0.010	CMR
48	Hydrazine 肼	7803-57-8; 302-01-2	206-114-9	%	0.010	CMR
49	1-methyl-2-pyrrolidone(NMP) N-甲基吡咯烷酮	872-50-4	212-828-1	%	0.010	CMR
50	1,2,3-Trichloropropane 1, 2, 3-三氯丙烷	96-18-4	202-486-1	%	0.010	CMR
51	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich(DIHP(rich C7)) 1,2-苯二酸-二(C6-8 支链)烷基酯(富C7)	71888-89-6	276-158-1	%	0.010	CMR
52	Zirconia Aluminosilicate Refractory Ceramic Fibres**** 氧化锆硅酸铝耐火陶瓷纤维	---	---	%	0.010	CMR
53	Calcium arsenate* 砷酸钙	7778-44-1	231-904-5	%	0.010	CMR
54	Bis(2-methoxy ethyl)ether 二乙二醇二甲醚	111-96-6	203-924-4	%	0.010	CMR
55	Aluminosilicate Refractory Ceramic Fibres(RCF)**** 硅酸铝耐火陶瓷纤维	---	---	%	0.010	CMR
56	Potassium hydroxyoctaoxodizincatedichromate* 氢氧化铬酸锌钾	11103-86-9	234-329-8	%	0.010	CMR
57	Lead dipicrate 苦味酸铅	6477-64-1	229-335-2	%	0.010	CMR
58	N,N-Dimethylacetamide N,N-二甲基乙酰胺	127-19-5	204-826-4	%	0.010	CMR
59	Arsenic acid 砷酸，原砷酸	7778-39-4	231-901-9	%	0.010	CMR

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 8 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
60	2-Methoxyaniline; o-Anisidine (21#) 邻氨基苯甲醚	90-04-0	201-963-1	%	0.010	CMR
61	Trilead diarsenate* 砷酸铅	3687-31-8	222-979-5	%	0.010	CMR
62	1,2-Dichloroethane 1, 2-二氯乙烷	107-06-2	203-458-1	%	0.010	CMR
63	Pentazinc chromate octahydroxide 锌黄	49663-84-5	256-418-0	%	0.010	CMR
64	4-(1,1,3,3-tetramethylbutyl) phenol 4-叔辛基苯酚	140-66-9	205-426-2	%	0.010	Equivalent level of concern having probable serious effects to the environment 具有相同毒性的物质
65	Formaldehyde, oligomeric reaction products with aniline 甲醛与苯胺的聚合物	25214-70-4	500-036-1	%	0.010	CMR
66	Bis(2-methoxyethyl) Phthalate (DMEP) 邻苯二甲酸二(2-甲氧基)乙酯	117-82-8	204-212-6	%	0.010	CMR
67	Lead diazide, Lead azide* 叠氮化铅	13424-46-9	236-542-1	%	0.010	CMR
68	Lead styphnate* 2,4,6-三硝基苯二酚铅	15245-44-0	239-290-0	%	0.010	CMR
69	2,2'-dichloro-4,4'-methylenedianiline 4,4' -亚甲基双-2-氯苯胺	101-14-4	202-918-9	%	0.010	CMR
70	Phenolphthalein 酚酞	77-09-8	201-004-7	%	0.010	CMR
71	Dichromium tris(chromate)* 铬酸铬	24613-89-6	246-356-2	%	0.010	CMR
72	1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme) 三甘醇二甲醚	112-49-2	203-977-3	%	0.010	CMR
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether(EGDME) 1,2-二甲氧基乙烷	110-71-4	203-794-9	%	0.010	CMR
74	Diboron trioxide* 三氧化二硼	1303-86-2	215-125-8	%	0.010	CMR
75	Formamide(FMA) 甲酰胺	75-12-7	200-842-0	%	0.010	CMR
76	Lead(II) bis(methanesulfonate)* 甲磺酸铅(II)溶液	17570-76-2	401-750-5	%	0.010	CMR

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 9 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
77	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC) 异氰尿酸三缩水甘油酯	2451-62-9	219-514-3	%	0.010	CMR
78	β -TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) 替罗昔隆	59653-74-6	423-400-0	%	0.010	CMR
79	4,4'-Bis(dimethylamino) benzophenone (Michler's ketone) 4,4-四甲基二胺二苯酮	90-94-8	202-027-5	%	0.010	CMR
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) 4,4-亚甲基双(N,N-二甲基苯胺)	101-61-1	202-959-2	%	0.010	CMR
81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3)***** 结晶紫	548-62-9	208-953-6	%	0.010	CMR
82	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)***** 碱性蓝26	2580-56-5	219-943-6	%	0.010	CMR
83	α,α -Bis[4-(dimethylamino)phenyl]-4-(phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4)***** 溶剂蓝4	6786-83-0	229-851-8	%	0.010	CMR
84	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol***** α,α -二[(二氨基)苯基]-4-氨基苯甲醇	561-41-1	209-218-2	%	0.010	CMR
85	Bis(pentabromophenyl) ether (Decabromodiphenyl ether) (DecaBDE) 十溴二苯醚	1163-19-5	214-604-9	%	0.010	PBT
86	Pentacosafuorotridecanoic acid (EGDME) 全氟十三酸	72629-94-8	276-745-2	%	0.010	vPvB

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 10 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
87	Tricosafuorododecanoic acid 全氟十二烷酸	307-55-1	206-203-2	%	0.010	vPvB
88	Henicosafuoroundecanoic acid 全氟十一烷酸	2058-94-8	218-165-4	%	0.010	vPvB
89	Heptacosafuorotetradecanoic acid 全氟代十四酸	376-06-7	206-803-4	%	0.010	vPvB
90	4-(1,1,3,3-tetramethylbutyl) phenol, ethoxylated - covering well-defined substances and UVCB substances, polymers and homologues 对特辛基苯酚乙氧基醚, 包括物质。UVCB物质。聚合物和同系物	---	---	%	0.010	Equivalent level of concern having probable serious effects to the environment 具有相同毒性的物质
91	4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof 分支或线性的壬基酚, 包括含有9个碳烷基链的所有独立的同分异构体和所有含有线性或分支9个碳烷基链的UVCB物质	---	---	%	0.010	Equivalent level of concern having probable serious effects to the environment 具有相同毒性的物质
92	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) 偶氮二甲酰胺	123-77-3	204-650-8	%	0.010	Equivalent level of concern having probable serious effects to the environment 具有相同毒性的物质
93	Cyclohexane-1,2-dicarboxylic anhydride [1] cis-cyclohexane-1,2-dicarboxylic anhydride [2] trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry 六氢邻苯二甲酸酐、六氢-1, 3-异苯并咪唑二酮、反-1, 2-环己烷二羧酸酐	85-42-7; 13149-00-3; 14166-21-3	201-604-9;236-086-3;238-009-9	%	0.010	Equivalent level of concern having probable serious effects to the environment 具有相同毒性的物质

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 11 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
94	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride 甲基六氢苯酐。4-甲基六氢苯酐。甲基六氢化邻苯二甲酸酐。3-甲基六氢苯二甲酯酐, 包括这4种物质左旋。右旋单体以及相应物质所有左。右旋的组合	25550-51-0; 19438-60-9; 48122-14-1; 57110-29-9	247-094-1;243-072-0;256-356-4;260-566-1	%	0.010	Equivalent level of concern having probable serious effects to the environment 具有相同毒性的物质
95	Methoxyacetic acid 甲氧基乙酸	625-45-6	210-894-6	%	0.010	CMR
96	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPIP) 1,2-苯二酸-二(支链与直链)戊基酯	84777-06-0	284-032-2	%	0.010	CMR
97	Diisopentylphthalate(DIPP) 邻苯二甲酸二异戊酯	605-50-5	210-088-4	%	0.010	CMR
98	N-pentyl-iso-pentyl Phthalate (PIPP) 邻苯二甲酸正戊基异戊基酯	776297-69-9	---	%	0.010	CMR
99	1,2-Diethoxyethane 乙二醇二乙醚	629-14-1	211-076-1	%	0.010	CMR
100	N,N-dimethylformamide(DMF) N,N-二甲基甲酰胺	68-12-2	200-679-5	%	0.010	CMR
101	Dibutyltin dichloride(DBTC) 二丁基锡	683-18-1	211-670-0	%	0.010	CMR
102	Acetic acid, lead salt, basic* 乙酸铅	51404-69-4	257-175-3	%	0.010	CMR
103	Basic lead carbonate (trilead bis(carbonate)dihydroxide)* 碱式碳酸铅	1319-46-6	215-290-6	%	0.010	CMR
104	Lead oxide sulfate (basic lead sulfate)* 碱式硫酸铅	12036-76-9	234-853-7	%	0.010	CMR
105	[Phthalato(2-)]dioxotrilead (dibasic lead phthalate)* 二盐基邻苯二甲酸铅	69011-06-9	273-688-5	%	0.010	CMR
106	Dioxobis(stearato)trilead* 双(十八酸基)二氧化三铅	12578-12-0	235-702-8	%	0.010	CMR
107	Fatty acids, C16-18, lead salts* 脂肪酸铅盐	91031-62-8	292-966-7	%	0.010	CMR
108	Lead bis(tetrafluoroborate)* 四氟硼酸铅	13814-96-5	237-486-0	%	0.010	CMR

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 12 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
109	Lead cyanamide* 氨基氰铅(2+)盐(1:1)	20837-86-9	244-073-9	%	0.010	CMR
110	Lead dinitrate* 硝酸铅	10099-74-8	233-245-9	%	0.010	CMR
111	Lead oxide (lead monoxide)* 黄丹	1317-36-8	215-267-0	%	0.010	CMR
112	Lead tetroxide (orange lead)* 四氧化三铅	1314-41-6	215-235-6	%	0.010	CMR
113	Lead titanium trioxide* 钛酸铅	12060-00-3	235-038-9	%	0.010	CMR
114	Lead Titanium Zirconium Oxide* 钛酸铅锆	12626-81-2	235-727-4	%	0.010	CMR
115	Pentalead tetraoxide sulphate* 氧化铅与硫酸铅的复合物	12065-90-6	235-067-7	%	0.010	CMR
116	Pyrochlore, antimony lead yellow C.I.* 颜料黄41	8012-00-8	232-382-1	%	0.010	CMR
117	Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped, [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008] * 含有铅的硅酸和钡盐1:1的物质(铅的浓度在通用限制浓度之上而具有了生殖毒性该物质在CLP法规附件VI中的索引号为082-001-00-6)	68784-75-8	272-271-5	%	0.010	CMR
118	Silicic acid, lead salt* 硅酸铅	11120-22-2	234-363-3	%	0.010	CMR
119	Sulfurous acid, lead salt, dibasic* 二碱式亚硫酸铅	62229-08-7	263-467-1	%	0.010	CMR
120	Tetraethyllead* 四乙基铅	78-00-2	201-075-4	%	0.010	CMR
121	Tetralead trioxide sulphate* 三盐基硫酸铅	12202-17-4	235-380-9	%	0.010	CMR
122	Trilead dioxide phosphonate* 二碱式亚磷酸铅	12141-20-7	235-252-2	%	0.010	CMR

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 13 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
123	Furan 呋喃	110-00-9	203-727-3	%	0.010	CMR
124	Propylene oxide; 1,2-epoxypropane; methyloxirane 环氧丙烷	75-56-9	200-879-2	%	0.010	CMR
125	Diethyl sulfate 硫酸二乙酯	64-67-5	200-589-6	%	0.010	CMR
126	Dimethyl sulfate 硫酸二甲酯	77-78-1	201-058-1	%	0.010	CMR
127	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine 3-乙基-2-甲基-2-(3-甲基丁基)噁唑烷	143860-04-2	421-150-7	%	0.010	CMR
128	Dinoseb 二硝丁酚	88-85-7	201-861-7	%	0.010	CMR
129	4,4'-methylenedi-o-toluidine 4,4'-二氨基-3,3'-二甲基联苯基甲烷	838-88-0	212-658-8	%	0.010	CMR
130	4,4'-oxydianiline and its salts 4,4'-二氨基二苯醚	101-80-4	202-977-0	%	0.010	CMR
131	4-Aminoazobenzene; 4-Phenylazoaniline 4-阿基苯甲酯	60-09-3	200-453-6	%	0.010	CMR
132	4-methyl-m-phenylenediamine (2,4-toluene-diamine) 2,4-二氨基甲苯	95-80-7	202-453-1	%	0.010	CMR
133	6-methoxy-m-toluidine (p-cresidine) 2-甲氧基-5-甲基苯胺	120-71-8	204-419-1	%	0.010	CMR
134	Biphenyl-4-ylamine 4-氨基联苯	92-67-1	202-177-1	%	0.010	CMR
135	o-aminoazotoluene 邻氨基偶氮甲苯	97-56-3	202-591-2	%	0.010	CMR
136	o-Toluidine 邻甲苯胺	95-53-4	202-429-0	%	0.010	CMR
137	N-Methylacetamide N-甲基乙酰胺	79-16-3	201-182-6	%	0.010	CMR
138	1-bromopropane; n-propyl bromide 溴代正丙烷	106-94-5	203-445-0	%	0.010	CMR
139	Cadmium(Cd) 镉	7440-43-9	231-152-8	%	0.010	CMR
140	Cadmium oxide* 氧化镉	1306-19-0	215-146-2	%	0.010	CMR

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 14 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
141	Ammonium pentadecafluorooctanoate (APFO) 十五代氟辛酸铵盐	3825-26-1	223-320-4	%	0.010	PBT
142	Pentadecafluorooctanoic acid (PFOA) 全氟辛酸	335-67-1	206-397-9	%	0.010	PBT
143	Dipentyl phthalate(DPP) 邻苯二甲酸二戊酯	131-18-0	205-017-9	%	0.010	PBT
144	4-Nonylphenol, branched and linear,ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol,ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof] 乙氧基化的支链和直链的4-壬基酚 (直链和/或支链的具有9个碳原子的烷基链共价键合在4位的乙氧基酚, 囊括了UVCB和定义明确的物质, 聚合物及同系物, 其中包括任何单独的异构体和/或它们的组合)	---	---	%	0.010	Equivalent level of concern having probable serious effects to the environment 具有相同毒性的物质
145	Cadmium sulphide* 硫化镉	1306-23-6	215-147-8	%	0.010	Equivalent level of concern having probable serious effects to the environment 具有相同毒性的物质
146	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) 直接黑38	1937-37-7	217-710-3	%	0.010	CMR
147	Diethyl phthalate 邻苯二甲酸二正己酯	84-75-3	201-559-5	%	0.010	PBT
148	Imidazolidine-2-thione(2-imidazoline-2-thiol) 2-巯基咪唑啉	96-45-7	202-506-9	%	0.010	PBT
149	Trixylyl phosphate(TXP) 磷酸三(二甲苯)酯	25155-23-1	246-677-8	%	0.010	PBT

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 15 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
150	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) 直接红28	573-58-0	209-358-4	%	0.010	CMR
151	Lead di(acetate)* 乙酸铅	301-04-2	206-104-4	%	0.010	PBT
152	Sodium peroxometaborate* 过氧偏硼酸钠	7632-04-4	231-556-4	%	0.010	Toxic for reproduction 生殖毒性
153	Cadmium chloride* 氯化镉	10108-64-2	233-296-7	%	0.010	CMR Equivalent level of concern having probable serious effects to human health (Article 57 f) 致癌性。致突变性。生殖毒性。因对人体健康有严重危害而具有同等关注程度
154	1,2-Benzenedicarboxylic Acid, dihexyl ester, branched and linear(DIHP) 邻苯二甲酸二己酯 支链与直链	68515-50-4	271-093-5	%	0.010	Toxic for reproduction 生殖毒性
155	Sodium perborate; perboric acid, sodium salt* 过硼酸钠	---	239-172-9;234-390-0	%	0.010	Toxic for reproduction 生殖毒性
156	Cadmium fluoride* 氟化镉	7790-79-6	232-222-0	%	0.010	CMR, Equivalent level of concern having probable serious effects to human health (Article 57 f) 致癌性。致突变性。生殖毒性。因对人体健康有严重危害而具有同等关注程度
157	Cadmium sulphate* 硫酸镉	10124-36-4; 31119-53-6	233-331-6	%	0.010	CMR, Equivalent level of concern having probable serious effects to human health (Article 57 f) 致癌性。致突变性。生殖毒性。因对人体健康有严重危害而具有同等关注程度
158	2-benzotriazol-2-yl-4, 6-di-tert-butylphenol (UV-320) 紫外线吸收剂	3846-71-7	223-346-6	%	0.010	PBT (Article 57 d); vPvB (Article 57 e) 持久性。生物累积性和毒性 (PBT 物质) vPvB (Article 57 e) 非常高的持久性及非常高的生物累积性 (vPvB物质)

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 16 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) 紫外线吸收剂	25973-55-1	247-384-8	%	0.010	PBT (Article 57 d);vPvB (Article 57 e) 持久性。生物累积性和毒性 (PBT 物质) vPvB (Article 57 e) 非常高的持久性及非常高的生物累积性 (vPvB物质)
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate(DOTE) 二正辛基-双-(巯乙酸-2-乙基己酯)锡	15571-58-1	239-622-4	%	0.010	Toxic for reproduction (Article 57 c) 生殖毒性
161	reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4- [[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) DOTE和MOTE反应产物	---	---	%	0.010	Toxic for reproduction (Article 57 c) 生殖毒性
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate(EC No. 201-559-5) 邻苯二甲酸二 (C6-C10) 烷基酯：邻苯二甲酸 (癸基 , 己基 , 辛基) 酯与邻苯二甲酸的复合物且邻苯二甲酸二己酯含量≥0.3% (EC No. 201-559-5)	68515-51-5; 68648-93-1	271-094-0;272-013-1	%	0.010	Toxic for reproduction (Article 57 c) 生殖毒性
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof] [1]为卡拉花醛, [2]为卡拉花醛的一种同分异构化合物	---	---	%	0.010	vPvB(Article 57e) 非常高的持久性及非常高的生物累积性 (vPvB物质)

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 17 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
164	Nitrobenzene 硝基苯	98-95-3	202-716-0	%	0.010	Toxic for reproduction (Article 57 c) 生殖毒性
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) 2,4-二-叔丁基-6-(5-氯-2H-苯并三唑-2-基)苯酚	3864-99-1	223-383-8	%	0.010	vPvB (Article 57 e) 高持久性与高生物累积性
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol(UV-350) 2-(2'-羟基-3'-异丁基-5'-叔丁基苯基)苯并三唑	36437-37-3	253-037-1	%	0.010	vPvB (Article 57 e) 高持久性与高生物累积性
167	1,3-Propane sultone 1, 3-丙烷磺内酯	1120-71-4	214-317-9	%	0.010	Carcinogenic(Article 57 a) 致癌性
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts 全氟壬酸及盐 (2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9-十七氟壬酸和其钠和铵盐)	375-95-1; 21049-39-8; 4149-60-4	206-801-3	%	0.010	Toxic for reproduction (Article 57 c) PBT (Article 57 d) 生殖毒性; 持久性, 生物累积毒性
169	Benzo[def]chrysene (Benzo[a]pyrene) 苯并[a]芘	50-32-8	200-028-5	%	0.010	Carcinogenic (Article 57 a) Mutagenic (Article 57 b) Toxic for reproduction (Article 57 c) PBT (Article 57 d) vPvB (Article 57 e) 致癌性; 致畸性; 生殖毒性物质
170	p-(1,1-dimethylpropyl)phenol (PTAP) 对叔戊基苯酚	80-46-6	201-280-9	%	0.010	Equivalent level of concern having probable serious effects to environment (Article 57 f) 生殖毒性
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts 十九氟癸酸 (PFDA) 及其钠盐和铵盐	335-76-2; 3830-45-3; 3108-42-7	206-400-3;-221-470-5;	%	0.010	Toxic for reproduction (Article 57c) PBT (Article 57d) 生殖毒性 持续性 生物累积性和毒性
172	4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] 分支或线性的对庚基苯酚	---	---	%	0.010	Endocrine disrupting properties (Article 57(f) - environment) 生殖毒性

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 18 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
173	4,4' -isopropylidenediphenol (bisphenol A; BPA) 双酚A	80-05-7	201-245-8	%	0.010	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - environment) Endocrine disrupting properties (Article 57(f) - human health) 生殖毒性
174	Perfluorohexane-1-sulphonic acid and its salts(PFHxS) 全氟己基磺酸及其盐类	---	---	%	0.010	vPvB (Article 57e) 生殖毒性物质
175	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) 1,3,4-噻二唑烷-2,5-二硫酮, 甲醛和4-庚基苯酚的支链和直链 (RP-HP) 的反应产物[4-庚基苯酚, 支链和直链含量≥0.1%w / w]	---	---	%	0.010	Endocrine disrupting properties (Article 57(f) – environment) 内分泌干扰性-环境
176	Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10] octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual isomers or any combination thereof] 德克隆[包括所有反式和顺式异构体及其组合]	---	---	%	0.010	vPvB (Article 57 e) 高持久性、高生物累积性
177	Chrysene(CHR) 屈	218-01-9, 1719-03-5	205-923-4	%	0.010	Carcinogenic (Article 57 a) PBT (Article 57 d) vPvB (Article 57 e) 致癌 持久性、生物累积性和毒性 高持久性、高生物累积性
178	Cadmium nitrate* 硝酸镉	10022-68-1; 10325-94-7	233-710-6	%	0.010	Carcinogenic (Article 57a) Mutagenic (Article 57b) Specific target organ toxicity after repeated exposure (Article 57(f) - human health) 致癌 (Article 57a) 致突变 (Article 57b) 重复暴露后的特定目标器官毒性 (Article 57(f) – 人类健康)

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 19 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
179	Cadmium hydroxide* 氢氧化镉	21041-95-2	244-168-5	%	0.010	Carcinogenic (Article 57a) Mutagenic (Article 57b) Specific target organ toxicity after repeated exposure (Article 57(f) - human health) 致癌 (Article 57a) 致突变 (Article 57b) 重复暴露后的特定目标器官毒性 (Article 57(f) - 人类健康)
180	Cadmium carbonate* 碳酸镉	513-78-0	208-168-9	%	0.010	Carcinogenic (Article 57a) Mutagenic (Article 57b) Specific target organ toxicity after repeated exposure (Article 57(f) - human health) 致癌 (Article 57a) 致突变 (Article 57b) 重复暴露后的特定目标器官毒性 (Article 57(f) - 人类健康)
181	Benz[a]anthracene 苯并[a]蒽	56-55-3; 1718-53-2	200-280-6	%	0.010	Carcinogenic (Article 57 a) PBT (Article 57 d) vPvB (Article 57 e) 致癌 持久性、生物累积性和毒性高持久性、高生物累积性
182	Terphenyl, hydrogenated 氢化三联苯	61788-32-7	262-967-7	%	0.010	vPvB (Article 57 e) 呼吸致敏特性 (第57条(f)) - 人类健康
183	Octamethylcyclotetrasiloxane (D4) 八甲基环四硅氧烷	556-67-2	209-136-7	%	0.010	PBT (Article 57 d) vPvB (Article 57 e) 生殖毒性 (第57条(c)) ; 内分泌干扰性 (第57条(f)) - 人类健康
184	Lead(Pb) 铅	7439-92-1	231-100-4	%	0.010	Toxic for reproduction (Article 57 c) 生殖毒性(第57条c)
185	Ethylenediamine(EDA) 乙二胺	107-15-3	203-468-6	%	0.010	Respiratory sensitising properties (Article 57 (f)-human health) 呼吸致敏特性(第57条f)-人类健康
186	Dodecamethylcyclohexasiloxane(D6) 十二甲基环己硅氧烷	540-97-6	208-762-8	%	0.010	PBT (Article 57 d);vPvB (Article 57 e) (第57条d) vPvB(第57条e)
187	Disodium octaborate 四水八硼酸二钠	12008-41-2	234-541-0	%	0.010	Toxic for reproduction (Article 57c) 生殖毒性(第57条c)

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 20 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
188	Dicyclohexyl Phthalate(DCHP) 邻苯二甲酸二环己酯	84-61-7	201-545-9	%	0.010	Toxic for reproduction (Article 57 c) Endocrine disrupting properties (Article 57(f)-human health) 生殖毒性 (第57条(c)) ; 内分泌干扰性 (第57条(f)) -人类健康
189	Decamethylcyclopentasiloxane (D5) 十甲基环戊硅氧烷	541-02-6	208-764-9	%	0.010	PBT (Article 57 d) vPvB (Article 57 e) (第57条d) vPvB(第57条e)
190	Benzo[g,h,i]perylene (BPE) 苯并[g,h,i]花	191-24-2	205-883-8	%	0.010	PBT (Article 57 d) vPvB (Article 57 e) (第57条d) vPvB(第57条e)
191	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride(trimellitic anhydride; TMA) 苯-1,2,4-三羧酸1,2-酐 (偏苯三酸酐) (TMA)	552-30-7	209-008-0	%	0.010	Respiratory sensitising properties (Article 57 (f)-human health) 呼吸致敏特性 (第57条(f)) -人类健康
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane 4,4'-(1,3-二甲基丁基)二苯酚	6807-17-6	401-720-1	%	0.010	Toxic for reproduction (Article 57 c) 生殖毒性 (条款57c)
193	Benzo[k]fluoranthene (BkFA) 苯并[k]荧蒽	207-08-9	205-916-6	%	0.010	Carcinogenic(Article 57 a)PBT (Article 57 d)vPvB(Article 57 e) 致癌 (条款 57a) 持久性、生物累积性、毒性 (条款 57d) 高持久性和高生物累积性 (条款 57e)
194	Fluoranthene (FLT) 荧蒽	206-44-0	205-912-4	%	0.010	PBT (Article 57 d) vPvB (Article 57 e) 持久性、生物累积性、毒性 (条款 57d) 高持久性和高生物累积性 (条款 57e)
195	Phenanthrene (PHE) 菲	85-01-8	201-581-5	%	0.010	vPvB (Article 57 e) 高持久性和高生物累积性 (条款 57e)
196	Pyrene (PYR) 芘	129-00-0	204-927-3	%	0.010	PBT (Article 57 d) vPvB (Article 57 e) 持久性、生物累积性、毒性 (条款 57d) 高持久性和高生物累积性 (条款 57e)
197	1,7,7-trimethyl-3-(phenylmethylene)bicyclo [2.2.1]heptan-2-one 1,7,7-三甲基-3-(苯亚甲基)双环 [2,2,1]庚-2-酮(3-亚苄基樟脑)	15087-24-8	239-139-9	%	0.010	Endocrine disrupting properties (Article 57 (f)-environment) 内分泌干扰性 (Article 57(f)-环境)

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 21 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
198	2-Methoxyethyl Acetate 甲氧基乙酸乙酯	110-49-6	203-772-9	%	0.010	Toxic for reproduction (Article 57(c)) 生殖毒性 (第57条c)
199	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP) 三(4-壬基苯基, 支链和直链)亚硝酸酯(TNPP), 含 $\geq 0.1\%$ (w/w)的4-壬基酚, 支链和直链(4-NP)	---	---	%	0.010	Endocrine disrupting properties (Article 57(f) – environment) 内分泌干扰物质 (第57条f - 对环境的影响)
200	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) 2,3,3,3-四氟-2-(七氟丙氧基)丙酸及其盐和酰基卤化物(包括它们各自的异构体及其组合)	---	---	%	0.010	Equivalent level of concern having probable serious effects to the environment (Article 57(f) – environment) Equivalent level of concern having probable serious effects to human health (Article 57(f) – human health) 可对环境造成严重影响或同等程度 (第57条f) 可对人类健康产生严重影响或同等程度 (第57条f)
201	4-tert-Butylphenol(BP) 4-叔丁基苯酚	98-54-4	202-679-0	%	0.010	Endocrine disrupting properties (Article 57(f) – environment) 内分泌干扰物质 (第57条f - 对环境的影响)
202	Diisohexyl phthalate(DIHxP) 1,2-苯二羧酸二异己酯	71850-09-4	276-090-2	%	0.010	Toxic for reproduction (Article 57c) 生殖毒性(条款57c)
203	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 2-苄基-2-甲基氨基-1-(4-吗啉苯基)丁酮	119313-12-1	404-360-3	%	0.010	Toxic for reproduction (Article 57c) 生殖毒性(条款57c)
204	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 2-甲基-1-(4-甲硫基苯基)-2-吗啉基-1-丙酮	71868-10-5	400-600-6	%	0.010	Toxic for reproduction (Article 57c) 生殖毒性(条款57c)

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 22 of 26

No. 序号	Item 项目	CAS No.	EC No.	Unit 单位	RL	Category 种类
205	Perfluorobutane sulfonic acid (PFBS) and its salts(PFBS) 全氟丁烷磺酸(PFBS)及其盐	--	--	%	0.010	Equivalent level of concern having probable serious effects to the environment (Article 57(f) - environment) Equivalent level of concern having probable serious effects to human health (Article 57(f) – human health) 可对环境造成严重影响或同等程度的关注 (第57(f)条) 可对人类健康产生严重影响或同等程度的关注 (第57(f)条)
206	1-Vinylimidazole 1-乙烯基咪唑	1072-63-5	214-012-0	%	0.010	Toxic for reproduction (Article 57 (c)) 生殖毒性(条款75c)
207	2-Methylimidazole 2-甲基咪唑	693-98-1	211-765-7	%	0.010	Toxic for reproduction (Article 57 (c)) 生殖毒性(条款75c)
208	Dibutylbis(pentane-2,4-dionato -O,O')tin 二正丁基双(乙酰丙酮基)锡	22673-19-4	245-152-0	%	0.010	Toxic for reproduction (Article 57 (c)) 生殖毒性(条款75c)
209	Butyl 4-hydroxybenzoate (Butylparaben) 4-羟基苯甲酸丁酯	94-26-8	202-318-7	%	0.010	Endocrine disrupting properties - human health (Article 57(f) – human health) 内分泌干扰特性(条款57(f) – 人体健康)
210	Bis(2-(2-methoxyethoxy)ethyl) ether 双(2-(2-甲氧基乙氧基)乙基)醚(四乙二醇二甲醚)	143-24-8	205-594-7	%	0.010	Toxic for reproduction (Article 57 (c)) 生殖毒性(条款75c)
211	Dioctyltin dilaurate, stannane, dioctyl-, bis (cocoacyloxy) derivs., and any other stannane, dioctyl-, bis (fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety 二月桂酸二辛基锡, 锡烷, 二辛基-, 双(椰油酰氧基)衍生物, 以及任何其他锡烷, 二辛基-, 双(脂肪酰氧基)衍生物。其中C12为脂肪酰氧基部分的主要碳原子数	--	--	%	0.010	Toxic for reproduction (Article 57 (c)) 生殖毒性(条款75c)

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 23 of 26

Note:

注释:

- N.D. = Not Detected or less than RL

N.D. = 未检出或低于报告限

- RL = Report Limit

RL = 报告限

- % = Percentage by weight

% = 重量百分比

- 0.1% = 1000mg/kg, mg/kg = ppm

- * = Calculated concentration of Cobalt Dichloride(CoCl₂) is based on the identified heavy metal and anion result. Calculated concentration of Diarsenic Pentaoxide(As₂O₅), Diarsenic Trioxide(As₂O₃), Sodium Dichromate, Dihydrate, Lead Hydrogen Arsenate and Triethyl Arsenate, Disodium tetraborate, anhydrous, Tetraboron disodium heptaoxide, hydrate, Sodium chromate, Potassium chromate, Ammonium dichromate, Potassium dichromate, Cobalt(II) sulfate, Cobalt(II) dinitrate, Cobalt(II) carbonate, Cobalt(II) diacetate, Chromium trioxide, Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid, strontium chromate, Calcium arsenate, Potassium hydroxyoctaoxidizincatedi-chromate, Lead dipicrate, Arsenic acid, Trilead diarsenate, Lead diazide, Lead azide, Lead styphnate, Dichromium tris(chromate), Diboron trioxide, Lead(II) bis(methanesulfonate), Acetic acid, lead salt, basic, Basic lead carbonate (trilead bis(carbonate)dihydroxide), Lead oxide sulfate (basic leadsulfate), [Phthalato(2-)]dioxotrilead (dibasic lead phthalate), Dioxobis(stearato)trilead, Fatty acids, C16-18, lead salts, Lead bis(tetrafluoroborate), Lead cyanamide, Lead dinitrate, Lead oxide (lead monoxide), Lead tetroxide (orange lead), Lead titanium trioxide, Lead Titanium Zirconium Oxide, Pentalead tetraoxide sulphate, Pyrochlore, antimony lead yellow C.I., Silicic acid (H₂Si₂O₅), barium salt (1:1), lead-doped, [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008], Silicic acid, lead salt, Sulfurous acid, lead salt, dibasic, Tetraethyllead, Tetralead trioxide sulphate, Trilead dioxide phosphonate, Cadmium oxide, Cadmium sulphide, Lead di(acetate), Sodium peroxometaborate, Cadmium chloride, Sodium perborate; perboric acid, sodium salt, Cadmium fluoride, Cadmium sulphate, Cadmium nitrate, Cadmium hydroxide, Cadmium carbonate are based on the identified heavy metal result. Identity of above metal substances present in the article has to be further confirmed.

* = 氯化钴 (CoCl₂)的结果由重金属元素和阴离子的测试结果换算得出。五氧化二砷 (As₂O₅), 三氧化二砷 (As₂O₃), 重铬酸钠及二水化合物, 磷酸铝和三乙基砷酸盐, 铬酸铅(C.I.颜料黄34), 钼铬红(C.I.颜料红104), 铬酸铅(铬黄), 无水四硼酸二钠, 水合七氧四硼酸二钠, 铬酸钠, 铬酸钾, 重铬酸铵, 重铬酸钾, 硫酸钴, 硝酸钴, 碳酸钴, 醋酸钴, 三氧化铬, 三氧化二铬及其低聚物产生的酸: 铬酸二铬酸, 铬酸及二铬酸的低聚物, 铬酸锶, 磷酸钙, 氢氧化铬酸锌钾, 苦味酸铅, 砷酸。原砷酸, 砷酸铅, 叠氮化铅, 2,4,6-三硝基苯二酚铅, 铬酸铬, 三氧化二硼, 甲磺酸铅(II)溶液, 乙酸铅, 碱式碳酸铅, 碱式硫酸铅, 二盐基邻苯二甲酸铅, 双(十八烷基)二氧代三铅, C16-18-脂肪酸铅盐, 四氟硼酸铅, 氨基氟铅(2+)盐(1:1), 硝酸铅, 黄丹, 四氧化三铅, 钛酸铅, 钛酸铅钨, 氧化铅与硫酸铅的复合物, 颜料黄41, 含有铅的硅酸和钨盐1:1的物质 (铅的浓度在通用限制浓度之上而具有了生殖毒性该物质在CLP法规附件VI中的索引号为082-001-00-6), 硅酸铅, 二碱式亚硫酸铅, 四乙基铅, 三盐基硫酸铅, 二碱式亚磷酸铅, 氧化钨, 硫化钨, 乙酸铅, 过氧偏硼酸钠, 氟化钨, 过硼酸钠, 氟化钨, 硫酸钨, 硝酸钨, 氢氧化钨, 碳酸钨的结果由重金属元素的测试结果换算得出。判断样品中是否含有以上金属化合物需要进一步确认。

- ** = Calculated concentration of bis(tributyltin)oxide TBTO is based on the identified tributyltin, TBT results. The result is a screening test of TBTO and can cover TBTO and other salts under current technologies. Further investigation is required if the exact amount of TBTO has to be determined.

** = 氧化三丁基锡的结果由三丁基锡的测试结果换算得出。该结果为氧化三丁基锡的筛选结果, 包括氧化三丁基锡和其盐类。如果需确定氧化三丁基锡的确切含量, 则需要进一步确认。

- *** = Calculated concentration of these coal-tar products is based on the identified polycyclic aromatic hydrocarbons (PAHs) and heterocyclic compounds

*** = 煤焦油类产品的结果由多环芳烃和杂环化合物测试结果换算得出。

- **** = Calculated concentration of these Aluminosilicate, Zirconia Aluminosilicate, Zirconia Aluminosilicate Refractory Ceramic Fibres, Aluminosilicate Refractory Ceramic Fibres is based on the identified aluminum and zirconium results by ICP-OES

**** = 硅酸铝, 锆硅酸铝的结果由ICP-AES测得的铝和锆的测试结果算得出。判断样品中是否含有以上化合物还需要进一步确认。

- ***** = The substance does only fulfil the criteria of REACH Art. 57 (a) if it contains Michler's ketone (EC Number:202-027-5) or Michler's base (EC Number: 202-959-2) in a concentration \geq 0.1% (weight / weight).

***** = 此种物质列为SVHC, 是基于其含有的致癌成分米氏酮的重量比 \geq 0.1%考虑的

- Carcinogenic, Mutagenic or toxic to Reproduction (CMR), meeting the criteria for classification in category 1 or 2 in accordance with Directive 67/548/EEC, Persistent, Bioaccumulative and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) according to the criteria in Annex of XIII of the REACH Regulation, and/or Identified, on a case-by-case basis, from scientific evidence as causing probable serious effects to human health or the environment of an equivalent level of concern as those above (e.g. endocrine disrupters)

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 24 of 26

物质属于致癌性，致突变性，繁殖毒性(CMR)，根据指令67/548/EEC第1类或第2类标准分类，持久性。生物蓄积性及毒性物质(PBT)和高持久性。高生物蓄积性之物质(vPvB)，按照REACH法规附录中的第十三条辨别标准进行分类。这些分类标准有科学的数据证明该物质会对人的身体健康和环境危害有如上的影响（例如：内分泌失调）。

- The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the list published by ECHA:

本报告所涉及的关于高关注物质的化学分析是基于根据欧洲化学品管理署公布的候选清单，利用现有的分析技术所完成的。具体参考 <https://echa.europa.eu/candidate-list-table>

- If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory

如果样品中 SVHC 的测试结果超过检测限，建议客户进一步定量分析检测含有 SVHC 的组分并且得到 SVHC 物质的准确浓度。


TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 25 of 26

Photograph of Sample
样品照片



BACL authenticate the photo on original report only
此图片仅限于随 BACL 正本报告使用

TEST REPORT

Report No.: XMDN220506-18235A

Date: May 24, 2022

Page 26 of 26

Statement:

- 声明：
- 1.This report cannot be reproduced except in full, without prior written approval of the Company.
除全文复制外，未经实验室批准不得部分复印报告。
 - 2.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
除非另有声明，本报告中测试结果仅与被测样品相关。测试样品默认保存30天。
 - 3.This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
本报告的有效性取决于本报告中电子签章的有效性。电子签章只适用于在Adobe系列软件7.0以上版本中查看。
 - 4.Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
除非申请商要求或产品法规另有规定，否则本报告判定规则不考虑不确定度。
 - 5.The information which provided by the applicant, such as sample description, sample name, material component, style/item No. , P.O. No. , manufacturer, age phase, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report.
本报告中申请商提供的信息，如样品描述，样品名称，材料成分，型号，订单号，制造商，年龄段，可能和报告结果的有效性相关，本实验室不对其真实性负责。
 - 6.The test samples were in good condition before testing.
在进行测试前，测试样品已确认状态完好。
 - 7.The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval.
本报告给出的扩展不确定度是由合成标准不确定度乘以包含概率约为95%时对应的包含因子k得到的。
 - 8.本报告中的数据结果用于学习、研究、内部质量控制、产品研发、科研，教学等目的。

*** End of Report ***

*** 报告结束***

Photograph of Sample (For Reference)
样品照片 (仅供参考)

