



Three-dimensional Ring Wrapping Packaging Machine

Yilane Tech® Three-dimensional Ring Wrapping Packaging Machine is mainly a new type of winding packaging equipment designed for the metallurgical industry. It is widely used for the winding packaging of dry steel strip, copper strip, aluminum strip, steel wire and other various annular objects.

Product Description

The unique belt of Yilane Tech® Three-dimensional Ring Wrapping Packaging Machine cutting mechanism overcomes the weakness of traditional scissors. Three-dimensional Ring Wrapping Packaging Machine can adopt PLC programmable controller and man-machine conversation touch screen. Finally, The overlap and tightness of the Yilane Tech® Three-dimensional Ring Wrapping Packaging Machine packing belt can be adjusted as required.

Yilane Tech® Three-dimensional Ring Wrapping Packaging Machine Basic features:

Reciprocating circulation operation, safe, convenient and efficient

Adopt PLC programmable controller and HMI touch screen

Automatic alarm, automatic display of fault content

Input the outer diameter, inner diameter, width and correction parameters of the product, and the PLC system will automatically calculate the length of the packing belt and the number of winding turns

Slip ring can be lifted up and down to adapt to products with different inner and outer diameters

High abrasion resistant polyurethane friction wheel is adopted, and the slip ring is of integral casting structure

Optional synchronous winding mechanism, which can simultaneously complete synchronous winding of two different packaging materials

Both idler and guard roll are coated with polyester

Wide packaging tape can be used to improve packaging efficiency

Automatic alarm, automatic display of fault content



