



[www.lqccmilling.com](http://www.lqccmilling.com)



## **Bean Sprout Cleaning Machine**

Chongcheng Machinery is one of bean sprout machine equipment production, bean sprout machine suppliers in China. Now, our factory is the largest Bean sprout cleaning machine production base in China in terms of scale and technology. With good price advantage, our products had covered most of European and American markets. We look forward to being your long-term partner in China.

Linqu Chongcheng Food Machinery Factory is a professional China Bean sprout cleaning machine manufacturer and supplier, if you are looking for the best Bean sprout cleaning machine with low price, consult us now!

Product specifications:

Model: custom

Material: All 304 stainless steel

Product FEATURES AND APPLICATIONS:

Features: Chongcheng Machinery Bean sprout cleaning machine consists of three stages: bubbling, lifting machine and sticking skin. First, the bean sprouts are poured into the cleaning tank through high pressure bubbling and scattered, and then transmitted to the back seven belts through the net belt. When passing through each belt, the bean sprout shells will be stuck on. The bean sprout shells are glued to the bottom of the belt after seven belts are glued, and the bean sprout shells stuck to the belt are collected in the bottom trough through the scraping board to complete the cleaning of the bean sprouts. The husking rate is above 98%, and 2-5 tons can be processed per hour. Bean sprout cleaning machine can complete the cleaning of Bean sprouts, the rate of peeling is more than 98%, and can handle 2-5 tons per hour, Bean sprout cleaning machine supplier.

Product usage: Wash the bean sprouts

Equipment principle: Bean sprout cleaning machine

It consists of three stages: bubbling, lifting machine and sticking skin

Product details introduction:

Tel: +86-18053631238

Email: [linquchongcheng@lqccmilling.com](mailto:linquchongcheng@lqccmilling.com)



[www.lqccmilling.com](http://www.lqccmilling.com)

First of all, the Bean sprouts are poured into the cleaning tank after high pressure bubble, and then transmitted to the back seven belts through the net belt, after each belt, will stick on the fall of the bean sprouts shell, after seven belt sticky skin to the bean sprouts shell to the bottom of the belt, through the scraping board will stick down the yellow bean sprouts shell collection in the trough to complete the yellow bean sprouts shell cleaning.

