


PROJECTION SCREEN

PRODUCT CATALOGUE



ZHEJIANG HUINUO INTELLIGENT TECHNOLOGY CO., LTD.



+86-153-5583-0388

www.huinoscreen.com huinoscreen@126.com

Building 1, Xinjie, Liuliji Town; Building 1-3, West Street,
Liuliji Town, Ganpu Town, Haiyan County, Jiaxing, Zhejiang

Electric screen




Projection screen size

Scale	Dimension	Projection screen		Overall length (m)
		Long(m)	Wide(m)	
4:3	60inch	1.2m	0.9m	1.49m
	72inch	1.46m	1.08m	1.73m
	84inch	1.7m	1.26m	1.97m
	100inch	2.03m	1.52m	2.3m
	120inch	2.44m	1.83m	2.71m
	133inch	2.66m	1.99m	2.93m
	150inch	3.05m	2.25m	3.32m
16:9	60inch	1.33m	0.75m	1.6m
	72inch	1.59m	0.89m	1.86m
	84inch	1.86m	1.04m	2.13m
	100inch	2.21m	1.24m	2.48m
	120inch	2.65m	1.49m	2.91m
	133inch	2.92m	1.66m	3.19m
	150inch	3.3m	1.86m	3.57m
16:10	84inch	1.81m	1.13m	2.08m
	100inch	2.15m	1.34m	2.42m
	120inch	2.58m	1.61m	2.85m
	150inch	3.23m	2.02m	3.5m
1:1	60inch	1.52m	1.52m	1.79m
	70inch	1.78m	1.78m	2.05m
	84inch	2.13m	2.13m	2.4m
	96inch	2.44m	2.44m	2.71m
	120inch	3.05m	3.05m	3.32m



Dual control is easier



Low noise operation without stalling




Metal lacquered housing is robust and durable

Manual wall screen



Projection screen size


Scale	Dimension	Projection screen		Overall length (m)
		Long(m)	Wide(m)	
4:3	60inch	1.2m	0.9m	1.34m
	72inch	1.46m	1.08m	1.6m
	84inch	1.7m	1.26m	1.84m
	100inch	2.03m	1.52m	2.17m
	120inch	2.44m	1.83m	2.58m
16:9	60inch	1.33m	0.75m	1.47m
	72inch	1.59m	0.89m	1.73m
	84inch	1.86m	1.04m	2.00m
	100inch	2.21m	1.24m	2.35m
	120inch	2.64m	1.48m	2.78m
1:1	60*60	1.52m	1.52m	1.66m
	70*70	1.78m	1.78m	1.92m
	84*84	2.13m	2.13m	2.27m
	96*96	2.44m	2.44m	2.58m
	120*120	3.05m	3.05m	3.19m



No need for power to open and use




Metal lacquered housing is robust and durable




Fine screen color gain

Tripod projection screen



Projection screen size

Scale	Dimension	Projection screen		Overall length (m)
		Long(m)	Wide(m)	
4:3	60inch	1.2m	0.9m	1.34m
	72inch	1.46m	1.08m	1.6m
	84inch	1.7m	1.26m	1.84m
	100inch	2.03m	1.52m	2.17m
	120inch	2.44m	1.83m	2.58m
	150inch	3.05m	2.28m	3.19m
16:9	60inch	1.33m	0.75m	1.47m
	72inch	1.59m	0.89m	1.73m
	84inch	1.86m	1.04m	2.00m
	100inch	2.21m	1.24m	2.35m
	120inch	2.64m	1.48m	2.78m
1:1	60inch	1.52m	1.52m	1.66m
	70inch	1.78m	1.78m	1.92m
	84inch	2.13m	2.13m	2.27m
	96inch	2.44m	2.44m	2.58m
	120inch	3.05m	3.05m	3.19m



The buckle secures the mounting ring




Telescopic adjusting handle




Metal triangular support


Fix Frame screen



Plastic steel frame is light and flexible



Metal support rods do not deform easily




Flush mounting screen

Projection screen size

Scale	Dimension	Projection screen		Overall length (m)	Border width (cm)
		Long(m)	Wide(m)		
4:3	84inch	1.7m	1.26m	1.71m	0.5cm
	100inch	2.03m	1.52m	2.04m	0.5cm
	120inch	2.44m	1.83m	2.45m	0.5cm
16:9	60inch	1.32m	0.74m	1.33m	0.5cm
	84inch	1.85m	1.04m	1.86m	0.5cm
	100inch	2.20m	1.24m	2.21m	0.5cm
	120inch	2.64m	1.48m	2.65m	0.5cm

Floor screen



Projection screen size

Scale	Dimension	Projection screen		Total length of case(m)	Overall length(m)
		Long(m)	Wide(m)		
4:3	60inch	1.20m	0.90m	1.34m	2.10m
	72inch	1.46m	1.10m	1.59m	
	80inch	1.63m	1.22m	1.76m	
	100inch	2.03m	1.52m	2.16m	
	120inch	2.44m	1.83m	2.57m	
16:9	60inch	1.33m	0.75m	1.46m	
	72inch	1.60m	0.90m	1.73m	
	80inch	1.77m	0.99m	1.90m	
	92inch	2.03m	1.14m	2.16m	
	100inch	2.21m	1.25m	2.34m	
	110inch	2.44m	1.37m	2.57m	
16:10	60inch	1.33m	0.83m	1.46m	
	72inch	1.60m	1.00m	1.73m	
	80inch	1.77m	1.11m	1.90m	
	92inch	2.03m	1.27m	2.16m	
	100inch	2.21m	1.38m	2.34m	



Metal storage boxes are dustproof and moisture-proof



Double pressure bar pull and stop



Fine screen color gain


In-Ceiling Tab Tension Screen



Invisible secure mode



Pull the left and right wire curtain flat



The metal casing is strong and durable

Projection screen size

Ratio	Diagonal (inch)	Viewing Width (mm)	Viewing Height (mm)	Top Black Border (mm)	Casing Length (mm)	Overall Length (with cover plate)(mm)	Bottom Bar (mm)	Slot Length (mm)	Slot Width (mm)	Slot Height (mm)	Min Distance to wall(mm)
16:9	84 inch	1858	1045	500	2225	2465	2225	2345-2445	135	145	30
16:9	92 inch	2035	1145	500	2410	2650	2410	2530-2630	135	145	30
16:9	100 inch	2213	1245	500	2595	2835	2595	2715-2815	135	145	30
16:9	110 inch	2435	1369	500	2830	3070	2830	2950-3050	135	145	30
16:9	120 inch	2656	1494	500	3075	3315	3075	3195-3295	135	145	30
16:9	135 inch	2988	1681	300	3400	3640	3400	3520-3620	135	145	30
16:9	150 inch	3320	1867	300	3810	4050	3810	3930-4030	135	145	30

ps: Power plug on the left


Electric floor lift screen



The aluminum casing is robust and durable



Metal top wire drawing process



The double support structure rises and falls gently

Projection screen size

Ratio	Diagonal (inch)	Shell length (mm)	Total height (mm)	Head length (mm)	Shell		Visible area		Package size (mm)
					height (mm)	width (mm)	height (mm)	width (mm)	
16:9	72 inch	1777	1321	1669	112	149	890	1590	250*180*1855
16:9	84 inch	2047	1531	1939	112	149	1050	1860	250*180*2125
16:9	92 inch	2222	1626	2114	112	149	1145	2035	250*180*2300
16:9	100 inch	2397	1776	2289	112	149	1245	2210	250*180*2475
16:9	110 inch	2622	1851	2514	112	149	1370	2435	250*180*2700
16:9	120 inch	2847	1975	2739	112	149	1494	2657	250*180*2925

ps: The product length L does not include the left end power cord plug 24mm

Large electric screen



Dual control is easier



Low noise operation without stalling



Metal lacquered housing is robust and durable



Drive-by-wire box and wireless remote control

Projection screen size

Scale	Dimension	Projection screen		Overall length (m)
		Long(m)	Wide(m)	
4:3	180inch	3.66m	2.75m	3.85m
	200inch	4.06m	3.05m	4.25m
	250inch	5.08m	3.81m	5.27m
	300inch	6.10m	4.57m	6.29m
16:9	180inch	3.98m	2.24m	4.17m
	200inch	4.43m	2.49m	4.62m
	250inch	5.53m	3.11m	5.72m
	300inch	6.64m	3.74m	6.83m
16:10	180inch	3.88m	2.42m	4.07m
	200inch	4.3m	2.69m	4.49m
	250inch	5.38m	3.36m	5.57m
	300inch	6.45m	4.03m	6.64m