

WHEEL SPACER

- * Made of superlight and ultimate strong 6061-T6 or 7075-T6 heat-treated aluminum, Which would be the best material for the spacer.
- * The spacers have CNC-machined holes and are hub centric for the highest level of accuracy.
- * They are designed to fit tight to your hub while centering your wheel. This prevents vibration when spacing or adapting the wheel.

Clear Description



Not easy To Fade



Special Knurl



High-strength Bolts





Part No	Vehicle	Wheel	I.D.	Stud
4x100-60-12x1.50	4x100mm	4x100mm	60mm	12mm 1.50
4x100-4x4.50-60-12x1.50	4x100mm	4x4.50"	60mm	12mm 1.50
4x4.25-4x100-71-12x1.50	4x4.25"	4x100mm	71mm	12mm 1.50
4x4.25-4x4.50-71-12x1.50	4x4.25"	4x4.50"	71mm	12mm 1.50
4x4.50-4x100-71-12x1.50	4x4.50"	4x100mm	71mm	12mm 1.50
4x4.50-71-12x1.50	4x4.50"	4x4.50"	71mm	12mm 1.50
4100-4425-4450-71-12x1.50	4x100mm-4x4.25"	4x4.50"	71mm	12mm 1.50
4100-4425-4450-74-12x1.50	4x100mm-4x4.25"	4x4.50"	74mm	12mm 1.50
4100-4450-4425-71-12x1.50	4x100mm-4x4.50"	4x4.25"	71mm	12mm 1.50
4100-4450-4425-74-12x1.50	4x100mm-4x4.50"	4x4.25"	74mm	12mm 1.50
4425-4450-4100-71-12x1.50	4x4.25"/4x4.5"	4x100mm	71mm	12mm 1.50
4425-4100-4100-74-12x1.50	4x4.25"/4x100mm	4x100mm	74mm	12mm 1.50



Part No	Vehicle	Wheel	I.D.	Stud
5x100-54.1-12x1.50	5x100mm	5x		
5x100-56.1-12x1.25	5x100mm	5x		
5x100-57.1-12x1.50	5x100mm	5x		
5x100-64-12x1.50	5x100mm	5x100mm	64mm	12mm 1.50
5x100-5x110-57.1-12x1.50	5x100mm	5x110mm	57.1mm	12mm 1.50
5x100-5x112-57.1-12x1.50	5x100mm	5x112mm	57.1mm	12mm 1.50
5x100-5x4.25-57.1-12x1.50	5x100mm	5x4.25"	57.1mm	12mm 1.50
5x100-5x4.50-57.1-12x1.50	5x100mm	5x4.50"	57.1mm	12mm 1.50
5x100-5x4.50-64-12x1.50	5x100mm	5x4.50"	64mm	12mm 1.50
5x100-5x4.75-57.1-12x1.50	5x100mm	5x4.75"	57.1mm	12mm 1.50
5x105-5x100-56.5-12x1.50	5x105mm	5x100mm	56.5mm	12mm 1.50
5x105-5x110-56.5-12x1.50	5x105mm	5x110mm	56.5mm	12mm 1.50
5x105-5x4.50-56.5-12x1.50	5x105mm	5x4.50"	56.5mm	12mm 1.50
5x110-5x100-65.1-12x1.50	5x110mm	5x100mm	65.1mm	12mm 1.50
5x110-65.1-12x1.50	5x110mm	5x110mm	65.1mm	12mm 1.50
5x110-5x112-65.1-12x1.50	5x110mm	5x112mm	65.1mm	12mm 1.50
5x110-5x4.50-65.1-12x1.50	5x110mm	5x4.50"	65.1mm	12mm 1.50
5x110-5x4.75-65.1-12x1.50	5x110mm	5x4.75"	65.1mm	12mm 1.50
FUT5x112-66.6-14x1.50	5x112mm	5x112mm	66.6mm	14mm 1.50
FUT5x112-66.6-14x1.25	5x112mm	5x112mm	66.6mm	14mm 1.25
5x114.3-56.1-12x1.25	5x114.3mm	5x114.3mm	56.1mm	12mm 1.25
5x114.3-60.1-12x1.50	5x114.3mm	5x114.3mm	60.1mm	12mm 1.50
5x114.3-64.1-12x1.50	5x114.3mm	5x114.3mm	64.1mm	12mm 1.50
5x114.3-64.1-14x1.50	5x114.3mm	5x114.3mm	64.1mm	14mm 1.50
5x114.3-66.1-12x1.25	5x114.3mm	5x114.3mm	66.1mm	12mm 1.25
5x114.3-67.1-12x1.50	5x114.3mm	5x114.3mm	67.1mm	12mm 1.50
5x115-71.5-14x1.50	5x115mm	5x115mm	71.5mm	14mm 1.50
5x115-73.1-14x1.50	5x115mm	5x115mm	73.1mm	14mm 1.50
5x115-74-12x1.50	5x115mm	74mm	74mm	12mm 1.50
5x115-5x4.50-74-12x1.50	5x115mm	5x4.50"	74mm	12mm 1.50
5x115-5x4.75-74-12x1.50	5x115mm	5x4.75"	74mm	12mm 1.50
5x115-5x5-74-12x1.50	5x115mm	5x5.00"	74mm	12mm 1.50
5x120-64.1-14x1.50	5x120mm	5x120mm	64.1mm	14mm 1.50
5x120-5x4.50-73.1-12x1.50	5x120mm	5x4.50"	73.1mm	12mm 1.50
5x120-74-14x1.50	5x120mm	5x120mm	74mm	14mm 1.50
5x120-5x4.50-74-12x1.50	5x120mm	5x4.50"	74mm	12mm 1.50
5x120-5x4.75-74-12x1.50	5x120mm	5x4.75"	74mm	12mm 1.50
5x120-5x5-74-12x1.50	5x120mm	5x5.00"	74mm	12mm 1.50
FUT5x120-72.6-14x1.25	5x120mm	5x120mm	72.6mm	14mm 1.25

PROCESS TEXT





5 LUG
Billet Wheel Adapters



WHEEL ADAPTERS

Part No	Vehicle	Wheel	I.D.	Stud
FUT5x120-74-1-14x1.25	5x120mm	5x120mm	74.1mm	14mm 1.25
5x130-71.5-14x1.50	5x130mm	5x130mm	71.5mm	14mm 1.50
5x130-84.1-14x1.50	5x130mm	5x130mm	84.1mm	14mm 1.50
FUT5x130-71.6-14x1.50	5x130mm	5x130mm	71.6mm	14mm 1.50
5x135-87.1-14x2.00	5x135mm	5x135mm	87.1mm	14mm 2.00
5x135-5x4-50-87.1-14x2.00	5x135mm	5x4.50"	87.1mm	14mm 2.00
5x135-5x4-50-87.1-12x1.50	5x135mm	5x4.50"	87.1mm	12mm 1.50
5x135-5x4-75-87.1-14x2.00	5x135mm	5x4.75"	87.1mm	14mm 2.00
5x135-5x4-75-87.1-12x1.50	5x135mm	5x4.75"	87.1mm	12mm 1.50
5x135-5x4-50-87.1-14x2.00	5x135mm	5x4.50"	87.1mm	14mm 2.00
5x135-5x4-50-87.1-12x1.50	5x135mm	5x4.50"	87.1mm	12mm 1.50
5x135-6x135-87.1-12x1.50	5x135mm	6x135mm	87.1mm	12mm 1.50
5x150-110-14x1.50	5x150mm	5x150mm	110mm	14mm 1.50
5x4-73.1-12x1.50	5x4.00"	5x4.00"	73.1mm	12mm 1.50
5x4-25-74-12x1.50	5x4.25"	5x4.25"	74mm	12mm 1.50
5x4-25-5x4-50-73.1-12x1.50	5x4.25"	5x4.50"	73.1mm	12mm 1.50
5x4-50-5x112-74-12x1.50	5x4.50"	5x112mm	74mm	12mm 1.50
5x4-50-5x115-74-12x1.50	5x4.50"	5x115mm	74mm	12mm 1.50
5x4-50-5x120-74-14x1.50	5x4.50"	5x120mm	74mm	14mm 1.50
5x4-50-5x135-74-12x1.50	5x4.50"	5x135mm	74mm	12mm 1.50
5x4-50-5x4-25-74-12x1.50	5x4.50"	5x4.25"	74mm	12mm 1.50
5x4-50-70.5-1/2"	5x4.50"	5x4.50"	70.5mm	1/2"-20
5x4-50-70.5-14x1.50	5x4.50"	5x4.50"	70.5mm	14mm 1.50
5x4-50-71.5-1/2"	5x4.50"	5x4.50"	71.5mm	1/2"-20
5x4-50-74-12x1.50	5x4.50"	5x4.50"	74mm	12mm 1.50
5x4-50-74-1/2"	5x4.50"	5x4.50"	74mm	1/2"-20
5x4-50-5x4-75-74-12x1.50	5x4.50"	5x4.75"	74mm	12mm 1.50
5x4-50-5x4-75-74-1/2"	5x4.50"	5x4.75"	74mm	1/2"-20
5x4-50-5x5-71.5-1/2"	5x4.50"	5x5.00"	71.5mm	1/2"-20
5x4-50-5x5-74-12x1.50	5x4.50"	5x5.00"	74mm	12mm 1.50
5x4-50-5x5-71.5-1/2"	5x4.50"	5x5.50"	71.5mm	1/2"-20
5x4-50-5x5-50-74-12x1.50	5x4.50"	5x5.50"	74mm	12mm 1.50
5x4-50-6x5-50-74-12x1.50	5x4.50"	6x5.50"	74mm	12mm 1.50
5x4-75-5x100-74-12x1.50	5x4.75"	5x100mm	74mm	12mm 1.50
5x4-75-5x112-74-12x1.50	5x4.75"	5x112mm	74mm	12mm 1.50
5x4-75-5x115-74-12x1.50	5x4.75"	5x115mm	74mm	12mm 1.50
5x4-75-5x120-74-14x1.50	5x4.75"	5x120mm	74mm	14mm 1.50
5x4-75-5x135-74-12x1.50	5x4.75"	5x135mm	74mm	12mm 1.50
5x4-75-5x4-50-74-12x1.50	5x4.75"	5x4.50"	74mm	12mm 1.50
5x4-75-74-7/16"	5x4.75"	5x4.75"	74mm	7/16"-20
5x4-75-74-12x1.50	5x4.75"	5x4.75"	74mm	12mm 1.50
5x4-75-5x5-74-12x1.50	5x4.75"	5x5.00"	74mm	12mm 1.50

Part No	Vehicle	Wheel	I.D.	Stud
5x4-75-5x5-50-74-1/2"	5x4.75"	5x5.50"	74mm	1/2"-20
5x4-75-5x5-50-74-12x1.50	5x4.75"	5x5.50"	74mm	12mm 1.50
5x4-75-6x5-50-74-12x1.50	5x4.75"	6x5.50"	74mm	12mm 1.50
5x5-5x115-78-1-12x1.50	5x5.00"	5x115mm	78.1mm	12mm 1.50
5x5-5x120-78-1-14x1.50	5x5.00"	5x120mm	78.1mm	14mm 1.50
5x5-5x135-78-1-12x1.50	5x5.00"	5x135mm	78.1mm	12mm 1.50
5x5-5x135-87-1-12x1.50	5x5.00"	5x135mm	87.1mm	12mm 1.50
5x5-5x4-50-78-1-12x1.50	5x5.00"	5x4.50"	78.1mm	12mm 1.50
5x5-5x4-50-78-1-1/2"	5x5.00"	5x4.50"	78.1mm	1/2"-20
5x5-5x4-75-78-1-12x1.50	5x5.00"	5x4.75"	78.1mm	12mm 1.50
5x5-71.5-1/2"	5x5.00"	5x5.00"	71.5mm	1/2"-20
5x5-78-1-1/2"	5x5.00"	5x5.00"	78.1mm	1/2"-20
5x5-78-1-12x1.50	5x5.00"	5x5.00"	78.1mm	12mm 1.50
5x5-5x5-50-78-1-12x1.50	5x5.00"	5x5.50"	78.1mm	12mm 1.50
5x5-6x5-50-78-1-12x1.50	5x5.00"	6x5.50"	78.1mm	12mm 1.50
5x5-50-5x4-50-78-1-9/16"	5x5.50"	5x4.50"	78.1mm	9/16"-18
5x5-50-5x4-50-87.1-1/2"	5x5.50"	5x4.50"	87.1mm	1/2"-20
5x5-50-5x4-50-87.1-12x1.50	5x5.50"	5x4.50"	87.1mm	12mm 1.50
5x5-50-5x4-75-87.1-1/2"	5x5.50"	5x4.75"	87.1mm	1/2"-20
5x5-50-5x4-75-87.1-12x1.50	5x5.50"	5x4.75"	87.1mm	12mm 1.50
5x5-50-5x5-87.1-1/2"	5x5.50"	5x5.00"	87.1mm	1/2"-20
5x5-50-77.8-9/16"	5x5.50"	5x5.50"	77.8mm	9/16"-18
5x5-50-87.1-1/2"	5x5.50"	5x5.50"	87.1mm	1/2"-20
5x5-50-87.1-14x1.50	5x5.50"	5x5.50"	87.1mm	14mm 1.50
5x5-50-108-1/2"	5x5.50"	5x5.50"	108mm	1/2"-20
5x5-50-108-12x1.25	5x5.50"	5x5.50"	108mm	12mm 1.25
5x5-50-108-9/16"	5x5.50"	5x5.50"	108mm	9/16"-18
5x5-50-6x5-50-108-1/2"	5x5.50"	6x5.50"	108mm	1/2"-20
5x5-50-6x135-108-1/2"	5x5.50"	6x135mm	108mm	1/2"-20
5100/5425-5450-74-12x1.50	5x100mm/5x4.25"	5x4.50"	74mm	12mm 1.50
5135/5550-5135-87-1-12x1.50	5x135mm/5x5.50"	5x135mm	87.1mm	12mm 1.50
5135/5500-5135-87.1-12x1.50	5x135mm/5x5.00"	5x135mm	87.1mm	12mm 1.50
5135/5500-5450-87.1-12x1.50	5x135mm/5x5.00"	5x4.50"	87.1mm	12mm 1.50
5135/5500-5475-87.1-12x1.50	5x135mm/5x5.00"	5x4.75"	87.1mm	12mm 1.50
5135/5500-5500-87.1-12x1.50	5x135mm/5x5.00"	5x5.00"	87.1mm	12mm 1.50
5135/5500-5550-87.1-12x1.50	5x135mm/5x5.00"	5x5.50"	87.1mm	12mm 1.50
5135/5550-5150-87.1-14x1.50	5x135mm/5x5.50"	5x150mm	87.1mm	14mm 1.50
5450/5475-5110-74-12x1.50	5x4.50"/5x4.75"	5x110mm	74mm	12mm 1.50
5450/5475-5112-74-12x1.50	5x4.50"/5x4.75"	5x112mm	74mm	12mm 1.50
5450/5475-5115-74-12x1.50	5x4.50"/5x4.75"	5x115mm	74mm	12mm 1.50
5450/5475-5135-74-12x1.50	5x4.50"/5x4.75"	5x135mm	74mm	12mm 1.50
5450/5475-5150-74x14x1.50	5x4.50"/5x4.75"	5x150mm	74mm	14mm 1.50
5450/5475-5450-74-12x1.50	5x4.50"/5x4.75"	5x4.50"	74mm	12mm 1.50
5450/5475-5450-78-1-12x1.50	5x4.50"/5x4.75"	5x4.50"	78.1mm	12mm 1.50
5450/5475-5475-74-12x1.50	5x4.50"/5x4.75"	5x4.75"	74mm	12mm 1.50
5450/5475-5475-78-1-12x1.50	5x4.50"/5x4.75"	5x4.75"	78.1mm	12mm 1.50
5450/5475-5500-74-12x1.50	5x4.50"/5x4.75"	5x5.00"	74mm	12mm 1.50
5450/5475-5550-74-12x1.50	5x4.50"/5x4.75"	5x5.50"	74mm	12mm 1.50
5475/5500-5500-78-1-12x1.50	5x4.75"/5x5.00"	5x5.00"	78.1mm	12mm 1.50



5 LUG
Billet Wheel Adapters



Part No	Vehicle	Wheel	I.D.	Stud
5500/5550-5135-87.1-12x1.50	5x5.00"/5x5.50"	5x135mm	87.1mm	12mm 1.50
5500/5550-5135-87.1-1/2"	5x5.00"/5x5.50"	5x135mm	87.1mm	1/2"-20
5500/5550-5150-87.1-14x1.50	5x5.00"/5x5.50"	5x150mm	87.1mm	14mm 1.50
5500/5550-5450-87.1-12x1.50	5x5.00"/5x5.50"	5x4.50"	87.1mm	12mm 1.50
5500/5550-5450-87.1-1/2"	5x5.00"/5x5.50"	5x4.50"	87.1mm	1/2"-20
5500/5550-5475-87.1-12x1.50	5x5.00"/5x5.50"	5x4.75"	87.1mm	12mm 1.50
5500/5550-5475-87.1-1/2"	5x5.00"/5x5.50"	5x4.75"	87.1mm	1/2"-20
5500/5550-5500-87.1-12x1.50	5x5.00"/5x5.50"	5x5.00"	87.1mm	12mm 1.50
5500/5550-5500-87.1-1/2"	5x5.00"/5x5.50"	5x5.00"	87.1mm	1/2"-20
5500/5550-5550-87.1-1/2"	5x5.00"/5x5.50"	5x5.50"	87.1mm	1/2"-20
5550/5135-5550-87.1-12x1.50	5x5.50"/5x135mm	5x5.50"	87.1mm	12mm 1.50

Please tell us if you need the following requirements:

Step

If you need the step, please tell us



Deepened trough

In order to ensure a better fit between the spacer and the hub, you'd better add deep groove to the inside hole step

Cone design

The 60° degree high precision cone has stronger force

Special Knurl

The outer circle rolls, the anti skid effect is better.



6 LUG
Billet Wheel Adapters



Part No	Vehicle	Wheel	I.D.	Stud
6x114.3-67.1-12x1.50	6x114.3mm	6x114.3mm	67.1mm	12mm 1.50
6x120-67.1-14x1.50	6x120mm	6x120mm	67.1mm	14mm 1.50
6x132-6x5.50-74.5-14x1.50	6x132mm	6x5.50"	74.5mm	14mm 1.50
6x135-87.1-14x2.00	6x135mm	6x135mm	87.1mm	14mm 2.00
6x135-87.1-14X1.50	6x135mm	6x135mm	87.1mm	14mm 1.50
6x135-6x5.50-87.1-14x2.00	6x135mm	6x5.50"	87.1mm	14mm 2.00
6x135-6x5.50-108-14x1.50	6x135mm	6x5.50"	108mm	14mm 1.50
6x139.7-95.1-12x1.50	6x139.7mm	6x139.7mm	95.1mm	12mm 1.50
6x4.50-71.5-1/2"	6x4.50"	6x4.50"	71.5mm	1/2"-20
6x4.50-66.1-12x1.25	6x4.50"	6x4.50"	66.1mm	12mm 1.25
6x4.50-6x5.50-78.1-1/2"	6x4.50"	6x5.50"	78.1mm	1/2"-20
6x5-78.1-12x1.50	6x5"	6x5"	78.1mm	12mm 1.50
6x5-6x5.50-78.1-12x1.50	6x5"	6x5.50"	78.1mm	12mm 1.50
6x5.50-6x135-78.1-14x2.00	6x5.50"	6x135mm	78.1mm	14mm 2.00
6x5.50-6x135-78.1-14x1.50	6x5.50"	6x135mm	78.1mm	14mm 1.50
6x5.50-6x4.50-78.1-14x1.50	6x5.50"	6x4.50"	78.1mm	14mm 1.50
6x5.50-108-7/16"	6x5.50"	6x5.50"	108mm	7/16"-20
6x5.50-108-12x1.50	6x5.50"	6x5.50"	108mm	12mm 1.50
6x5.50-108-14x1.50	6x5.50"	6x5.50"	108mm	14mm 1.50
6x5.50-106-12x1.50	6x5.50"	6x5.50"	106mm	12mm 1.50
6x5.50-78.1-14x1.50	6x5.50"	6x5.50"	78.1mm	14mm 1.50
6x5.50-8x170-108-14x1.50	6x5.50"	8x170mm	108mm	14mm 1.50
6x5.50-8x6.50-108-14x1.50	6x5.50"	8x6.50"	108mm	14mm 1.50
6135/6500-6135-87.1-12x1.50	6x135mm/6x5.00"	6x135mm	87.1mm	12mm 1.50
6135/6500-6500-87.1-12x1.50	6x135mm/6x5.50"	6x5.00"	87.1mm	12mm 1.50
6450/6500-5150-78.3-14x1.50	6x4.50"/6x5.00"	5x150mm	78.3mm	14mm 1.50
6500/6135-6135-87.1-12x1.50	6x5.00"/6x135mm	6x135mm	87.1mm	12mm 1.50
6550/6135-5135-87.1-14x1.50	6x5.50"/6x135mm	5x135mm	87.1mm	14mm 1.50
6550/6135-5150-87.1-14x1.50	6x5.50"/6x135mm	5x150mm	87.1mm	14mm 1.50
6550/6135-5450-87.1-1/2"	6x5.50"/6x135mm	5x4.50"	87.1mm	1/2"-20
6550/6135-5500-87.1-14x1.50	6x5.50"/6x135mm	5x5.00"	87.1mm	14mm 1.50
6550/6135-5550-87.1-14x1.50	6x5.50"/6x135mm	5x5.50"	87.1mm	14mm 1.50
6550/6135-6135-108-14x1.50	6x5.50"/6x135mm	6x135mm	108mm	14mm 1.50
6550/6135-6550-108-14x1.50	6x5.50"/6x135mm	6x5.50"	108mm	14mm 1.50
6550/6135-8170-87.1-14x1.50	6x5.50"/6x135mm	8x170mm	87.1mm	14mm 1.50
6550/6135-8180-87.1-14x1.50	6x5.50"/6x135mm	8x180mm	87.1mm	14mm 1.50
6550/6135-8200-87.1-14x1.50	6x5.50"/6x135mm	8x200mm	87.1mm	14mm 1.50
6550/6135-8210-87.1-14x1.50	6x5.50"/6x135mm	8x210mm	87.1mm	14mm 1.50
6550/6135-8650-87.1-14x1.50	6x5.50"/6x135mm	8x6.50"	87.1mm	14mm 1.50

WHEEL ADAPTERS



Part No	Vehicle	Wheel	I.D.	Stud
8x170-125-14x2.00	8x170mm	8x170mm	125mm	14mm 2.00
8x170-125-14x1.50	8x170mm	8x170mm	125mm	14mm 1.50
8x170-126.15-9/16"	8x170mm	8x170mm	126.15mm	9/16"-18
8x170-8x180-125-14x1.50	8x170mm	8x180mm	125mm	14mm 1.50
8x170-8x200-125-14x1.50	8x170mm	8x200mm	125mm	14mm 1.50
8x170-8x6-50-125-14x1.50	8x170mm	8x6-50"	125mm	14mm 1.50
8x180-6x5-50-108-14x1.50	8x180mm	6x5-50"	108mm	14mm 1.50
8x180-125-14x1.50	8x180mm	8x180mm	125mm	14mm 1.50
8x180-8x210-125-14x1.50	8x180mm	8x210mm	125mm	14mm 1.50
8x180-8x6-50-125-14x1.50	8x180mm	8x6-50"	125mm	14mm 1.50
8x200-146-14x1.50	8x200mm	8x200mm	146mm	14mm 1.50
8x210-155-14x1.50	8x210mm	8x210mm	155mm	14mm 1.50
8x6-50-8x170-126.15-14x1.50	8x6-50"	8x170mm	126.15mm	14mm 1.50
8x6-50-8x170-126.15-9/16"	8x6-50"	8x170mm	126.15mm	9/16"-18
8x6-50-8x180-126.15-14x1.50	8x6-50"	8x180mm	126.15mm	14mm 1.50
8x6-50-8x180-124-14x1.50	8x6-50"	8x180mm	124mm	14mm 1.50
8x6-50-8x210-126.15-14x1.50	8x6-50"	8x210mm	126.15mm	14mm 1.50
8x6-50-126.15-14x1.50	8x6-50"	8x6-50"	126.15mm	14mm 1.50
8x6-50-126.15-9/16"	8x6-50"	8x6-50"	126.15mm	9/16"-18
8x6-50-116.7-14x1.50	8x6-50"	8x6-50"	116.7mm	14mm 1.50
8200-8210-6550-108-14x1.50	8x200mm 8x210mm	6x5-50"	108mm	14mm 1.50
8650-8170-6550-108-14x1.50	8x6-50"/8x170mm	6x5-50"	108mm	14mm 1.50



▲ Carton

Package show

1pc or 2pcs in a inner box
5pcs or 10pcs in a outer box



▲ Graphic carton



Part No	Vehicle	Wheel	I.D.	Stud
2P4x100-5x4-50-67-12x1.50	4x100mm	5x4-50"	67mm	12mm 1.50
2P4x125-5x4-50-72-12x1.50	4x125"	5x4-50"	72mm	12mm 1.50
2P4x150-5x4-50-71-12x1.50	4x150"	5x4-50"	71mm	12mm 1.50
2P4x150-5x4-50-72-12x1.50	4x150"	5x4-50"	72mm	12mm 1.50
2P5x4-50-6x135-74-14x2.00	5x4-50"	6x135mm	74mm	14mm 2.00
2P5x4-50-6x5-50-74-12x1.50	5x4-50"	6x5-50"	74mm	12mm 1.50
2P5x4-75-6x135-74-14x2.00	5x4-75"	6x135mm	74mm	14mm 2.00
2P5x4-75-6x5-50-74-12x1.50	5x4-75"	6x5-50"	74mm	12mm 1.50
2P5x135-6x135-87.1-14x2.00	5x135mm	6x135mm	87.1mm	14mm 2.00
2P5x135-6x5-50-87.1-12x1.50	5x135mm	6x5-50"	87.1mm	12mm 1.50
2P5x5-6x5-50-78-12x1.50	5x5"	6x5-50"	78mm	12mm 1.50
2P5x5-6x135-78-14x2.00	5x5"	6x135mm	78mm	14mm 2.00
2P5x5-50-6x135-108-14x2.00	5x5-50"	6x135mm	108mm	14mm 2.00
2P5x5-50-6x5-50-108-1/2"	5x5-50"	6x5-50"	108mm	1/2"-20
2P6x135-5x4-50-87.1-14x1.50	6x135mm	5x4-50"	87.1mm	14mm 1.50
2P6x135-5x4-75-87.1-14x1.50	6x135mm	5x4-75"	87.1mm	14mm 1.50
2P6x135-5x5-87.1-14x1.50	6x135mm	5x5"	87.1mm	14mm 1.50
2P6x135-5x5-87.1-14x1.50	6x135mm	5x5-50"	87.1mm	14mm 1.50
2P6x5-50-5x135-108-14x1.50	6x5-50"	5x135mm	108mm	14mm 1.50
2P6x5-50-5x4-50-108-14x1.50	6x5-50"	5x4-50"	108mm	14mm 1.50
2P6x5-50-5x4-75-108-14x1.50	6x5-50"	5x4-75"	108mm	14mm 1.50
2P6x5-50-5x5-108-14x1.50	6x5-50"	5x5"	108mm	14mm 1.50
2P6x5-50-5x5-108-14x1.50	6x5-50"	5x5-50"	108mm	14mm 1.50
2P6x5-50-8x170-108-14x1.50	6x5-50"	8x170mm	108mm	14mm 1.50
2P6x5-50-8x180-108-14x1.50	6x5-50"	8x180mm	108mm	14mm 1.50
2P6x55-0-8x6-50-108-14x1.50	6x5-50"	8x6-50"	108mm	14mm 1.50

* We here only list the regular specification, please inform us if you have any requirement for different design or size.



TG6004



ATV Wheel Adapters



Part No.	From(car)	To(wheel)	Thickness	I.D.	Stud Thread Size
WA4156-4156A	4x156mm	4x156mm	1"	131mm	3/8"-24
WA4156-4156C	4x156mm	4x156mm	1.5"	131mm	3/8"-24
WA4156-4156E	4x156mm	4x156mm	2"	131mm	3/8"-24
WA4156-4156G	4x156mm	4x156mm	2.5"	131mm	3/8"-24
WA4110-4110A	4x110mm	4x110mm	1"	84mm	10mm 1.25
WA4110-4110C	4x110mm	4x110mm	1.5"	84mm	10mm 1.25
WA4110-4110E	4x110mm	4x110mm	2"	84mm	10mm 1.25
WA4110-4110G	4x110mm	4x110mm	2.5"	84mm	10mm 1.25
WA4450-4450E	4x4 50"	4x4 50"	2"	84mm	10mm 1.25
WA4136-4136A	4x136mm	4x136mm	1"	117.5mm	10mm 1.25
WA4136-4136C	4x136mm	4x136mm	1.5"	117.5mm	10mm 1.25
WA4136-4136E	4x136mm	4x136mm	2"	117.5mm	10mm 1.25
WA4136-4136G	4x136mm	4x136mm	2.5"	117.5mm	10mm 1.25
WA4400-4400C	4x4 00"	4x4 00"	1.5"	77.8mm	1/2"-20
WA4156-4156C80	4x156mm	4x156mm	1.5"	131mm	10mm 1.25
WA4456-4156E80	4x156mm	4x156mm	2"	131mm	10mm 1.25

ATV WHEEL ADAPTERS



Part No.	From(car)	To(wheel)	Thickness	I.D.	Stud Thread Size
ATV4110-4110A1	4x110mm	4x110mm	1"	79mm	10mm 1.25
ATV4110-4110C1	4x110mm	4x110mm	1.5"	79mm	10mm 1.25
ATV4110-4110E1	4x110mm	4x110mm	2"	79mm	10mm 1.25
ATV4110-4110G1	4x110mm	4x110mm	2.5"	79mm	10mm 1.25
ATV4156-4156A1	4x156mm	4x156mm	1"	111mm	3/8"-24
ATV4156-4156C1	4x156mm	4x156mm	1.5"	111mm	3/8"-24
ATV4156-4156E1	4x156mm	4x156mm	2"	111mm	3/8"-24
ATV4156-4156G1	4x156mm	4x156mm	2.5"	111mm	3/8"-24



Part No.	From(car)	To(wheel)	Thickness	I.D.	Stud Thread Size
ATV4110-4110A2	4x110mm	4x110mm	1"	74mm	10mm 1.25
ATV4110-4110C2	4x110mm	4x110mm	1.5"	74mm	10mm 1.25
ATV4110-4110E2	4x110mm	4x110mm	2"	74mm	10mm 1.25
ATV4110-4110G2	4x110mm	4x110mm	2.5"	74mm	10mm 1.25
ATV4156-4156A2	4x156mm	4x156mm	1"	131mm	3/8"-24
ATV4156-4156C2	4x156mm	4x156mm	1.5"	131mm	3/8"-24
ATV4156-4156E2	4x156mm	4x156mm	2"	131mm	3/8"-24
ATV4156-4156G2	4x156mm	4x156mm	2.5"	131mm	3/8"-24

Leveling Lift



Part No.	OD	CS	Stud
LL156-777A	156mm	77.7mm	10mm 1.50
LL149-777C	149mm	77.7mm	10mm 1.50
LL128-581E	128mm	58.1mm	10mm 1.50



Part No.	Thickness(mm)	Hole Q'ty	PCD(mm)	Center Bore (mm)	Bolthole(mm)
S311216.0	16	3	112	57.1	13
S311220.0	20	3	112	57.1	13
S409816.0	16	4	98	58.1	13
S409816.1	16	4	98	58.6	13
S409820.0	20	4	98	58.1	13
S409820.1	20	4	98	58.6	13
S410015.0	15	4	100	57.1	13
S410015.1	15	4	100	60.1	13
S410016.0	16	4	100	52.1	13
S410016.1	16	4	100	54.1	13
S410016.2	16	4	100	56.1	13
S410016.3	16	4	100	56.1	13
S410016.4	16	4	100	56.1	15
S410016.5	16	4	100	56.6	13
S410016.6	16	4	100	57.1	13
S410016.7	16	4	100	59.1	13
S410016.8	16	4	100	60.1	13
S410020.0	20	4	100	52.1	13
S410020.1	20	4	100	54.1	13
S410020.2	20	4	100	56.1	13
S410020.3	20	4	100	56.1	13
S410020.4	20	4	100	56.1	15
S410020.5	20	4	100	56.6	13
S410020.6	20	4	100	57.1	13
S410020.7	20	4	100	57.1	13
S410020.8	20	4	100	59.1	13
S410020.9	20	4	100	60.1	13
S410810.0	10	4	108	65.1	13
S410812.0	12	4	108	65.1	15
S410815.0	15	4	108	65.1	13
S410816.0	16	4	108	63.4	13
S410816.1	16	4	108	65.1	13
S410816.2	16	4	108	65.1	15
S410820.0	20	4	108	63.4	13
S410820.1	20	4	108	65.1	13
S410820.2	20	4	108	65.1	13
S410820.3	20	4	108	65.1	15
S410821.0	21	4	108	65.1	13
S410825.0	25	4	108	65.1	13
S410835.0	35	4	108	65.1	13
S411416.0	16	4	114.3	66.1	13
S411416.1	16	4	114.3	67.1	13
S411420.0	20	4	114.3	66.1	13
S411420.1	20	4	114.3	67.1	13



Part No.	Thickness(mm)	Hole Q'ty	PCD(mm)	Center Bore (mm)	Bolthole(mm)
S509816.0	16	5	98	58.1	13
S509816.1	16	5	98	58.1	15
S509820.0	20	5	98	58.1	13
S509820.1	20	5	98	58.1	15
S510016.0	16	5	100	54.1	13
S510016.1	16	5	100	56.1	13
S510016.2	16	5	100	57.1	15
S510020.0	20	5	100	54.1	13
S510020.1	20	5	100	56.1	13
S510020.2	20	5	100	57.1	15
S510816.0	16	5	108	58.1	13
S510816.1	16	5	108	60.1	15
S510816.2	16	5	108	63.3	13
S510816.3	16	5	108	65.1	13
S510816.4	16	5	108	65.1	15
S510820.0	20	5	108	58.1	13
S510820.1	20	5	108	60.1	15
S510820.2	20	5	108	63.3	13
S510820.3	20	5	108	65.1	13
S510820.4	20	5	108	65.1	15
S511016.0	16	5	110	65	15
S511016.1	16	5	110	65.1	13
S511020.0	20	5	110	65	15
S511020.1	20	5	110	65.1	13
S511215.0	15	5	112	66.6	15
S511216.0	16	5	112	57.1	15
S511216.1	16	5	112	66.6	13
S511216.2	16	5	112	66.6	15
S511220.0	20	5	112	57.1	15
S511220.1	20	5	112	66.6	12
S511220.2	20	5	112	66.6	15
S511220.3	20	5	112	66.6	15
S511416.0	16	5	114.3	66.1	13
S511416.1	16	5	114.3	67.1	13
S511420.0	20	5	114.3	66.1	13
S511420.1	20	5	114.3	67.1	13
S512015.0	15	5	120	72.5	13
S512015.1	15	5	120	72.5	15
S512015.2	15	5	120	74.1/72.6	18
S512016.0	16	5	120	72.6	13
S512016.1	16	5	120	72.6	15
S512016.2	16	5	120	74.1	13
S512016.3	16	5	120	74.1	15
S512020.0	20	5	120	72.5	13
S512020.1	20	5	120	72.6	13
S512020.2	20	5	120	72.6	15
S512020.3	20	5	120	74.1	13
S512020.4	20	5	120	74.1/72.6	18
S512023.0	23	5	120	74.1/72.6	15
S513016.0	16	5	130	71.6	15
S513020.0	20	5	130	71.6	15



Part No.	Thickness(mm)	Hole Q'ty	PCD(mm)	Centerbore In(mm)	Centerbore Out(mm)	Bolt hole(mm)
SE45001.0	8	4/5	98-120	67.1	73	15
SE45001.1	12	4/5	98-120	67.1	73	15
SE45001.2	23	4/5	98-120	73	73	15



Part No.	Thickness(mm)	Hole Q'ty	PCD(mm)	Center Bore(mm)	Bolt hole(mm)
SC43001.0	13	4	4x100 / 4x108	65.1	13
SC43001.1	13	4	4x100 / 4x108	67.1	13
SC43002.0	12	4	4x100 / 4x108 / 4x114.3	73.1	13
SC43002.1	16	4	4x100 / 4x108 / 4x114.3	73.1	15
SC43002.2	20	4	4x100 / 4x108 / 4x114.3	73.1	15
SC56001.0	15	5	5x100 / 5x112	57.1	15
SC56001.1	13	5	5x100 / 5x112	67.1	15
SC56002.0	12	5	5x100 / 5x110	73.1	18
SC56002.1	16	5	5x100 / 5x110	73.1	18
SC56002.2	20	5	5x100 / 5x110	73.1	18
SC56003.0	13	5	5x114.3 / 5x120	72.5	15



Part No.	Material	Subaru	Center Bore(mm)	Thickness(mm)
D-WS102	6061-T6	5x100	56.1	5
D-WS106	6061-T6	5x112	66.6	5
D-WS108	6061-T6	5x114.3	60.1	5
D-WS109	6061-T6	5x114	66.1	5
D-WS110	6061-T6	5x114	70.5	5
D-WS111	6061-T6	5x115	71.5	5
D-WS112	6061-T6	5x114	73.1	5
D-WS113	6061-T6	6x139.7	110	5
D-WS114	6061-T6	5x150	110.2	5
D-WS115	6061-T6	6x139.7	78.1	5
D-WS116	6061-T6	5x139.7	108	5
D-WS117	6061-T6	5x120	72.6	5



Part #	D-WS101	D-WS601	D-WS602 WS602T	D-WS605
Spec:	4Lug,114-127mm B.C.	4Lug,101.6-114.3mm B.C.	5Lug,114.3-127mm B.C.	5Lug,100mm B.C.
Thick:	6.35mm	7.94mm	7.94mm 12.5mm	7.94mm



Part #	D-WS607	D-WS600	D-WS606	D-WS103 WS104
Spec:	5Lug,101.6-120.65mm B.C.	4&6Lug,98-120mm B.C.	4&5Lug,98-120mm B.C.	4&5Lug,98-120mm B.C.
Thick:	5mm	3mm	5mm	5mm 7mm



Part #	D-WS608	D-WS603	D-WS105	D-WS201
Spec:	5&6Lug,139.7mm B.C.	5&6Lug,139.7mm B.C.	5&6Lug,135mm B.C.	4&5Lug,98-114.3mm B.C.
Thick:	6.3mm	6.35mm	6.35mm	6mm



Part #	D-WS604	D-WS504	D-WS202	D-WS901
Spec:	8Lug,165.1mm B.C.	8Lug,165.1/169.3mm B.C.	4&5Lug,Hub size:73.1mm	5Lug,114.3mm B.C.
Thick:	6.35mm	5.7mm/12mm 8mm	10mm	5mm

HUB CENTRIC RINGS

HONISHEN



Hub Ring Inner Diameter (Vehicle's Hub Size)
Hub Ring Outer Diameter (Wheel's Bore Size)

- * Fill the gap between the wheel hole and hub proving true wheel-centering; prevents vibrations and enhances driving performance.
- * Material: aluminum or polycarbonate.
- * Available in various combinations of bore and outer ring sizes. I.D. and O.D. sizes clearly imprinted on ring.

HUB CENTRIC RINGS

Part No.	O.D.	I.D.
HR571-541	57.1	54.1
HR601-541	60.1	54.1
HR601-561	60.1	56.1
HR601-566	60.1	56.6
HR601-571	60.1	57.1
HR601-581	60.1	58.1
HR601-586	60.1	58.6
HR634-541	63.4	54.1
HR634-561	63.4	56.1
HR634-566	63.4	56.6
HR634-571	63.4	57.1
HR634-581	63.4	58.1
HR634-591	63.4	59.1
HR64-541	64	54.1
HR64-561	64	56.1
HR64-566	64	56.6
HR64-571	64	57.1
HR64-581	64	58.1
HR64-591	64	59.1
HR64-601	64	60.1
HR65-561	65	56.1
HR665-571	66.5	57.1
HR671-541	67.1	54.1
HR671-561	67.1	56.6
HR671-566	67.1	56.6
HR671-571	67.1	57.1
HR671-581	67.1	58.1
HR671-586	67.1	58.6
HR671-591	67.1	59.1
HR671-601	67.1	60.1
HR671-631	67.1	63.1
HR671-634	67.1	63.4
HR671-641	67.1	64.1
HR671-661	67.1	66.1
HR691-566	69.1	56.6
HR691-571	69.1	57.1
HR691-586	69.1	58.6
HR701-541	70.1	54.1
HR701-561	70.1	56.1
HR701-566	70.1	56.6
HR701-571	70.1	57.1
HR701-581	70.1	58.1
HR701-591	70.1	59.1
HR701-601	70.1	60.1
HR701-634	70.1	63.4
HR701-651	70.1	65.1
HR701-666	70.1	66.6
HR704-571	70.4	57.1
HR704-666	70.4	66.6
HR716-571	71.6	57.1
HR716-671	71.6	67.1
HR721-571	72.1	57.1

Part No.	O.D.	I.D.
HR726-711	72.6	71.1
HR726-541	72.6	54.1
HR726-561	72.6	56.1
HR726-566	72.6	56.6
HR726-571	72.6	57.1
HR726-592	72.6	59.2
HR726-596	72.6	59.6
HR726-601	72.6	60.1
HR726-634	72.6	63.4
HR726-639	72.6	63.9
HR726-641	72.6	64.1
HR726-651	72.6	65.1
HR726-661	72.6	66.1
HR726-666	72.6	66.6
HR726-671	72.6	67.1
HR726-701	72.6	70.1
HR726-705	72.6	70.5
HR726-705	72.6	70.5
HR73-581	73	58.1
HR731-541	73.1	54.1
HR731-561	73.1	56.1
HR731-566	73.1	56.6
HR731-571	73.1	57.1
HR731-581	73.1	58.1
HR731-596	73.1	59.6
HR731-596	73.1	59.6
HR731-601	73.1	60.1
HR731-634	73.1	63.4
HR731-635	73.1	63.5
HR731-639	73.1	63.9
HR731-641	73.1	64.1
HR731-651	73.1	65.1
HR731-661	73.1	66.1
HR731-666	73.1	66.6
HR731-671	73.1	67.1
HR731-701	73.1	70.1
HR731-705	73.1	70.5
HR731-705	73.1	70.5
HR731-715	73.1	71.5
HR74-541	74	54.1
HR74-561	74	56.1
HR74-566	74	56.6
HR74-571	74	57.1
HR74-581	74	58.1
HR74-591	74	59.1
HR74-601	74	60.1
HR74-634	74	63.4
HR74-639	74	63.9
HR74-641	74	64.1
HR74-651	74	65.1
HR74-661	74	66.1

Part No.	O.D.	I.D.
HR74-666	74	66.6
HR74-671	74	67.1
HR74-701	74	70.1
HR74-703	74	70.3
HR74-715	74	71.5
HR74-726	74	72.6
HR761-671	76.1	67.1
HR761-671	76.1	67.1
HR761-671	76.1	67.1
HR761-726	76.1	72.6
HR761-741	76.1	74.1
HR778-715	77.8	71.5
HR78-666	78	66.6
HR78-726	78	72.6
HR78-601	78	60.1
HR78-715	78	71.5
HR781-661	78.1	66.1
HR781-656	78.1	66.56
HR781-703	78.1	70.3
HR781-715	78.1	71.5
HR781-7256	78.1	72.56
HR781-741	78.1	74.1
HR781-781	78.1	78.1
HR106-781	106	78.1
HR106-931	106	93.1
HR1061-671	106.1	67.1
HR1061-931	106.1	93.1
HR1061-1001	106.1	100.1
HR1061-781	106.1	78.1
HR108-871	108	87.1
HR108-931	108	93.1
HR108-100	108	100
HR1081-661	108.1	66.1
HR1081-671	108.1	67.1
HR1081-931	108.1	93.1
HR1081-1001	108.1	100.1
HR1081-778	108.1	77.8
HR1081-981	108.1	98.1
HR1081-1061	108.1	106.1
HR110-1081	110	108.1
HR1101-671	110.1	67.1
HR1105-778	110.3	77.8
HR1103-78	110.3	78
HR1103-1001	110.3	100.1
HR1101-1061	110.1	106.1
HR1101-671	112.1	67.1
HR1121-671	112.1	67.1
HR1121-1001	112.1	100.1
HR1121-1001	112.1	100.1
HR1121-1061	112.1	106.1
HR1121-1061	112.1	106.1
HR1151-1061	115.1	106.1