



3006200024

VSP-122P

Portable Station Batteryless Telephone System 12-Way

- Portable substation
- 12 extensions selector
- Waterproof housing
- Carry handle and 5 meter cable with 16-pin Amphenol plug
- ✓ Used together with CD-16 at bridge wings and open deck areas

Description VSP-122P Portable Substation: Portable Batteryless Telephone

The VSP-122P Portable Substation expands our 12-Way Batteryless Telephone System with its portability and rugged design, making it an excellent choice for temporary or mobile communication needs.

Features:

- ✓ Watertight Construction: With a 5-meter cable and 16 pin Amphenol plug, ready for outdoor use.
- 2 12-Position Selector Switch: Ensures comprehensive communication capabilities, even on the go.
- Portable and Lightweight: Ideal for strategic use across various outdoor locations onboard during emergencies.

The VSP-122P provides a flexible, portable communication option, ensuring uninterrupted, clear communication across the vessel, vital for safety and operational efficiency.


Technical Dimensions

page 1/5

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.



www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

	0.no.3006
VINGTOR	Child Second
	Dimension

Rev. no. 00

page 3/5

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

Specifications

GENERAL

Connections	CD-16 Plug box
Housing	ROSE Box (AlSi12)
Handset	RA-250 w/ holder
Colour	Grey RAL7001 / Handset black
IP rating	IP-65
Weight	2.6 kg
Dimensions (WxHxD)	220 x 220 x 185 mm (with handset)
Operating temperature range	-25°C to 55°C

Accessories



00-10

Plug Box



IRR-24

Relay Box



IRR-VSP-220

Relay box 220V AC for VSP-12 way



VSP-36-PEL-A

Headset with boom mic, headband, and 10m cable

page 4/5

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.



VSP-36-PEL-A/20

Headset with boom mic, headband, and 20m cable



CD-4

Plugbox Waterproof



VSP-36-PELP-A

Headset with boom mic, headband, and 10m cable



VSP-36-PELP-A/20

Headset with boom mic, headband, and 20m cable



VSP-36-PELP-A/25

Headset with boom mic, headband, and 25m cable

www.zenitel.com

info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.